


MAJOR CONTRACTORS PRICE GUIDE 2020/21 EDITION 11



OVER 6000 PRODUCTS



SUPPORTING UK MANUFACTURING

Various product lines developed and manufactured in the UK

020 8311 1144 | sales@cmt.co.uk | www.cmt.co.uk

OUR DELIVERY PROMISES



Get it Anytime! We can deliver 24 hours a day 7 days a week

Whether it's 2am in Manchester or Saturday evening in central London, we can deliver 24 hours a day, 7 days a week. Charges for this service apply so please discuss with our sales team who will get you the best price possible!



VIP Rapid 2 hour delivery to London & South East call us for price

Having teams on site without the equipment needed causes delays - we can deliver all standard catalogue lines with our rapid VIP 2 hour delivery. (If you require VIP delivery outside our area shown, just give us a call). Subject to availability.



Order by 11am for Same Day Delivery to London & South East at no extra cost!

Any orders received by 11am for delivery within our same day delivery area will be delivered same day at no extra cost. If you need same day delivery outside our area shown, no problem. Call our team to discuss.



Order up to 7pm for next morning delivery nationwide at no extra cost!

We are a flexible supplier. You can order from 6am to 7pm Monday to Friday. All orders placed by 7pm are delivered next day before midday as standard at no extra cost!*



Get it in Ireland! Fast delivery available in Ireland from our Dublin depot

We deliver your goods to you from our Dublin depot, too. If you require more details on the various services available please speak to our sales team today.



2. All services offered are for standard stock items. We endeavour to stock most items shown in this catalogue but from time to time some items may be out of stock and we will let you know at the time you place your order. 3. Order cutoff time for printed clothing orders is 3 pm for next day delivery, and we cannot guarantee same day or VIP delivery on printed clothing. However we will endeavour to fulfil your requirements as quickly as we can. 4. Extra delivery charges may apply for deliveries to IOW, Isle Of Man, Channel Islands and parts of Ireland and Scotland.

Please note that printed and embroidered goods, and any goods ordered as a special are non-returnable under any circumstances and cannot be cancelled once the order has been processed. Standard goods from our catalogue can be returned providing goods are in perfect condition and in the original packaging, which will incur a minimum 15% restocking charge. Return requests must be submitted to our customer services department within 15 working days, and the goods returned to us within 20 working days. If you require us to collect the goods, a minimum collection charge of E15 will apply and will be calculated by location and volume.

WELCOME TO YOUR NEW 2020/21 - EDITION 11 CATALOGUE

R CM

We are delighted to present to you our brand new product guide for 2020/21. With new updated pages, hundreds of new products added, and an easy-to-use layout, this guide makes buying with CMT even more convenient for you.

All of this combined with our excellent service, highly competitive prices and FAST delivery makes CMT the best choice for all of your construction equipment and consumables.

We appreciate your business and look forward to hearing from you soon.

TEAM CMT











- 11 OTEC DIAMOND BLADES & CORES
- **39 CUTTING & DRILLING**
- 51 GROUNDWORK TOOLS
- 85 HAND TOOLS
- **107 TOOL TETHERING**
- 117 MEASURING & SURVEYING EQUIPMENT

- 127 DECORATING & SEALANTS
- **135 SITE EQUIPMENT**
- **163 ELECTRICAL & LIGHTING**
- **175 SITE PROTECTION**
- 181 SITE FURNITURE & STATIONERY
- **189 COVID HYGIENE**













- **203 JANITORIAL & CATERING**
- 227 ENVIRONMENTAL
- 245 FIRE, ACCIDENT & EMERGENCY
- 259 PERSONAL PROTECTIVE EQUIPMENT
- 331 HI VIS CLOTHING & WORKWEAR
- **383 FIXINGS & FASTENERS**

- 401 CONCRETE & FORMWORK ACCESSORIES
- 411 PLANT, POWER TOOLS & AUTOMOTIVE
- 431 SAFESMART ACCESS
- 445 SECURASITE
- 451 TRAFFIC MANAGEMENT
- 479 SAFETY SIGNS

ABOUT US

CMT Group was born in 2010 with a small, dedicated, passionate team and a condensed product range.

We have grown fast to become one of the largest independent construction equipment suppliers in the UK, leading the industry in exemplary customer care and satisfaction.

From day one, service has been the backbone of CMT's success. Despite the fast-paced and demanding nature of the industry, our focus has never deviated from customer care first and foremost.

With a carefully developed supply-chain where we manufacture and distribute in-house, we guarantee our clients will have the products they need – fast!

We believe in offering the right product, at the right price, to the right place, at the right time.

WHY CHOOSE US?

CMT is not just another one of those typical suppliers with good prices and average service. We're a team of committed people who really care and offer the same personal touch every time.

We know how important it is for orders to arrive on time, it matters to us too. As a well-established construction equipment supplier, we understand the importance of a simple and easy buying process. We provide a seamless experience for new and existing customers.

Through our account services we provide ongoing help and support, tailored pricing and bespoke invoicing solutions – all of which aim at providing a sleek, unrivalled user experience.

We work closely with governing bodies and accomplished manufacturers to promote best practice at all times. Our manufacturing facilities are always providing our customers with

OUR PROMISE

Super-fast Delivery

We don't live in a perfect world; unfortunately, there will always be situations where goods are urgently required at short notice. That's why we provide deliveries same-day and nextmorning nationwide as standard. Our own vehicle fleet is ever-expanding, delivering the vast majority of our orders nationwide and offering full flexibility & traceability every step of the journey. No matter where you are, we're just around the corner!

Competitive Prices

Many wholesalers like to act as a simple middleman, they let brands and manufacturers do the talking. Whilst we proudly maintain strong relationships with affiliate brands, we don't stop there. In the market today, some brands get away with charging ludicrous prices. When we know that our inhouse R&D and manufacturing departments can do a better job, that's what we do - we produce a product that yields a similar or higher quality but for a fraction of the price. We're responsible for the quality of the product and that's how we like it.

Socially Responsible

At CMT we take our operations very seriously and ensure all aspects of our company are exceptional. Our social responsibility is no different. We continuously quality check supplychains and re-evaluate our environmental footprint. We use circular supply-chain concepts to offer advice to customers about disposing of products. It would not be right to call ourselves successful without having a strong CSR programme.

what's needed at the time, under any circumstance. 'In demand' products can be easily upscaled, new product lines can be developed and alterations and bespoke solutions can be provided.

Whatever demands are put on us, we deliver.

OUR ETHOS

Our ethos is simple – extensive, adaptable product lines at competitive prices, while providing unbeatable service.

CMT's innovative business model was a breakthrough to an industry tired of long lead times and unpredictable deliveries. Our commitment to unrivalled service - on time every time - was a refreshing disruption to the market.

We like to put ourselves in the customer's shoes. We're openminded to new ways of working, we constantly push for feedback to better our service and we're not scared to take bold decisions where necessary.

Our goal is to make our clients' lives simpler and easier.

QUALITY & COMPLIANCE YOU CAN TRUST

At CMT we set the bar high.

Product quality is paramount. All products must comply with latest regulations and exceed industry best practice - it's imperative. As active members of the BSIF Registered Safety Supplier Scheme, we hold to strict guidelines that ensure high quality and compliance. We don't regard this as optional.

BSIF hold regular audits to ensure there's no compromise on quality or legal standards. As well as this, we manage product approval and certification in-house, giving us total control. Our experienced compliance team ensure all products stay compliant and up to date with current legislation, and can prove this for every item. Where relevant, this includes specification sheets, declarations of conformity and all associated documents.



OUR NATIONWIDE DELIVERY FLEET

Our own vehicle fleet is constantly expanding, now delivering the vast majority of our orders nationwide and offering full flexibility & traceability every step of the journey. As we've expanded our network, we understand that it is essential that we deliver in a sustainable manner. Our ongoing transition to electric vehicles is a key part of our sustainability plan.

We ship in bulk and consolidate deliveries whenever possible using specialist computer programmes for route mapping to not only ensure improved delivery times, but reduce our carbon emissions to the minimum.

Our delivery methods are automatically calculated within our despatch software, and the processes utilised include the use of picking zones, twenty-four hour operations and staggered despatch times, allowing us to efficiently despatch thousands of orders a day.



ARMED FORCES COVENANT

CMT have committed to honour the Armed Forces Covenant and support the Armed Forces Community. The first duty of Government is the defence of the realm. Our Armed Forces fulfil that responsibility, sacrificing some civilian freedoms, facing danger and, sometimes, suffering serious injury or death as a result of their duty. In return, the whole nation has a moral obligation to the members of the Naval Service, the Army and the Royal Air Force, together with their families. They deserve our respect and support, and fair treatment.

We recognise the value serving personnel, reservists, veterans and military families bring to our business and will strive to support the employment of veterans by seeking to uphold the principles of the Armed Forces Covenant.



THE 5% CLUB

As a company operating in the UK, we are committed to this country's growth agenda. Against the current backdrop, we are aware of the chronic skills shortage and youth unemployment that the UK faces and acknowledge the importance of developing our people as both a business and social imperative. We aim to play a role in transforming the fortunes of young, talented people in the UK to ensure that the UK retains its reputation for innovation. As a member of The 5% Club, we are pledging to work towards having a minimum 5% of our UK workforce enrolled on formalised apprentice, sponsored student and/or graduate development schemes within the next 5 years.

We believe that by joining The 5% Club we will play a role in Britain's long term prosperity, benefitting both society and Britain's place in the world.



RE: COVID-19 CRISIS

We trust you are keeping safe during this difficult time. We wanted to provide an update on how COVID-19 has affected us, and the actions we've taken to ensure the service you receive is impeccable.

Although procurement of some items has been extremely challenging in recent months, CMT have leveraged our supply network to find alternative high-quality sources where necessary and ensure a consistent and reliable supply to our clients. This has affected costs on certain items but, rest assured, we have and will continue to absorb these increases wherever possible. This means you can expect normal stock levels for all items. Our sales team will keep you personally advised at every point if any further global spikes in demand are experienced that may have an effect on supply.

Despite the economic difficulties, CMT are committed to protecting our workforce, meaning continuity for your team when contacting CMT. This has carried increased costs, including investments in hardware and systems to enable employees to work from home, to ensure service levels are maintained.

We have also significantly expanded our transport team and the area covered by our ever-expanding fleet. This means a further increased service level for the majority of the country and greater flexibility and traceability. This large investment has helped protect your service from negative impacts of third-party couriers, who have been affected by the crisis. As a result, we have been forced to increase our standard delivery charge to £12.95.

Despite international shortages, CMT are committed to playing our part to help and support our community. We've made over 50 donations of essential PPE to local NHS trusts, charities and care homes.

CMT remain in a financially strong position despite the current economic difficulties. Our future as your supply partner is secure. In the current climate, it's easy to forget about our obligations to protect the planet. However, we are continuing to stick to our resolve in ongoing environmental commitments and continuously work to reduce our CO2 footprint.

CMT remain committed to providing the highest level of service to you and your team. We trust you stay safe and well as we this recover from this crisis together and emerge stronger.

Take care, and speak soon!



CMT are the **first UK** manufacturer to produce certified Type II, IIR and 3-Ply face masks

No.1 UK Manufacturer of Certified Face Masks

Our extensive knowledge of personal protective equipment and our commitment to leading innovations in safety, led us to start manufacturing surgical and standard use masks. Producing millions of masks per week with constant expansion to accommodate demand.

Masks are fully certified to EN14638:2019, with official certification and test reports in English - making it clear and simple to process through your own compliance systems.

Production facilities are based at the same complex as our head office, with over 400,000 sq. ft. of manufacturing and warehousing. Get in touch to book a visit, and see the manufacturing process from raw material to finished masks with your own eyes.



Type II, IIR and 3-Ply face masks are available in a range of pack sizes and packaging options, including own branding

Our focus is on helping you in guaranteeing a consistent, secure supply of UK manufactured masks at more competitive rates than offshore-sourced products.

Benefits of ordering through an accredited UK supplier rather than importing:

- Removes any risk of inconsistent supply
- Save weeks of time on delivery
- Deal with a professional UK team
- Avoid overstocking with reduced MOQs
- Supports UK manufacturing
- Avoid exchange rate fluctuations
- Supports our economy

Call us: **020 8311 1144** Email: **enquiries@cmtgroup.co.uk** www.cmtgroup.co.uk



- FastPoints loyalty scheme
- Products shown at your prices
- Sublogin option for employees
- Online order history
- Invoice & POD finder
- 24/7 ordering



OTEC DIAMOND BLADES & CORES



Application Chart	12-13
Concrete	16-19
Hard Materials	20-23
Multi-Purpose	24-27
Asphalt	28-29
Brick Cutting	30-31
Ceramic, Porcelain	33
Stone	34-35
Wet & Dry Cores	36-37
Wet Cores	38



HIGHLY RECOMMENDE

RECOMMENDED (NOT CONTINUOUS USE)

OCCASIONAL USE

X NOT RECOMMENDED



CONSTRUCTI	ON BLADES	METAL	VERY HARD
QUALITY LEVEL	Blade Ref	Exposed steel, RSJ's and sheet metal	Granite, engineering bricks, hard clay products, hard natural stone, very hard concrete
STANDARD	D15TE	X	X
	D15D	X	×
	\checkmark	$\checkmark \checkmark \checkmark$	
PREMIUM	D15T10	×	X
	D20T	×	X
	DT15	×	\checkmark
	Z15	X	√
SUPER PREMIUM	LT10R	\checkmark	$\sim \sim \sim$
OOT ERT REFILET	TX15	X	X
	D18	X	<u></u>
	D20B	X	X
	Z15P	X	$\overline{\mathbf{v}}$
	DX05	X	\checkmark \checkmark
	D10P	\checkmark	\checkmark \checkmark \checkmark
	DT150	X	
PROFESSIONAL	L5P		
	D18P		
	X19P		
	D20		
	D20P		
	USB	$\vee \vee \vee$	\checkmark

SPECIALIST BRICK CUTTING BLADES

QUALITY LEVEL	Blade Ref	Soft Brick	Medium Brick	Hard Brick	Ultra Hard Brick
	W19	$\checkmark \checkmark \checkmark \checkmark$	×	×	×
	W19SC	\checkmark	×	×	×
	W7	$\checkmark\checkmark\checkmark$	$\checkmark \checkmark \checkmark \checkmark$	\checkmark	\checkmark
PROFESSIONAL	W7SC	\checkmark	$\checkmark \checkmark \checkmark \checkmark$	$\checkmark\checkmark$	\checkmark
	W6SC	\checkmark	$\checkmark \checkmark$	\checkmark	$\checkmark \checkmark \checkmark \checkmark$
	W63P	\checkmark	$\checkmark \checkmark$	\checkmark	$\checkmark \checkmark$
	W5SC	×	\checkmark	\checkmark	\checkmark

APPLICATION CHART

STANDARD	ENTRY LEVEL CONSTRUCTORS RANGE
	EXCEPTIONAL VALUE FOR THE PRICE CONSCIOUS BUYER WHO WANTS SOMETHING BETTER
SUPER PREMIUM	BEST SELLING SUPERIOR BLADES FOR EXCELLENT PERFORMANCE
PROFESSIONAL	WHEN NOTHING BUT THE BEST WILL DO - GUARANTEED TO OUT PERFORM

CONCRETE	GENERAL PURPOSE	ABRASIVE	ASPHALT
Limestone and flint aggregate, reinforced concrete, hard unabrasive concrete products	Kerbs and slabs, medium hard bricks, yorkstone, concrete paviors	Concrete roof tiles, sandstone, abrasive, concrete paviors	Asphalt, green concrete, render, cement screed, lignacite blocks
$\checkmark\checkmark$	$\checkmark \checkmark \checkmark$	$\checkmark\checkmark$	X
$\checkmark\checkmark$	$\checkmark \checkmark \checkmark$	$\checkmark\checkmark$	×
$\checkmark \checkmark \checkmark$	$\checkmark \checkmark \checkmark$	\checkmark	×
$\checkmark\checkmark$	$\checkmark\checkmark\checkmark\checkmark$	$\checkmark \checkmark$	\checkmark
×	×	\checkmark	$\checkmark \checkmark \checkmark \checkmark$
$\checkmark \checkmark \checkmark$	$\checkmark \checkmark \checkmark \checkmark$	$\checkmark \checkmark$	X
$\checkmark \checkmark \checkmark$	$\checkmark \checkmark \checkmark \checkmark$	\checkmark	X
$\checkmark \checkmark \checkmark$	$\checkmark \checkmark \checkmark \checkmark$	√	X
$\checkmark \checkmark \checkmark$	\checkmark	\checkmark	×
$\checkmark\checkmark\checkmark$	$\checkmark \checkmark \checkmark \checkmark$	$\overline{\checkmark}\sqrt{\checkmark}$	\checkmark
X	×	$\overline{\mathbf{v}}$	$\checkmark \checkmark \checkmark$
\checkmark \checkmark \checkmark		<u> </u>	X
\checkmark \checkmark \checkmark	\checkmark	$\overline{}$	X
\checkmark	\checkmark	<u> </u>	X
\checkmark \checkmark \checkmark		√	×
$\checkmark \checkmark \checkmark$			X
X			
X	X		
	\checkmark		X

CERAMIC, PORCELAIN & STONE

QUALITY LEVEL	Blade Ref	Ceramic	Porcelain	Granite	Marble	Quartz	Hard Clay
	R20	$\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{$	$\checkmark\checkmark$	$\checkmark \checkmark$	$\checkmark\checkmark$	$\checkmark\checkmark$	$\checkmark\checkmark$
	PC10	\checkmark	\checkmark	$\checkmark \checkmark$	×	\checkmark	\checkmark
	SP5V	×	×	$\checkmark \checkmark \checkmark \checkmark$	$\checkmark \checkmark \checkmark \checkmark$	$\checkmark \checkmark$	×
	ST5L	×	×	$\checkmark \checkmark \checkmark \checkmark$	$\checkmark \checkmark \checkmark \checkmark$	$\sim \sqrt{}$	×
	D5P	\checkmark	$\sim \sqrt{}$	$\checkmark \checkmark \checkmark \checkmark$	×	\checkmark	$\checkmark \checkmark \checkmark \checkmark$
PROFESSIONAL	L5P	$\checkmark\checkmark\checkmark$	\checkmark	$\checkmark \checkmark \checkmark \checkmark$	×	\checkmark	$\checkmark \checkmark \checkmark \checkmark$
	E40V	×	×	×	$\checkmark \checkmark \checkmark \checkmark$	×	×
	TR30V	×	×	×	$\checkmark \checkmark \checkmark \checkmark$	×	×
	W5SC	×	×	$\checkmark \checkmark \checkmark \checkmark$	×	$\checkmark \checkmark \checkmark \checkmark$	×
	W5XSC	×	×	$\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{$	×	$\checkmark \checkmark \checkmark \checkmark$	×
	W40SC	×	×	×	$\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{$	×	×

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

Set up an account for our discounted rates / prices

ote C DIAMOND BLADES a cut above the rest

Since 1992 OTEC diamond blades have been leading the field in the supply of professional diamond tools to the construction and civil engineering industry, and we're proud to be the number one brand in the marketplace.

OTEC diamond blades have been proven throughout the last 28 years to provide high performance and durability, with an excellent track record of safety. These three key features are the reason OTEC are the approved diamond tool brand to so many of the UK's biggest contractors.

SUPPLYING WORLD CLASS BLADES SINCE 1992



#PERFORMANCE #DURABILITY #SAFETY



D15T	2	STA	NDARD)
		META Exposed steel, RSJ's, shee pipe, rebar, fibreglas	et metal, ductile iron	×
OTTEC		VERY HA Granite, Engineering bricks hard natural stone, ve	s, hard clay products,	×
		CONCRE Limestone and flint agg concrete, hard unabrasive	regate, reinforced	$\checkmark\checkmark$
		GENERAL PL Kerbs and slabs, med yorkstone, concr	ium hard bricks,	$\checkmark\checkmark\checkmark$
CD15TE CRMEMAD CRMEMAL FILCHPOCE		ABRASI Concrete roof tiles, sar concrete pa	ndstone, abrasive	$\checkmark\checkmark$
KLIN		ASPHA Asphalt, green concret screed, lignaci	e, render, cement	×
EN 7	CODE	DIAMETER	BORE	Ŷ
Safety Standard Segment Size	D15TE-300/20	300mm	20mm	10



N 3 236 7	12 mm	CODE	DIAMETER	BORE	
andard	Segment Size	D15D-300/20	300mm	20mm	10



020 8311 1144 sales@cmt.co.uk www.cmt.co.uk

CONCRETE

SUPER PREMIUM

METAL Exposed steel, RSJ's, sheet metal, ductile iron pipe, rebar, fibreglass, plastic pipe	×
VERY HARD Granite, Engineering bricks, hard clay products, hard natural stone, very hard concrete	×
CONCRETE Limestone and flint aggregate, reinforced concrete, hard unabrasive concrete products	$\checkmark\checkmark\checkmark$
GENERAL PURPOSE Kerbs and slabs, medium hard bricks, yorkstone, concrete paviors	$\sqrt{\sqrt{\sqrt{2}}}$
ABRASIVE Concrete roof tiles, sandstone, abrasive concrete paviors	$\checkmark\checkmark$
ASPHALT Asphalt, green concrete, render, cement screed, lignacite blocks	×



DIAMETER	BORE	\bigcirc
300mm	20mm	10

SUPER PREMIUM

TX15-300/20

METAL Exposed steel, RSJ's, sheet metal, ductile iron pipe, rebar, fibreglass, plastic pipe	×
VERY HARD Granite, Engineering bricks, hard clay products, hard natural stone, very hard concrete	\checkmark
CONCRETE Limestone and flint aggregate, reinforced concrete, hard unabrasive concrete products	$\checkmark\checkmark\checkmark$
GENERAL PURPOSE Kerbs and slabs, medium hard bricks, yorkstone, concrete paviors	$\checkmark\checkmark\checkmark$
ABRASIVE Concrete roof tiles, sandstone, abrasive concrete paviors	✓
ASPHALT Asphalt, green concrete, render, cement screed, lignacite blocks	×

Z15	
	OTEC
	5400
	Z15 MORESSION
	CONCRETE PRODUCTS
	1

CODE	DIAMETER	BORE		\bigcirc
Z15-300/20	300mm	20mm	10mm seg	10
Z15-350/25	350mm	25mm	8mm seg	10
Z15-450/25	450mm	25mm	8mm seg	10



ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

Set up an account for our discounted rates / prices

SUPER PREMIUM

METAL Exposed steel, RSJ's, sheet metal, ductile iron pipe, rebar, fibreglass, plastic pipe	×
VERY HARD Granite, Engineering bricks, hard clay products, hard natural stone, very hard concrete	\checkmark
CONCRETE Limestone and flint aggregate, reinforced concrete, hard unabrasive concrete products	$\checkmark\checkmark\checkmark$
GENERAL PURPOSE Kerbs and slabs, medium hard bricks, yorkstone, concrete paviors	$\checkmark\checkmark\checkmark$
ABRASIVE Concrete roof tiles, sandstone, abrasive concrete paviors	$\checkmark\checkmark$
ASPHALT Asphalt, green concrete, render, cement screed, lignacite blocks	×



mm



PROFESSIONAL

10

10

10

10

METAL Exposed steel, RSJ's, sheet metal, ductile iron pipe, rebar, fibreglass, plastic pipe	×
VERY HARD	
Granite, Engineering bricks, hard clay products, hard natural stone, very hard concrete	$\checkmark\checkmark$
CONCRETE	
Limestone and flint aggregate, reinforced concrete, hard unabrasive concrete products	$\checkmark\checkmark\checkmark$
GENERAL PURPOSE	
Kerbs and slabs, medium hard bricks, yorkstone, concrete paviors	$\checkmark\checkmark\checkmark$
Kerbs and slabs, medium hard bricks, yorkstone, concrete paviors	$\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{$
Kerbs and slabs, medium hard bricks,	< √ √
Kerbs and slabs, medium hard bricks, yorkstone, concrete paviors ABRASIVE Concrete roof tiles, sandstone, abrasive	$\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{$



CODE	DIAMETER	BORE	\bigcirc
DX05-300/20	300mm	20mm	10
DX05-350/20	350mm	20mm	10



020 8311 1144 sales@cmt.co.uk

18

www.cmt.co.uk







CODE	DIAMETER	BORE		
Z15P-300/20	300mm	20mm	12mm seg	10
Z15P-350/25	350mm	25mm	10mm seg	10
Z15P-450/25	450mm	25mm	10mm seg	10

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

PREMIUM





PROFESSIONAL












020 8311 1144

CODE	DIAMETER	BORE	\bigcirc
L5P-125/22	125mm	22mm	10
L5P-150/22	150mm	22mm	10
L5P-300/20	300mm	20mm	10
L5P-350/25	150mm	25mm	10

sales@cmt.co.uk www.cmt.co.uk

HARD MATERIALS

LT10R SUPER PREMIUM



VERY HARD

METAL

Granite, Engineering bricks, hard clay products, hard natural stone, very hard concrete

CONCRETE

Limestone and flint aggregate, reinforced concrete, hard unabrasive concrete products

GENERAL PURPOSE

Kerbs and slabs, medium hard bricks, yorkstone, concrete paviors

ABRASIVE

Concrete roof tiles, sandstone, abrasive concrete paviors

ASPHALT

Asphalt, green concrete, render, cement screed, lignacite blocks





Х



CODE	DIAMETER	BORE	\bigcirc
LT10R-105/16	105mm	16mm	10
LT10R-115/22	115mm	22mm	10
LT10R-125/22	125mm	22mm	10
LT10R-150/22	150mm	22mm	10
LT10R-230/22	230mm	22mm	10
LT10R-300/20	300mm	20mm	10
LT10R-350/20	350mm	20mm	10
LT10R-350/25	350mm	25mm	10

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

OTEC

T10R

SUPERFRET

	D10P	PROFESSIONAL	
	Z		
		METAL Exposed steel, RSJ's, sheet metal, ductile iron pipe, rebar, fibreglass, plastic pipe	\checkmark
OTEC		VERY HARD Granite, Engineering bricks, hard clay products, hard natural stone, very hard concrete	$\checkmark\checkmark\checkmark$
-ROFESDORIL DIAMAD TOOLS		CONCRETE Limestone and flint aggregate, reinforced concrete, hard unabrasive concrete products	$\checkmark\checkmark$
5400 READ		GENERAL PURPOSE Kerbs and slabs, medium hard bricks, yorkstone, concrete paviors	$\checkmark\checkmark$
SAFETY		ABRASIVE Concrete roof tiles, sandstone, abrasive concrete paviors	×
D10P PROFESSIONAL INABRASIVE CONCRETE		ASPHALT Asphalt, green concrete, render, cement screed, lignacite blocks	x
De 199 300 bins = 20			
, 1			



CODE	DIAMETER	BORE	
D10P-230/22	230mm	22mm	10
D10P-300/20	300mm	20mm	10
D10P-350/20	350mm	20mm	10
D10P-350/25	350mm	25mm	10

22 020 8311 1144 sales@cmt.co.uk www.cmt.co.uk

HARD MATERIALS

PROFESSIONAL

CERAMIC	$\checkmark\checkmark$
PORCELAIN	$\sqrt{\sqrt{\sqrt{1}}}$
GRANITE	$\checkmark\checkmark$
MARBLE	×
QUARTZ	$\checkmark\checkmark$
HARD CLAY PRODUCTS	\checkmark

CODE	DIAMETER	BORE	
PC10-115/22	115mm	22mm	10
PC10-125/22	125mm	22mm	10
PC10-300/25/20	300mm	20mm	10
PC10-350/25	350mm	25mm	10





PROFESSIONAL

METAL Exposed steel, RSJ's, sheet metal, ductile iron pipe, rebar, fibreglass, plastic pipe	×
VERY HARD Granite, Engineering bricks, hard clay products, hard natural stone, very hard concrete	$\checkmark\checkmark\checkmark$
CONCRETE Limestone and flint aggregate, reinforced concrete, hard unabrasive concrete products	$\checkmark\checkmark\checkmark$
GENERAL PURPOSE Kerbs and slabs, medium hard bricks, yorkstone, concrete paviors	$\checkmark\checkmark\checkmark$
ABRASIVE Concrete roof tiles, sandstone, abrasive concrete paviors	\checkmark
ASPHALT Asphalt, green concrete, render, cement screed, lignacite blocks	×

THIS BLADE SHOULD NOT BE USED FOR CLAY PIPE

CODE	DIAMETER	BORE	Ŷ
DT150-300/20	300mm	20mm	10





ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

D15T10

PREMIUM

Х



6400

D15T(10) STANDARD PLUS GENERAL PURPOSE

METAL

Exposed steel, RSJ's, sheet metal, ductile iron pipe, rebar, fibreglass, plastic pipe

VERY HARD

Granite, Engineering bricks, hard clay products, hard natural stone, very hard concrete

CONCRETE

Limestone and flint aggregate, reinforced concrete, hard unabrasive concrete products

GENERAL PURPOSE

Kerbs and slabs, medium hard bricks, yorkstone, concrete paviors

ABRASIVE

Concrete roof tiles, sandstone, abrasive concrete paviors

ASPHALT

Asphalt, green concrete, render, cement screed, lignacite blocks



CODE	DIAMETER	BORE	
D15T10-115/22	115mm	22mm	10
D15T10-230/22	230mm	22mm	10
D15T10-300/20	300mm	20mm	10
D15T10-350/20	350mm	20mm	10
D15T10-350/25	350mm	25mm	10

24 020 8311 1144 sales@cmt.co.uk www.cmt.co.uk

MULTI PURPOSE





CODE	DIAMETER	BORE	\bigcirc
D18-300/20	300mm	20mm	10
D18-350/25	350mm	25mm	10
D18-400/20	400mm	20mm	10
D18-400/25	400mm	25mm	10
D18-450/25	450mm	25mm	10

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

	D18P PROFESSIONA		JAL
		METAL Exposed steel, RSJ's, sheet metal, ductile iron pipe, rebar, fibreglass, plastic pipe	×
OTEC		VERY HARD Granite, Engineering bricks, hard clay products, hard natural stone, very hard concrete	\checkmark
HIGHESSIONAL DAMIONI TOOLI		CONCRETE Limestone and flint aggregate, reinforced concrete, hard unabrasive concrete products	$\checkmark\checkmark\checkmark$
	Resident P	GENERAL PURPOSE Kerbs and slabs, medium hard bricks, yorkstone, concrete paviors	$\checkmark\checkmark\checkmark$
D18P PROFESSIONAL		ABRASIVE Concrete roof tiles, sandstone, abrasive concrete paviors	$\checkmark\checkmark\checkmark$
ABRASIVE/CONCRETE		ASPHALT Asphalt, green concrete, render, cement screed, lignacite blocks	$\checkmark\checkmark$



CODE	DIAMETER	BORE	Ô
D18P-115/22	115mm	22mm	10
D18P-230/22	230mm	22mm	10
D18P-300/20	300mm	20mm	10
D18P-350/20	350mm	20mm	10
D18P-350/25	350mm	25mm	10
D18P-450/25	450mm	25mm	10
D18P-600/25	600mm	25mm	10

26

020 8311 1144 sales@cmt.co.uk www.cmt.co.uk

MULTI PURPOSE

X19P PROFESSIONAL METAL X Exposed steel, RSJ's, sheet metal, ductile iron pipe, rebar, fibreglass, plastic pipe **VERY HARD** Granite, Engineering bricks, hard clay products, X hard natural stone, very hard concrete CONCRETE Limestone and flint aggregate, reinforced concrete, hard unabrasive concrete products OTEC **GENERAL PURPOSE** Kerbs and slabs, medium hard bricks, yorkstone, concrete paviors Gia Jitem Bore 25-Less APPELLUNE ABRASIVE EN13236 Concrete roof tiles, sandstone, abrasive concrete paviors Concrete: A Ignait & Matal **ASPHALT** Asphalt, green concrete, render, cement screed, lignacite blocks



CODE	DIAMETER	BORE	Ô
X19P-300/20	300mm	20mm	10
X19P-350/20	350mm	20mm	10
X19P-350/25	350mm	25mm	10
X19P-450/25	450mm	25mm	10

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

D20B SUPER PREMIUM





CODE	DIAMETER	BORE	Ô
D20B-300/20	300mm	20mm	10
D20B-350/25	350mm	25mm	10
D20B-450/25	450mm	25mm	10

28 020 8311 1144 sales@cmt.co.uk www.cmt.co.uk



D20

PROFESSIONAL

METAL

Exposed steel, RSJ's, sheet metal, ductile iron pipe, rebar, fibreglass, plastic pipe

VERY HARD

Granite, Engineering bricks, hard clay products, hard natural stone, very hard concrete

CONCRETE

Limestone and flint aggregate, reinforced concrete, hard unabrasive concrete products

GENERAL PURPOSE

Kerbs and slabs, medium hard bricks, yorkstone, concrete paviors

ABRASIVE

Concrete roof tiles, sandstone, abrasive concrete paviors

ASPHALT

Asphalt, green concrete, render, cement screed, lignacite blocks



X

X

X

Х

8MM, 10MM, & 12MM WIDE LOOPING BLADES AVAILABLE - PLEASE ASK OUR SALES TEAM



CODE	DIAMETER	BORE		
D20-300/20	300mm	20mm	10mm Seg	10
D20-350/20	350mm	25mm	8mm Seg	10
D20-450/25	450mm	25mm	8mm Seg	10

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

Set up an account for our discounted rates / prices

Max RPM 6400

29

READ

SAFE

INSTR

D20

SUPER PREMIUM

ASPHALT



W19B - Premium

- Soft bricks, clean cutting, long life
- 9mm segment

Code	Diameter	Bore	Ŷ
W19B-350/25	350mm	25mm	10



W19 - Professional

• Soft bricks, clean cutting, very long life, top quality, 8mm segment

Code	Diameter	Bore	Ĩ
W19-350/25	350mm	25mm	10
W19-450/25	450mm	25mm	10

W19SC - Professional - Silent Centre

• Soft bricks, clean cutting, very long life, top quality, 8mm segment

Code	Diameter	Bore	Ô
W19SC-350/25	350mm	25mm	10
W19SC-450/25	450mm	25mm	10

RESPIRATORY PRODUCTS

LARGE RANGE AVAILABLE GO TO PAGES 308-319



BRICK CUTTING



W7 - Professional

• Medium hard bricks, engineering bricks, top quality, 10mm segment

Code	Diameter	Bore	
W7-350/25	350mm	25mm	10
W7-450/25	450mm	25mm	10

W7SC - Professional - Silent Centre

Medium hard bricks, engineering bricks, top quality, 10mm segment

Code	Diameter	Bore	
W7SC-350/25	350mm	25mm	10
W7SC-450/25	450mm	25mm	10



W6SC - Professional - Silent Centre

- Extremely hard bricks, very clean cutting, without chipping
- High quality, 10mm segment

Code		Diameter	Bore	Ŷ
W6SC-35	0/25	350mm	25mm	10
W6SC-45	0/25	450mm	25mm	10
W6SC-60	0/25	600mm	25mm	10





W63P - Professional Hard Brick

- Extremely hard bricks, very clean cutting without chipping
- 3mm wide segment with narrow gullet

Code	Diameter	Bore	
W63P-600/35/25	600mm	25mm	1



CHECK OUT OUR RANGE OF **CUT-OFF SAWS**



LARGE RANGE AVAILABLE SEE PAGES 424 - 425

32 020 8311 1144 sales@cmt.co.uk www.cmt.co.uk

CERAMIC, PORCELAIN



R20 - Professional

- Cuts all tiles guaranteed, fine cut no splintering, silencing S-slot
- 8mm segment

Code	Diameter	Bore	Ŷ
R20-300/20	300mm	20mm	10
R20-350/25	350mm	25mm	10



PC10 - Professional

• Porcelain, fine cut, ceramics, granite, natural stone

• Super thin, 7mm

Code	Diameter	Bore	9
PC10-115/22	115mm	22mm	10
PC10-125/22	125mm	22mm	10
PC10-300/20	300mm	20mm	10
PC10-350/25	350mm	25mm	10



SP5V - Professional - Turbo Diamond Blade - M14

- Granite and marble
- Turbo spiro segmented

Code	Diameter	Bore	Ŷ
SP5V-125/M14	125mm	M14 Flange	10
SP5V-230/M14	230mm	M14 Flange	10



ST5L - Professional - Turbo Diamond Blade - M14

- Granite and marble
- Turbo semi-continuous design

Code	Diameter	Bore	Ŷ
ST5L-125/M14	125mm	M14 Flange	10
ST5L-230/M14	230mm	M14 Flange	10



D5P - Professional

- Granite and hard stone
- Top quality, clean cut, 10mm segment

Code	Diameter	Bore	Ŷ
D5P-125/22	125mm	22mm	10
D5P-150/22	150mm	22mm	10
D5P-180/22	180mm	22mm	10
D5P-230/22	230mm	22mm	10





- Granite & clay products, ceramic tiles, natural stone
- Turbo rim, 12mm segment

Code	Diameter	Bore	\bigcirc
L5P-115/22	115mm	22mm	10
L5P-125/22	125mm	22mm	10
L5P-150/22	150mm	22mm	10
L5P-180/22	180mm	22mm	10
L5P-300/20	300mm	20mm	10
L5P-350/25	350mm	25mm	10



E40V - Professional

- Diamond electroplated sides for cutting curves, very clean cut, marble
- Vanity blade

С	ode	Diameter	Bore	Ô
E	40V-125/22	125mm	22mm	10
E	40V-150/22	150mm	22mm	10



TR30V - Professional - Electro Vanity Blade - M14

- Granite and marble
- With triangle electroplated design. For mounting directly on grinder

Code	Diameter	Bore	Ô
TR30V-125/M14	125mm	M14 Flange	10
TR30V-230/M14	230mm	M14 Flange	10



STONE

W5SC

- Granite, quartz and hard stone
- High quality, clean cut, 15mm segment

Code	Diameter	Bore	Ô
W5SC-400/60/50	400mm	50/60mm	10
W5SC-450/60/50	450mm	50/60mm	10
W5SC-500/60/50	500mm	50/60mm	10
W5SC-600/60/50	600mm	50/60mm	10



ARIX

- Granite and hard stone
- Auto array, 15mm segment

Code	Diameter	Bore	Ŷ
ARIX-400	400mm	50/60mm	10
ARIX-450	450mm	50/60mm	10
ARIX-500	500mm	50/60mm	10



W40SC

Marble

• High quality, clean cut, 8mm segment

Code	Diameter	Bore	Ŷ
W40SC-400/60/50	400mm	50/60mm	10
W40SC-450/60/50	450mm	50/60mm	10
W40SC-500/60/50	500mm	50/60mm	10



W5SCL - Professional Milling Blade

• Granite & hard stone, high quality segment for milling

Code	Diameter	Bore	Seg. Width	Ŷ
W5SCL-350-10W	350mm	50/60mm	10mm	1
W5SCL-350-15W	450mm	50/60mm	15mm	1
W5SCL-350-20W	350mm	50/60mm	20mm	1
W5SCL-350-25W	450mm	50/60mm	25mm	1
W5SCL-350-30W	350mm	50/60mm	30mm	1
W5SCL-400-8W	450mm	50/60mm	8mm	1
W5SCL-400-10W	400mm	50/60mm	10mm	1
W5SCL-400-20W	400mm	50/60mm	20mm	1
W5SCL-400-25W	400mm	50/60mm	25mm	1
W5SCL-400-30W	400mm	50/60mm	30mm	1

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

VBC Vacuum Brazed Drill



• Wet core for mounting directly on angle grinder

	Wet core for mounting directly on angle grinder		
	Code	Diameter	Length
la la	VBC-006/M14	6mm	40mm
	VBC-010/M14	10mm	40mm
	VBC-015/M14	15mm	40mm
	VBC-020/M14	20mm	40mm
0	VBC-025/M14	25mm	40mm
	VBC-030/M14	30mm	40mm
	VBC-035/M14	35mm	40mm
1	VBC-040/M14	40mm	40mm
1.18	VBC-045/M14	45mm	40mm



• Universal / concrete, construction products, stone

55mm

60mm

65mm

Double row

VBC-055/M14

VBC-060/M14

VBC-065/M14

Code	Diameter	Bore	Ŷ
DCG-105/22	105mm	22mm	36
DCG-115/22	115mm	22mm	36
DCG-125/22	125mm	22mm	36
DCG-150/19	150mm	19mm	36
DCG-180/22	180mm	22mm	24

Fitting

M14

M14 M14 M14 M14 M14 M14 M14 M14

M14

M14

M14

40mm

40mm

40mm

R

1



MTC - Professional

- Surface grinding & finishing, universal / concrete, stock removal
- Turbo rim

Code	Diameter	Bore	Ŷ
MTC-100/15	100mm	15mm	24
MTC-100/22	100mm	22mm	24



V30 - Vacuum Brazed Blade

- Granite and marble
- With triangle electroplated design. For mounting directly on grinder

Code	Diameter	Bore	Ŷ
V30-230/M14	230mm	M14	1

WET & DRY CORES

DCX - Professional Dry Core Drill

• Concrete, universal & building products



Code	Diameter	Length	Fitting
DCX-032	32mm	150mm	1/2"BSP(F)
DCX-038	38mm	150mm	1/2"BSP(F)
DCX-065	65mm	150mm	1/2"BSP(F)
DOV ORO	70	1 - 0	4 /0"DCD(F)

DCX-078	78mm	150mm	1/2"BSP(F)	1
DCX-091	91mm	150mm	1/2"BSP(F)	1
DCX-102	102mm	150mm	1/2"BSP(F)	1
DCX-107	107mm	150mm	1/2"BSP(F)	1
DCX-158	158mm	150mm	1/2"BSP(F)	1
DCX-162	162mm	150mm	1/2"BSP(F)	1
DCX-182	182mm	150mm	1/2"BSP(F)	1

Ŷ

Accessories - Adapters

Code	Description	Ô
AC-X03	Hex adapter pack (adapter, guide, drift)	1
AC-S03	SDS adapter pack (adapter, guide, drift)	1
AC-S01	SDS adapter only	1
AC-B05	Drift key	1
AC-B13	A taper drill	1

Accessories - Extensions

Code	Description	\bigcirc
AC-B25	1/2" BSP 250mm Hollow	1
AC-B26	1/2" BSP 250mm (A-taper)	1
AC-X25	HEX 250mm EXT	1
AC-S25	SDS 250mm Long adapter	1

XQ8 - BESPOKE LENGTH WET CORE DRILLS

BESPOKE WET CORE DRILLS FOR BOX DRILLING IN **RESTRICTED SPACES**

CALL US NOW TO SPECIFY YOUR **REQUIRED LENGTH** 020 8311 1144





XO8 - Professional Wet cores

- With short barrels for use when drilling in restricted space
- Other sizes are available on request. Please specify your diameter & length

Code	Diameter	Lengths available from stock			٢
XQ8-N052	52mm	150mm	250mm	300mm	1
XQ8-N066	66mm	150mm	250mm	300mm	1
XQ8-N072	72mm	150mm	250mm	300mm	1
XQ8-N102	102mm	150mm	250mm	300mm	1
XQ8-N107	107mm	150mm	250mm	300mm	1



Extensions

WET CORES





1¼" UNC Female Fitting



½" BSP Male Fitting

XP5 - Professional Wet Core Drill

- Reinforced concrete (flint or limestone aggregate)
- 1¼" UNC female fitting (F), 1½ BSP male fitting (M)

Code	Diameter	Length	Fitting	Ŷ
XP5-S020	20mm	300mm	1⁄2" BSP (M)	1
XP5-S025	25mm	300mm	1⁄2" BSP (M)	1
XP5-S028	28mm	300mm	1⁄2" BSP (M)	1
XP5-S030	30mm	300mm	½" BSP (M)	1
XP5-S032	32mm	300mm	1⁄2" BSP (M)	1
XP5-S036	36mm	300mm	1⁄2" BSP (M)	1
XP5-S045	45mm	300mm	1⁄2" BSP (M)	1
XP5-S052	52mm	300mm	1⁄2" BSP (M)	1
XP5-N052	52mm	450mm	1 ¼" UNC (F)	1
XP5-N062	62mm	450mm	1 ¼" UNC (F)	1
XP5-N065	65mm	450mm	1 ¼" UNC (F)	1
XP5-N072	72mm	450mm	1 ¼" UNC (F)	1
XP5-N076	76mm	450mm	1 ¼" UNC (F)	1
XP5-N087	87mm	450mm	1 ¼" UNC (F)	1
XP5-N092	92mm	450mm	1 ¼" UNC (F)	1
XP5-N102	102mm	450mm	1 ¼" UNC (F)	1
XP5-N107	107mm	450mm	1 ¼" UNC (F)	1
XP5-N112	112mm	450mm	1 ¼" UNC (F)	1
XP5-N117	117mm	450mm	1 ¼" UNC (F)	1
XP5-N122	122mm	450mm	1 ¼" UNC (F)	1
XP5-N127	127mm	450mm	1 ¼" UNC (F)	1
XP5-N142	142mm	450mm	1 ¼" UNC (F)	1
XP5-N152	152mm	450mm	1 ¼" UNC (F)	1
XP5-N162	162mm	450mm	1 ¼" UNC (F)	1
XP5-N172	172mm	450mm	1 ¼" UNC (F)	1
XP5-N200	200mm	450mm	1 ¼" UNC (F)	1
XP5-N250	250mm	450mm	1 ¼" UNC (F)	1
XP5-N300	300mm	450mm	1 ¼" UNC (F)	1
XP5-N350	350mm	450mm	1 ¼" UNC (F)	1
XP5-N400	400mm	450mm	1 ¼" UNC (F)	1
XP5-N450	450mm	450mm	1 ¼" UNC (F)	1

Wet Core Accessories

• Granite and marble

• With triangle electroplated design. For mounting directly on grinder

Code	Description	Ŷ
AC-N20	1¼" UNC 200mm extension	1
AC-N30	1¼" UNC 300mm extension	1
AC-N55	1⁄2" BSP (M) 1⁄2" - BSP (M) Adapter	1
AC-N56	1⁄2" BSP (F) 1⁄2" - BSP (F) Adapter	1
AC-N65	1⁄2" BSP (M) - 1 1⁄4" UNC (M) Adapter	1
AC-N66	1⁄2" BSP (F) - 1 1⁄4" UNC (F) Adapter	1

CUTTING & DRILLING

	19	
0		
1117		12 1
3		
1/1		
	1 1 1 1	
Ser 1		
	C. THERE	
	103	
16		
1. See	Courses and	
In the her hand and		
a a a a a a a a a a a a a a a a a a a	(1) hits man	

Abrasive Discs - Cutting & Grinding Discs	40-41
SDS Plus Masonry Drill Bits	42
SDS Max Masonry Drill Bits & Chisels	43
Auger Bits & Flat Bits	44
HSS Drill Bits & Spear Bits	45
Hole Saw & Arbors	46
Reciprocating Saw Blades	47
Multitool Blades	48-49
Circular Saw & Jigsaw Blades	50

ABRASIVE DISCS - CUTTING & GRINDING DISCS



Code	Dimensions (mm)	Ø
M-FLC-100/16	100 x 3 x 16	25
M-FLC-115/22	115 x 3 x 22.2	25
M-FLC-125/22	125 x 3 x 22.2	25
M-FLC-230/22	230 x 3 x 22.2	25
M-FLC-300/20	300 x 3.5 x 20	25
M-FLC-300/22	300 x 3.5 x 22.2	25
M-FLC-350/25	350 x 3.5 x 25.4	25

Premium Flat Disc - Phoenix 300

• Metal cutting

Code	Dimensions (mm)	٢
M-FLC-300/20P	300 x 3.5 x 20	25



Thin Disc

• Metal sitting		
Code	Dimensions (mm)	Ô
M-SLT-115/22	115 x 1 x 22.2	25
M-SLT-125/22	125 x 1 x 22.2	25
M-SLT-230/22	230 x 1.9 x 22.2	25



ABRASIVE DISCS - CUTTING & GRINDING DISCS

Depressed Centre Disc

Metal Grinding					
Code	Dimensions (mm)	Ŷ			
M-GRD-100/16	100 x 6 x 16	25			
M-GRD-115/22	115 x 6 x 22.2	25			
M-GRD-125/22	125 x 6 x 22.2	25			
M-GRD-230/22	230 x 6 x 22.2	25			




Flat Disc

Stone Cutting

Code	Dimensions (mm)	Ŷ
S-FLC-100/16	100 x 3 x 16	25
S-FLC-115/22	115 x 3 x 22.2	25
S-FLC-125/22	125 x 3 x 22.2	25
S-FLC-230/22	230 x 3 x 22.2	25
S-FLC-300/20	300 x 3.5 x 20	25
S-FLC-300/22	300 x 3.5 x 22.2	25

Depressed Centre Disc

• Stone Grinding





SDS PLUS MASONRY DRILL BITS

The list below is only a selection of very common sizes. We have a full range of sizes available so if you require any sizes not shown please call our sales team on 020 8311 1144

Code	Diameter	Total length	Working length		
SDSP-5/160	5mm	160mm	100mm	10	
SDSP-5.5/160	5.5mm	160mm	100mm	10	a R
SDSP-5.5/210	5.5mm	210mm	150mm	10	
SDSP-6/160	6mm	160mm	100mm	10	
SDSP-6.5/160	6.5mm	160mm	100mm	10	
SDSP-6/210	6mm	210mm	150mm	10	
SDSP-6.5/210	6.5mm	210mm	150mm	10	10
SDSP-7/160	7mm	160mm	100mm	10	127
SDSP-7/210	7mm	210mm	150mm	10	734
SDSP-8/160	8mm	160mm	100mm	10	46 3
SDSP-8/210	8mm	210mm	100mm	10	6 2
SDSP-8/260	8mm	260mm	200mm	10	
SDSP-9/210	9mm	210mm	150mm	10	- Y 7
SDSP-10/160	10mm	160mm	100mm	10	6.25
SDSP-10/260	10mm	260mm	200mm	10	
SDSP-10/460	10mm	460mm	400mm	10	101.20
SDSP-10/600	10mm	600mm	550mm	10	N 27
SDSP-12/310	12mm	310mm	150mm	10	7.5%
SDSP-12/450	12mm	450mm	400mm	10	AP1 (1)
	12mm	1000mm	950mm	10	B 1.8
SDSP-13/300	13mm	300mm	250mm	10	
SDSP-13/450	13mm	450mm	250mm	10	-TU
SDSP-14/160	14mm	160mm	100mm	10	
SDSP-14/210	14mm	210mm	100mm	10	102.12
SDSP-14/310	14mm	310mm	250mm	10	78.8
SDSP-14/450 SDSP-14/600	14mm 14mm	450mm 600mm	250mm 550mm	10 10	
SDSP-14/800 SDSP-15/250	14mm 15mm	250mm	200mm	10	
SDSP-16/160	16mm	160mm	200mm	10	
SDSP-16/300	16mm	300mm	250mm	10	
SDSP-16/450	16mm	450mm	400mm	10	
SDSP-16/600	16mm	600mm	550mm	10	1000
SDSP-18/300	18mm	300mm	250mm	10	(GE)
SDSP-18/450	18mm	450mm	400mm	10	83.1
SDSP-18/1000	18mm	1000mm	950mm	10	
SDSP-20/300	20mm	300mm	250mm	10	
SDSP-20/450	20mm	450mm	400mm	10	
SDSP-22/300	22mm	300mm	240mm	10	BLA
SDSP-22/600	22mm	600mm	550mm	10	100
SDSP-24/450	24mm	450mm	400mm	10	
SDSP-25/300	25mm	300mm	400mm	10	
SDSP-25/450	25mm	450mm	400mm	10	
		1000mm	950mm	10	1111
SDSP-26/450	26mm	450mm	400mm	10	
SDSP-28/450	28mm	450mm	400mm	10	
SDSP-30/450	30mm	450mm	400mm	10	

Blow Out Pump Hole Cleaner

- Ideal for cleaning dust from drilled holes
 Cracked concrete prior to applying bonded anchors for installing mechanical anchors
- Hole cleaning is necessary for correct loads
- Manual, easy to use
- Serial application

Code BOP01 Approved for use in:

- Non-cracked concrete C20/25-C50/60
- Aerated concrete block
- Hollow Sand-lime brick
- Solid Sand-lime brick
- Hollow brick
- Hollow lightweight concrete block



1

42

020 8311 1144 sales@cmt.co.uk www.cmt.co.uk

SDS MAX MASONRY DRILL BITS

SDS MAX Drill bits

E

Code	Diameter	Total length	Working length	Ø
SDSM-12/340	12mm	340mm	200mm	10
SDSM-12/540	12mm	540mm	400mm	10
SDSM-14/340	14mm	340mm	200mm	10
SDSM-14/540	14mm	540mm	400mm	10
SDSM-16/340	16mm	340mm	200mm	10
SDSM-16/540	16mm	540mm	400mm	10
SDSM-18/340	18mm	340mm	200mm	10
SDSM-18/540	18mm	540mm	400mm	10
SDSM-20/320	20mm	320mm	200mm	10
SDSM-20/520	20mm	520mm	400mm	10
SDSM-20/920	20mm	920mm	800mm	10
SDSM-22/320	22mm	320mm	200mm	10
SDSM-22/520	22mm	520mm	400mm	10
SDSM-24/520	24mm	520mm	400mm	10
SDSM-25/320	25mm	320mm	200mm	10
SDSM-25/520	25mm	520mm	400mm	10
SDSM-25/920	25mm	920mm	800mm	10
SDSM-26/520	26mm	520mm	400mm	10
SDSM-28/520	28mm	520mm	400mm	10
SDSM-30/520	30mm	520mm	400mm	10
SDSM-32/520	32mm	520mm	400mm	10
SDSM-35/520	35mm	520mm	400mm	10
SDSM-38/520	38mm	520mm	400mm	10
SDSM-40/520	40mm	520mm	400mm	10

SDS Plus & SDS Max Points & Chisels

	64700			in the star of	
Flat Chisel				Pointed Chisel	
Code	Diameter	Total length	Working length	Fitting	Ŷ
SDSP-20/250P	20mm	250mm	200mm	SDS Plus - Point	10
SDSM-20/400P	20mm	400mm	350mm	SDS Max-Point	10
SDSP-20/250FC	20mm	250mm	200mm	SDS Plus-Flat Chisel	10
SDSP-20/250SC	20mm	250mm	200mm	SDS Plus-Spade Chisel	10
SDSP-40/250FC	40mm	250mm	200mm	SDS Plus-Flat Chisel	10
SDSM-20/280P	20mm	280mm	220mm	SDS Max-Point	10
SDSM-25/280FC	25mm	280mm	220mm	SDS Max-Flat Chisel	10
SDSM-25/400FC	25mm	400mm	350mm	SDS Max-Flat Chisel	10
SDSM-50/300SC	50mm	300mm	350mm	SDS Max-Spade Chisel	10
SDSM-80/300SC	80mm	300mm	250mm	SDS Max-Spade Chisel	10



FOR MASONRY & STEEL FIXINGS SEE PAGE 394



Hex Shank

Code	Diameter	Total length	Working length	Ŷ
DBAHEX-06/235	6mm	235mm	160mm	1
DBAHEX-08/235	8mm	235mm	160mm	1
BAHEX-10/235	10mm	235mm	160mm	1
BAHEX-10/450	10mm	450mm	400mm	1
BAHEX-12/235	12mm	235mm	160mm	1
BAHEX-14/235	14mm	235mm	160mm	1
BAHEX-16/460	16mm	460mm	400mm	1
BAHEX-18/235	18mm	235mm	160mm	1
BAHEX-18/460	18mm	460mm	400mm	1
BAHEX-20/235	20mm	235mm	160mm	1
BAHEX-22/235	22mm	235mm	160mm	1
BAHEX-22/450	22mm	450mm	400mm	1
BAHEX-24/235	24mm	235mm	160mm	1
BAHEX-25/235	25mm	235mm	160mm	1
BAHEX-26/460	26mm	460mm	400mm	1
BAHEX-28/235	28mm	235mm	160mm	1
BAHEX-30/235	30mm	235mm	160mm	1
DBAHEX-32/235	32mm	235mm	160mm	1

j.



Code	Diameter	Total length	Working length	
DBASDS06/235	6mm	235mm	160mm	1
DBASDS08/235	8mm	235mm	160mm	1
DBASDS10/235	10mm	235mm	160mm	1
DBASDS12/235	12mm	235mm	160mm	1
DBASDS14/235	14mm	235mm	160mm	1
DBASDS16/235	16mm	235mm	160mm	1
DBASDS19/235	19mm	235mm	160mm	1
DBASDS20/235	20mm	235mm	160mm	1
DBASDS22/235	22mm	235mm	160mm	1
DBASDS25/235	25mm	235mm	160mm	1

• Working length 50mm

Flat Bits Hex Shank

• Total length 152mm

BFT6 6mm 1 BFT8 8mm 1 BFT10 10mm 1 BFT12 12mm 1 BFT13 13mm 1 BFT14 14mm 1 BFT15 18mm 1 BFT16 16mm 1 BFT18 18mm 1 BFT20 20mm 1 BFT24 24mm 1 BFT25 25mm 1 BFT30 30mm 1 BFT34 34mm 1 BFT35 35mm 1 BFT36 36mm 1			
SFT8 8mm 1 SFT10 10mm 1 SFT12 12mm 1 SFT13 13mm 1 SFT14 14mm 1 SFT16 16mm 1 SFT18 18mm 1 SFT19 19mm 1 SFT20 20mm 1 SFT24 24mm 1 SFT25 25mm 1 SFT26 25mm 1 SFT27 25mm 1 SFT30 30mm 1 SFT34 34mm 1 SFT35 35mm 1 SFT36 36mm 1 SFT36 36mm 1	Code	Diameter	\bigcirc
3FT10 10mm 1 3FT12 12mm 1 3FT13 13mm 1 3FT14 14mm 1 3FT16 16mm 1 3FT16 16mm 1 3FT18 18mm 1 3FT20 20mm 1 3FT22 22mm 1 3FT24 24mm 1 3FT28 28mm 1 3FT30 30mm 1 3FT34 34mm 1 3FT35 35mm 1 3FT36 36mm 1 3FT38 38mm 1	DBFT6	6mm	1
3FT12 12mm 1 3FT13 13mm 1 3FT14 14mm 1 3FT16 16mm 1 3FT16 16mm 1 3FT18 18mm 1 3FT19 19mm 1 3FT20 20mm 1 3FT22 22mm 1 3FT24 24mm 1 3FT25 25mm 1 3FT36 30mm 1 3FT34 34mm 1 3FT36 36mm 1 3FT36 36mm 1 3FT38 38mm 1	DBFT8	8mm	1
3FT13 13mm 1 3FT14 14mm 1 3FT16 16mm 1 3FT18 18mm 1 3FT19 19mm 1 3FT20 20mm 1 3FT24 24mm 1 3FT25 25mm 1 3FT28 28mm 1 3FT32 32mm 1 3FT32 32mm 1 3FT34 34mm 1 3FT36 36mm 1 3FT38 38mm 1	DBFT10	10mm	1
3FT14 14mm 1 3FT16 16mm 1 3FT18 18mm 1 3FT19 19mm 1 3FT20 20mm 1 3FT24 24mm 1 3FT25 25mm 1 3FT36 30mm 1 3FT32 32mm 1 3FT34 34mm 1 3FT36 36mm 1 3FT38 38mm 1	DBFT12	12mm	1
3FT16 16mm 1 3FT18 18mm 1 3FT19 19mm 1 3FT20 20mm 1 3FT22 22mm 1 3FT24 24mm 1 3FT25 25mm 1 3FT28 28mm 1 3FT30 30mm 1 3FT32 32mm 1 3FT34 34mm 1 3FT35 35mm 1 3FT36 36mm 1 3FT38 38mm 1	DBFT13	13mm	1
3FT18 18mm 1 3FT19 19mm 1 3FT20 20mm 1 3FT22 22mm 1 3FT24 24mm 1 3FT25 25mm 1 3FT28 28mm 1 3FT30 30mm 1 3FT32 32mm 1 3FT34 34mm 1 3FT35 35mm 1 3FT36 36mm 1 3FT38 38mm 1	DBFT14	14mm	1
3FT19 19mm 1 3FT20 20mm 1 3FT22 22mm 1 3FT24 24mm 1 3FT25 25mm 1 3FT28 28mm 1 3FT30 30mm 1 3FT32 32mm 1 3FT34 34mm 1 3FT35 35mm 1 3FT36 36mm 1 3FT38 38mm 1	DBFT16	16mm	1
3FT20 20mm 1 3FT22 22mm 1 3FT24 24mm 1 3FT25 25mm 1 3FT28 28mm 1 3FT30 30mm 1 3FT32 32mm 1 3FT34 34mm 1 3FT35 35mm 1 3FT36 36mm 1 3FT38 38mm 1	DBFT18	18mm	1
3FT22 22mm 1 3FT24 24mm 1 3FT25 25mm 1 3FT28 28mm 1 3FT30 30mm 1 3FT32 32mm 1 3FT34 34mm 1 3FT35 35mm 1 3FT36 36mm 1 3FT38 38mm 1	DBFT19	19mm	1
3FT24 24mm 1 3FT25 25mm 1 3FT28 28mm 1 3FT30 30mm 1 3FT32 32mm 1 3FT34 34mm 1 3FT35 35mm 1 3FT36 36mm 1 3FT38 38mm 1	DBFT20	20mm	1
3FT25 25mm 1 3FT28 28mm 1 3FT30 30mm 1 3FT32 32mm 1 3FT34 34mm 1 3FT35 35mm 1 3FT36 36mm 1 3FT38 38mm 1	DBFT22	22mm	1
3FT28 28mm 1 3FT30 30mm 1 3FT32 32mm 1 3FT34 34mm 1 3FT35 35mm 1 3FT36 36mm 1 3FT38 38mm 1	DBFT24	24mm	1
3FT30 30mm 1 3FT32 32mm 1 3FT34 34mm 1 3FT35 35mm 1 3FT36 36mm 1 3FT38 38mm 1	DBFT25	25mm	1
3FT32 32mm 1 3FT34 34mm 1 3FT35 35mm 1 3FT36 36mm 1 3FT38 38mm 1	DBFT28	28mm	1
3FT34 34mm 1 3FT35 35mm 1 3FT36 36mm 1 3FT38 38mm 1	DBFT30	30mm	1
3FT35 35mm 1 3FT36 36mm 1 3FT38 38mm 1	DBFT32	32mm	1
3FT36 36mm 1 3FT38 38mm 1	DBFT34	34mm	1
3FT38 38mm 1	DBFT35	35mm	1
	DBFT36	36mm	1
3FT40 40mm 1	DBFT38	38mm	1
	DBFT40	40mm	1

HSS DRILL BITS & SPEAR BITS

HSS Roll Forged Jobber

- Straight shank
- High speed drill
 - Big, robust core thickness
 - High elasticity
- For steel, cast iron, aluminium, malleable cast,
 - copper, brass, iron &
 - hard plastics

CUTTING & DRILLING

Code	Diameter	Total length	Flute length	Ê
DBH2	2mm	49mm	24mm	10
DBH3	3mm	61mm	33mm	10
DBH4	4mm	75mm	43mm	10
DBH5	5mm	86mm	52mm	10
DBH6	6mm	93mm	57mm	10
DBH7	7mm	101mm	69mm	10
DBH8	8mm	117mm	75mm	10
DBH9	9mm	125mm	81mm	10
DBH10	10mm	133mm	87mm	10
DBH11	11mm	142mm	94mm	10
DBH12	12mm	151mm	101mm	10
DBH14	14mm	160mm	108mm	10

HSS Drill Bit S	Sets			
Code	Diameter			1
BHSSSET25	25 Drill bit set from 1-	13mm in 0.5mm increments		1
Hex Spea for Tile, S	ar Bit Drills Stone & Glass	 Length 50mm Hard stone, tiles (inc. porcelain) & glass Fast drilling 	Clean finish No pilot required	
Code	Diameter			Ø
DBSP6	6mm			1
DBSP8	8mm			1

FIXINGS & FASTENERS

FOR OUR RANGE OF FIXINGS & FASTENERS GO TO PAGES 383-400






HOLE SAWS & ARBORS

Bi-Metal Hole Saws

- Features a smooth and fast cutting action
- Aggressive material penetration and swarf clearance
- 38mm cutting depth
- Will cut thin and thick gauge materials
- Suitable for cutting steel, aluminium, sheet metal, metal/mild metal, non-ferrous metals, cast iron, hard/soft wood and PVC



Code	Diameter	Ŷ	Code	Diameter	Ŷ
BMHS-14	14mm	1	BMHS-54	54mm	1
BMHS-16	16mm	1	BMHS-55	55mm	1
BMHS-17	17mm	1	BMHS-57	57mm	1
BMHS-19	19mm	1	BMHS-60	60mm	1
BMHS-20	20mm	1	BMHS-64	64mm	1
BMHS-21	21mm	1	BMHS-67	67mm	1
BMHS-22	22mm	1	BMHS-68	68mm	1
BMHS-24	24mm	1	BMHS-70	70mm	1
BMHS-25	25mm	1	BMHS-73	73mm	1
BMHS-27	27mm	1	BMHS-76	76mm	1
BMHS-29	29mm	1	BMHS-79	79mm	1
BMHS-30	30mm	1	BMHS-83	83mm	1
BMHS-32	32mm	1	BMHS-86	86mm	1
BMHS-33	33mm	1	BMHS-89	89mm	1
BMHS-35	35mm	1	BMHS-92	92mm	1
BMHS-38	38mm	1	BMHS-95	95mm	1
BMHS-40	40mm	1	BMHS-98	98mm	1
BMHS-41	41mm	1	BMHS-102	102mm	1
BMHS-43	43mm	1	BMHS-105	105mm	1
BMHS-44	44mm	1	BMHS-108	108mm	1
BMHS-46	46mm	1	BMHS-111	111mm	1
BMHS-48	48mm	1	BMHS-114	114mm	1
BMHS-51	51mm	1	BMHS-121	121mm	1
BMHS-52	52mm	1			

Arbors



Code	To Suit	¢
ARB1430	14mm - 30mm	1
ARB32152	32mm - 152mm	1

020 8311 1144 sales@cmt.co.uk www.cmt.co.uk

RECIPROCATING SAW BLADES



Code	Material	Product Ref:	Length	TPI	Cut Type	Pack Size	٢
RECIPB-230	Metal	N/A	230mm(9")	14	Metal / Reinforced / Multi	5	1
RECIPB-300	Metal	N/A	300mm(12")	14	Metal / Steel	5	1
RECIPW-300	Wood	N/A	300mm(12")	6	Softwood / Fast cut	5	1
RECIP966R	Demolition	966R	230mm(9")	6	Fast cutting	5	1
RECIP610R	Metal	610R	150mm(6")	10	Fast cutting	5	1
RECIP614R	Metal	614R	150mm(6")	14	Fine cutting	5	1
RECIP618R	Metal	618R	150mm(6")	18	Very fine cutting	5	1
RECIP624R	Metal	624R	150mm(6")	24	Fine cutting	5	1
RECIP818R	Metal	818R	200mm(8")	18	Very fine cutting	5	1
RECIP110R	Wood/Metal	110R	300mm(12")	14	Fast cutting	5	1


ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

CUTTING & DRILLING

MULTITOOL BLADES

Bi-Metal Multitool Blades


- Bi-metal blade for cutting wood, wood with nails & non ferrous metals
- Universal cutting up to 42mm deep



Code		$ \Psi $
MT32BM10	32mm Bi-Metal Sawblade - Pack of 10	5
MT44BM10	44mm Bi-Metal Sawblade - Pack of 10	5

Fast Cutting Wood Multitool Blades

- Fast cutting blade for wood, timber overlay flooring & plastics etc.
- Universal cutting up to 42mm deep
- The large tooth style allow a fast cut in most timber, laminate and plastic applications
- Available in packs of 10



MT63CJ10 63mm Fast Cutting Sawblade - Pack of 10 5

MULTITOOL BLADES

Fine Tooth Wood Multitool Blades

- Fine tooth timber cutting blade, ideal for general purpose timber cutting
- The Fine tooth wood blades are a firm favourite for detailed cutting in timber
- The smaller tooth design still gives a fast cut, but a neater finish, and a very controlled cut when precision is needed



Makita

 MT32FT10
 32mm Fine Tooth Sawblade - Pack of 10

 MT63FT10
 63mm Fine Tooth Sawblade - Pack of 10

POWER TOOLS FOR OUR RANGE OF

POWER TOOLS GO TO PAGES 414-415

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

hakite



5

CIRCULAR SAW & JIGSAW BLADES

<section-header><section-header><text><image><image><image>

Code	Diameter	Bore	No. of teeth	Ŷ
TCT-160/20/24	160mm	20mm	24	25
TCT-160/20/48	160mm	20mm	48	25
TCT-165/20/24	165mm	20mm	24	25
TCT-185/30/28	185mm	30mm	28	25
TCT-235/30/28	235mm	30mm	28	25
TCT-235/30/40	235mm	30mm	40	25
TCT-235/30/60	235mm	30mm	60	25

Jigsaw Blades

• 5 blades per card



Code	Material	Туре	TPI	Total length	Working length	Ŷ
JB10	Wood	Chrome Vanadium	8	100mm	75mm	1
T127D	Metal	HSS	8	100mm	75mm	1
T101D	Wood	Chrome Vanadium	6	100mm	75mm	1
T118A	Metal	HSS	21	75mm	50mm	1
T101B	Wood	Chrome Vanadium	13	100mm	75mm	1

020 8311 1144 sales@cmt.co.uk www.cmt.co.uk

GROUNDWORK TOOLS



All Steel Tools	54-56
Ash Handled Tools	57
Polyfibre Tools	58-59
Richard Carter Polyfibre Tools	60
Insulated Tools	61-63
Richard Carter Insulated	64-65
Crowbars & Pickaxes	66
Pickaxes & Mattocks	67
Rakes	68
Lutes, Squeegees & Concrete Placers	69
Wheelbarrows & Trucks	70-73
Brooms & Handles	74-75
Mauls, Mallets, Kerb Lifters & Sledge Hammers	76
Buckets	77
Mortar Tubs & Watering Cans	78
Dust Suppression Bottles	79-80
Water containers	80
Sprayers	81-82
Winter Essentials	83-84

ALL STEEL TOOLS

Our best-selling range of tubular steel shafted solid socket shovels are designed for the heavier usage involved on building sites. We rotary weld our contoured steel handles into the body of the shovel socket for extra strength and rigidity - thus producing a very robust yet lightweight tool for digging.





ASH HANDLED TOOLS

Most wooden shafted tools are available with 'T' or galvanised steel, heavy duty 'MYD' grips. We only use best quality, specially selected slow growing, straight grained hardwoods. The 'flower' of the grain is on the side of the handle for greater strength and flexibility – the strong, straight grain running from front to back. The MYD is ergonomically designed to comfortably fit the largest of hands.





INSULATED TOOLS

We provide a comprehensive range of insulated tools to suit all your needs, whether it's shovelling out, breaking ground, laying pipes or backfilling trenches. Each tool is individually flash tested to 10,000V and fully compliant to pass BS8020: 2011. With over 150 cable strikes reported a day, our insulated tools are essential to keep your workers safe in risk areas.





POLYFIBRE TOOLS

Our PolyFibre range of solid forged Contractors Tools will not rot, shrink, dry out or become more susceptible to breakage through periods of inactivity. They offer the worker a high degree of fibreglass strength along with the comfort of a profile moulded PYD hand grip. Injection moulded polypropylene sheathing totally encloses the polyester resin fibreglass core ensuring reliability and virtually eliminating the danger of handle breakage and potential injury.





ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

ALL STEEL TOOLS - SHOVELS



sales@cmt.co.uk

www.cmt.co.uk

ALL STEEL TOOLS - FORKS, SPADES, & SHOV HOLERS



GROUNDWORK TOOLS

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY


ALL STEEL TOOLS - CROWBARS, PUNNERS, & RAKES

Chisel & Point Crowbar - All steel

- 60" overall length
- High-grade heat-treated steel bar

GROUNDWORK TOOLS

- Pinch point end for easy penetration.
- Ideal for levering heavy objects,



16T Round Tooth Tarmac Rake

(ILLER DE LE DE

66" tubular steel
Head size: 16 x 4"



• Head size: 16 x 4"



NEED BS8020 INSULATED TOOLS?

SEE PAGES 61-65



RKASTS

R

www.cmt.co.uk

RKTRTS

ASH HANDLED TOOLS & GULLEY BOWL



ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

Set up an account for our discounted rates / prices

57


POLYFIBRE TOOLS - SHOVELS & GRAFTERS



sales@cmt.co.uk www


www.cmt.co.uk

POLYFIBRE TOOLS - SPADES & FORKS



ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

RICHARD CARTERS - POLYFIBRE PRO RANGE



sales@cmt.co.uk www.cmt.co.uk

5

5

60

020 8311 1144

STR/KESAFE

COMPLIANT TO BS8020: 2011


Each tool has it's own serial number and certificate Excess of £2m fine for an arc incident

Each tool individually flash tested to 10,000V

150 - 180 cable strikes are reported a day 50% of service maps (cable routes) are incorrect

INDEPENDENTLY TESTED AND CERTIFIED IN THE UK

INSULATED TOOLS - SHOVELS & GRAFTERS



020 8311 1144 sales@cmt.co.uk www.cmt.co.uk

INSULATED TOOLS - SPADES & SHOV-HOLERS

Cable Layer

GPO Post Hole Spade

- Blade size: 5½ x 12"
- 54" or 78"
- Conforms to BS8020: 2011
- Flash tested to 10,000V






Code		\square
SHRSI54	54"	1
SHRSI78	78"	1

Treaded Spade

- Blade size: 7½ x 11½"
- Conforms to BS8020: 2011
- Flash tested to 10,000V
 STR/KESAFE

SHDSI



Heavy Duty

Shov-Holer



No.0 GPO Trencher (2-Way) • Blade size:

- Blade size: 7 x 11"
- Conforms to BS8020: 2011
 Flash tested to
- 10,000V

5

SHTRI

GROUNDWORK TOOLS

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

SHFKFI



RICHARD CARTERS - SHOCKSAFE SHOVELS & GRAFTERS

No.2 Taper

10 to 8½ x 12½"

BS8020: 2011

· Flash tested to

TE

P

10,000V

Mouth

• Blade size:

• Conforms to

No.2 Square Mouth

- Blade size: 10 x 12½" • Conforms to
- BS8020: 2011
- · Flash tested to 10,000V



SHSQIRC

5

SHTMIRC

Cable Layer (1-Way)

• Blade size:

• Conforms to

5 to 4½ x 11"

BS8020: 2011

No.0 GPO Trencher (2-Way)

- Blade size: 7 x 11"
- Conforms to BS8020: 2011

· Flash tested to 10,000V E

0



020 8311 1144



SHCLIRC





sales@cmt.co.uk

Ŷ

www.cmt.co.uk

0

RICHARD CARTERS - SHOCKSAFE SPADES, FORKS & BARS



ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

65

1

CROWBARS & PICKAXES

Chisel & Point Crow Bar - Insulated

- 60" overall
- Inst
- Con BS8
- Flas to 1

ulated nforms to 3020: 2011 sh tested L0,000V	
8	

Insulated Pickaxe C/W Handle

• 7lb

CRCPFI500

- Conforms to BS8020: 2011
- Flash tested to 10.000V



020 8311 1144



Chisel & Point Crow

Bar - All Steel

• 60" overall length

• High-grade

Chisel & Point Crow Bar - Fibreglass • 60" overall length

- 31.8mm diameter
- Fibreglass shaft



Hickory Pick Handle


- 36" straight grained hickory with clear varnished finish
- Eve size 3" x 2"



sales@cmt.co.uk

www.cmt.co.uk

PICKAXES & MATTOCKS



GROUNDWORK TOOLS

5

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

Set up an account for our discounted rates / prices

67

RAKES **Round Tooth**



- Head size: 16 x 4"
- 16 Tooth
- Wooden handle






5

Square Tooth Asphalt Rake - Steel


- Head size: 16 x 4"
- 16 tooth

RKTRTW

• All steel



Code		
RKASTS		







16 x 4"

Wooden handle



Code	Ŷ
RKL01	5



www.cmt.co.uk

LUTES, SQUEEGEES & CONCRETE PLACERS

Tarmac Lute c/w Handle & Stay

• 24" wide

Rubber Squeegee c/w Handle

• 24" wide



Premium Aluminium Spazzle

- 60" hardwood handle
- Blade size: 24 x 4"

CA150

• Aluminium blade



ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

WHEELBARROWS



020 8311 1144 sales@cmt.co.uk www.cmt.co.uk

WHEELBARROWS

GROUNDWORK TOOLS



Wheelbarrow

- 120 Litre heavy duty press pan
- Galvanised
- Pneumatic tyre
- Extra strong double rolled edge pan



Wheelbarrow

- Indestructible HDPE tray
- Non stick, easy to clean



ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

Set up an account for our discounted rates / prices

WHEELBARROWS

Haemmerlin Heavy Duty Steel 90 Litre Wheelbarrow

- 90 litre heavy duty press pan
- Lock nuts to pan
- Extra strong double rolled edge pan





Code

WB90HAE WBVANG

Haemmerlin with pneumatic tyre Haemmerlin with puncture-proof tyre

Replacement Pneumatic Wheel Kit

Suitable for:

- WB90LGALV
- WB120L
- MAXBARROW



Code	
WBRKIT	

Haemmerlin Puncture-Proof Wheel Kit

Suitable for: • WB90HAE



WBVANWKIT

Puncture-Proof Wheel Kit

• Feels like a pneumatic tyre for comfortable use

Suitable for:

- WB90LGALV
- WB120L
- MAXBARROW

Code WB90KITGALV

Replacement Solid Wheel

Suitable for:

- WB85LE
- WB90HD
- WB142L



 \bigcirc

1

Code WBRKITS



WHEELBARROWS & TRUCKS

Contractors 85 Litre Wheelbarrow

- 85 litre heavy duty press pan
- Tubular frame



Code		Ŷ
WB85LE	With pneumatic tyre	1
WB85LS	With solid tyre	1

Heavy Duty Steel 90 Litre Wheelbarrow

- 90 litre heavy duty press pan
- Integral front tubular support
- 4 Ply 400 x 8 pneumatic tyre

-	
Code	Ĵ
WB90HD	1



Polypropylene 120 Litre Wheelbarrow

- 120 litre heavy duty polypropylene pan
- Welded leg drop nose 32mm frame
- Pneumatic tyre



Code

WBP120

Twin wheel 142 Litre Wheelbarrow

- 142 litre heavy duty
- Tubular front tipper bar
- Heavy duty frame
- Pram handle
- Pneumatic tyres

Pallet Truck

£

HGPT105225

WB142L

- 2500kg capacity
- Fits Euro pallets
- Single rollers

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

 \bigcirc

BROOMS & HANDLES

Platform Bassine (Hard) Broom c/w Handle & Stay

- 1200mm long handle
- 300mm heads take 23mm dia. handle
- All other size heads take 28mm dia, handles




Code		Ø
BRHB300	300mm (12")	5
BRHB450	450mm (18")	5
BRHB600	600mm (24")	5
BRHB900	900mm (36")	5

PVC Broom c/w Handle & Stay

- 1200mm long handle
- 300mm heads take 23mm dia. handles
- All other size heads take 28mm dia. handles

Platform Coco (Soft) Broom c/w Handle & Stay

- 1200mm long handle
- 300mm heads take 23mm dia. handle
- All other size heads take 28mm dia, handles



Concrete Finishing Broom c/w Handle & Stay



Code		Ŷ
BRCON450	450mm (18")	5
BRCON600	600mm (24")	5
BRCON900	900mm (36")	5
BRCON1200	1200mm (48")	5

Code	Ŷ
BRPVC300 300mm (12")	5
BRPVC450 450mm (18")	5
BRPVC600 600mm (24")	5
BRPVC900 900mm (36")	5

020 8311 1144 sales@cmt.co.uk

BROOMS & HANDLES

Sherbro **Broom**

- Takes handle size 28mm (11/8")
- 330mm (13") width
- Available as head only or complete with handle and clamp



Code		Ŷ
BRSHB330	Head only	5
BRSHB330-KIT	Complete broom	5

Coco Broom Head

- Takes handle size 23.5mm (15/16")
- 300mm (12") width or 250mm (11") width

1.	The second
F	THE
TT III	(1) and a second
A COLORADOR	

Code	Ŷ
BRSCH250	5
BRSCH300	5

Contractor Head

- Takes 28mm handle
- 330mm (13")



BRPVCH330

Wooden Broom Handles/Stales

- 250/300mm (10/12") heads use 23.5mm
- 450mm (18") plus heads use 28mm

 Takes handle size 28mm (1¹/₈") 	Constant of the
• 330mm (13") width	ARRITANY
 Available as head 	<i>ALCONT</i> AND A
only or complete with	A DUCTION OF
handle and clamp	Carrier and a lot of the lot

Code		Ŷ
BR630513	Head only	5
BR630513-KIT	Complete broom	5

Bass Broom Head

Metal Broom

BHCFB Flat heads BHCSB Saddle heads

Heavy Duty Poly

Bristle Broom

Handle Clamps

BHCFB

- Takes handle size 28mm (11/3")
- 330mm (13") width

BRHBH300



Code		Ø
BH415	1200 x 23.5mm (48 x ¹⁵ / ₁₆ ")	5
BH511	1350 x 28mm (54 x 1½")	5
BH515	1370 x 23.5mm (55 x ¹⁵ /16")	5
BH411	1200 x 28mm (48 x 1¼")	5
BH611	1500 x 28mm (60 x 1½")	5

BHCSB

5

5

P

MAULS, MALLETS, KERB LIFTERS & SLEDGE HAMMERS

Rubber Maul & Handle • 10lb



Rubber Mallet



Code			Ŷ
ML16BLK	16oz	Black	12
ML24BLK	24oz	Black	12
ML32BLK	32oz	Black	12
ML16WHT	16oz	White	12
ML24WHT	24oz	White	12
ML32WHT	32oz	White	12

Sledge Hammer -**Fibreglass Handle**





Kerb Lifter	KBL01
Code	
KBL01 1 Man	\square
	T
KBL02 2 Man	1

Sledge Hammer -Wooden Handle



2

Sledge Hammer -**Fully Insulated**

SHW14 14lb

- Fully conforming and individually tested and certified to BS8020: 2012 tools for live working
- Each tool is issued an individual, fully traceable number and certificate of conformity

Code		Ø
SHINS07	7lb	2
SHINS14	14lb	2

020 8311 1144 sales@cmt.co.uk www.cmt.co.uk

BUCKETS



GROUNDWORK TOOLS

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

Set up an account for our discounted rates / prices

1

MORTAR TUBS & WATERING CANS



Grass Seed

- 20kg bag of high quality grass seed
- PM51 Grade
- 35g per m²
- 500m² per 1 bag





• 9 litre (2 gallon)











020 8311 1144 sales@cmt.co.uk

DUST SUPPRESSION BOTTLES

MAX 10 Litre Heavy Duty Professional **Dust Suppression Water Bottle**

10 litre Capacity

• Heavy duty carry handle

• Durable pump with Steel Piston

Supplied with hose connector

• Fits all saws including Stihl,

Husqvarna, Makita etc.

• All spare parts available

• Made in Germany

- ROBUST POLYETHYLENE CASING Maximum durability for harsh environments
- STRONG & STABLE BASE Protects the bottom of the bottle & gives extra stability in use
- BUILT IN WATER FILTER Prevent blockages from dust & dirt



DUST INGRESS **PREVENTION COVER** Prevent dust & dirt getting into the bottle when refilling



PROTECTED HOSE CONNECTION Prevents damage or breakage during use



4 METRE TRANSPARENT HOSE Extra working length





R

OT10L

MAX 15 Litre Dust Suppression Water Bottle

- MAX 15 litre heavy duty water bottle for dust suppression (to suit all common petrol cut-off saws)
- Highly recommended by HSE for dust control on cut-off saws used for stone and concrete cutting. Can also be used to suit drill rigs
- Parts available
- 15 litre capacity
- Heavy duty carry handle
- Durable pump
- Supplied with hose connector
- Fits all saws including Stihl, Husqvarna, Makita etc.





GROUNDWORK TOOLS

OT15L

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

P

6

DUST SUPPRESSION BOTTLES & WATER CONTAINERS

MAX 10 Litre Metal Dust Suppression Water Bottle

- Strengthened steel tank with polyester coating for extra durability on site
- 2.5m hose & connector
- Pressure release valve & pressure gauge
- Sturdy base
- 10 litre capacity
- Heavy duty carry handle
- Durable pump
- Fits all saws including Stihl, Husqvarna, Makita etc.





MAX 15 Litre Wheeled Dust Suppression Water Bottle

- Translucent tank easy to see water level
- Wide funnel top
- Safety valve and pressure indicator
- Quick-fit coupling for easy use
- Hose holder spring, reduces chance of splitting
- Heat and frost resistant wired hose 4m length



 Code
 Code

 0T20L
 1
 0TW15L
 1

Plastic Liquid Container

- Tap not included as standard
- Tap for 25 litre bottle only



WATTAP



Code		1
WAT05L	5 Litre	1
WAT10L	10 Litre	1
WAT25L	25 Litre	1
WATLID25	Lid (to suit WAT25L)	1
WATTAP	Tap (separate)	1

SPRAYERS

GROUNDWORK TOOLS



SPRAYERS

Professional Formwork Oil Sprayer

- 5 litre Capacity
- Pressure gauge & safety valve
- 6 bar (88psi)
- Vilton seals for chemical resistance





Code

WS500P

MAX Professional Sprayer

- Filling contents: 5 litre
- Total contents: 7 litre
- Operating pressure: 3 bar (44psi)
- Weight when empty: 1.7kg
- Tank: Plastic with large pressure reservoir
- Carried at the side
- Seals: FPM
- Nozzle: Flat-jet plastic nozzle
- Spray wand: Plastic, 50cm, 360° rotatable
- Hose: 2m, transparent, oil resistant
- Vilton seals for chemical resistance







1

Code

CONSPRAY5

WINTER ESSENTIALS

GROUNDWORK TOOLS



WINTER ESSENTIALS

Grit Bins			
• Colour: Yellow		GRIT SALT	
Ê			
-8-8 -			Ŷ
JLGRIT250Y	250 litre		5
JLGRIT450Y	450 litre		5

Mobile Salt Spreader

- Easy to use
- 20cm poly wheels
- Adjustable gear box
- Spread width up to 2 metres
- Rustproof holder
- 18kg hopper capacity



Code

SS100

Rock Salt

- 20kg bag of brown rock salt
- Pallet rates on request



1



HAND TOOLS

	1 5 300	
100 100	15 All	
	1135 0110	
THE REAL PROPERTY OF	12 con 18	
	ALL AND	
al de	6-11/10-1 S	
	VIII S	
- KARA CORDUCE	A CONTRACTOR	
AS NO		
1 7 1 30	X ()	Bolt Crop & Snips
	MY CON	
A I A		
As a second second		
· ////////////////////////////////////		

	86
	87
Floats & Trowels	88-91
Striking Tools & Wrecking Bars	92
	93
	94-95
	96
	97
	98
	99
	100
Sockets & Ratchets	101
	102
	103
Tool Box, VDE Pliers, Stillsons & Staple Guns	104
	105
	106

CLUB HAMMERS & CLAW HAMMERS



86

020 8311 1144 sales@cmt.co.uk

HAMMERS & MALLETS

Single Headed Scutch Hammer

• 20oz • Hickory handle

Chipping Hammer -Wooden Handle

1lb Forged steel head Wooden handle Code

CHE20



Scutch Replacement Combs - Pack of 5

• 25mm combs



Chipping Hammer -Professional





Code			
ML16BLK	16oz	Black	12
ML24BLK	24oz	Black	12
ML32BLK	32oz	Black	12
ML16WHT	16oz	White	12
ML24WHT	24oz	White	12
ML32WHT	32oz	White	12



020 8311 1144 sales@cmt.co.uk ww

Professional Brick Trowel -Philadelphia Pattern

• Rubber handle



Professional Gauging Trowel



Professional Flooring Trowel

Rubber handle



TRF450P 450 x 115mm (18")

Professional Brick Trowel -London Pattern



TRB275P	275mm (11")

Professional Pointing Trowel

Rubber handle



Professional Cement Finishing Trowel

150mm (6")

Rubber handle

TRP150P



Code		Ŷ
FTPT355P	356 x 120mm (14")	6
FTPT450P	405 x 115mm (16")	6

London Brick Trowel

- London pattern
- Durable hardened steel blade
- Soft grip handle to enhance user comfort

T10610ST

Bucket Trowel

• Carbon steel

on the tip

blade, hardened

and tempered

Rounded corners

• Soft grip handle

to enhance user comfort

250mm (10")

Gauging Trowel • Durable hardened steel blade

- Used primarily for mixing and applying small quantities of cement
- Soft grip handle to enhance user comfort

Code		Ŷ
T1367ST	180mm (7")	6

London Pointing Trowel

- London pattern
- Durable hardened steel blade
- Soft grip handle to enhance user comfort

		1
T137S	180mm (7")	6






280 x 120mm (11 x 43/4")

90

020 8311 1144 sales@cmt.co.uk www.cmt.co.uk

TRE100

HAND TOOLS



TRBJ012 10 - 13mm (0.5")

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

Set up an account for our discounted rates / prices

280 x 115mm (11 x 4.5")

BEST

ELLE

91

STRIKING TOOLS & WRECKING BARS

Brick E •

With p	ters protection guard	•
		Ð
3BG02	57mm (2¼")	6
BBG03	75mm (3")	6

BBG02	57mm (2¼")	6
BBG03	75mm (3")	6
BBG04	100mm (4")	6

Cold Chisels

• Hex cold chisel

Code		Ŷ
CC13150	13 x 150mm (0.5 x 6")	6
CC19250	19 x 250mm (0.75 x 10")	6
CC25250	25 x 250mm (1 x 10")	6
CC25300	25 x 300mm (1 x 12")	6

Plugging Chisel

• 250 x 15mm (10 x 0.6")



• Witho		1
Code		Ŷ
BBW04	100mm (4")	6

Brick



Code		Ŷ
WRECK450	450mm (18")	6
WRECK600	600mm (24")	6
WRECK750	750mm (30")	6
WRECK900	900mm (36")	6

Cold Chisel with Guard

- 19mm width
- With protection guard



PC250

020 8311 1144 sales@cmt.co.uk www.cmt.co.uk

SPIRIT LEVELS

Stabila Spirit Level 70-2 Series

Sizes available: 600mm (24") 900mm (36") 1200mm (48") 1800mm (72")



•		
	0	
	Bris	
~		
•		

HAND TOOLS

Code	Ŷ
SLT24	1
SLT36	1
SLT48	1
SLT72	1

Trade Spirit

Sizes available:


600mm (24")

900mm (36") 1200mm (48")

1800mm (72")

ROM ONL


Levels



/ / /

MATCHED.

BEST SELLER







HAND SAWS

MAX Trade Hard Point Saw

- Premium quality, general purpose, hard point saw
- Fast-cut, rapid, clean cutting action
- Rigid blade minimises 'whip' and vibration
- 20"/500mm length
- 7TPI

1/4



BEST SELLER

Code

SAWE0

Standard Multi Purpose Saw

- 350mm
- Multi-positional to help clear obstacles

Irwin 880 Hand Saw

- Triple ground hardpoint teeth
- High quality C75 steel blade
- 20"/500mm length
- 8TPI

94

IRWIN880

HAND SAWS

Junior & Standard Replacement Hacksaw Blades **Hacksaws** • 12" / 18TPI - (PK24) • 6" / 32TPI - (PK10) SAWHJ06R SAWHJ06 SAWH12S SAWH12SR SAWHJOGR For 6" Junior Hacksaw SAWHJ06 6" Junior Hacksaw SAWH12S 12" Standard Hacksaw SAWH12SR For 12" Standard Hacksaw **BAHCO Bow** Pad Saw Saw • 24" • Comfortable non slip handle • With front grip



319

SAWB3906

	7	
Code	Ŷ	
SAWB24	6 10	
SAWBB Blade	10	



HAND TOOLS

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

SAWPAD

KNIVES & FLOORSCRAPERS

THE

MAX Auto Retract Safety Knife

- Steel construction
- Soft grip handle
- With box opener blade
- Safety blade change system

OUALITY, UNMATCHED.

Code		Ŷ
KNF004		12
Quick Blade Change Trimming Knife		
	CLARMAN THE MAN	





Retractable Knife Blades

• Unique safe removal feature

A

QUALITY, UNMATCHED.

KNF003



Retractable Blade Trimming Knife

Code (*) KNF001 12

Stanley 99E Retractable Blade Knife

Code 🕅 STA210099 12



Replacement Blades • 8" stainless steel anti-corrosion blade • To fit FLSCHD (above) Code

020 8311 1144 sales@cmt.co.uk www.cmt.co.uk

KNF002B

96

FILES & GREASE GUNS



FLHRB250	250mm - Half round	12
FLFB250	250mm - Flat	12
FLFB300	300mm - Flat	12

Pipe Grease

File

- An environmentally friendly vegetable oil soap-based pipe jointing lubricant with universal application
- Suitable for lubricating all types of pipe material



Code	Ŷ
PG25KG	20
Grease	
Gun /	
• 500cc	
Takes standard	
400g cartridges	
(see GGC400 right)	
V.	
Code —	Ŷ
GG500	1



Concrete Rubbing Brick



Code	(\mathfrak{P})
CRB150	10
Active of the second se	ENQUIRE BULK RATES
Code	\bigcirc
GGC400 400gm tube	36
EP4530 12.5kg tub	1

SPANNERS

Combination Spanner

			\bigcirc	
SPC6P	6mm	125mm	10	
SPC7P	7mm	127mm	10	
SPC8P	8mm	130mm	10	
SPC9P	9mm	135mm	10	
SPC10P	10mm	140mm	10	
SPC11P	11mm	150mm	10	
SPC12P	12mm	170mm	10	
SPC13P	13mm	170mm	10	
SPC14P	14mm	190mm	10	
SPC15P	15mm	205mm	10	
SPC16P	16mm	205mm	10	
SPC17P	17mm	225mm	10	
SPC18P	18mm	235mm	10	
SPC19P	19mm	245mm	10	
SPC20P	20mm	260mm	10	
SPC21P	21mm	270mm	10	
SPC22P	22mm	285mm	10	
SPC23P	23mm	300mm	10	
SPC24P	24mm	310mm	10	
SPC25P	25mm	325mm	10	
SPC26P	26mm	310mm	10	
SPC27P	27mm	345mm	10	
SPC28P	28mm	350mm	10	
SPC29P	29mm	360mm	10	
SPC30P	30mm	375mm	10	
SPC32P	32mm	390mm	10	
Combination				

Combination **Spanner Set**

- 1 of each of all above
- 6mm 32mm jaw size

020 8311 1144

SPCSET

Chrome Vanadium Combination Spanner Set

- Professional, hardened, tempered and satin chrome plated for corrosion protection.
- DIN 3113 Manufactured
- 18 piece set contains: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22 and 24mm.



Adjustable

FAISPASETC18

Spanner

- Narrow jaw
- Drop forged and chrome plated carbon steel

Code	Jaw Size	Length	Ŷ
SPA6P	19mm	150mm	1
SPA8P	24mm	200mm	1
SPA10P	29mm	250mm	1
SPA12P	34mm	300mm	1
SPA15P	45mm	375mm	1
SPA18P	55mm	450mm	1
SPA24P	62mm	600mm	1

Scaffold **Spanner**

sales@cmt.co.uk

- Double ended
- Swing over handle
- Hardened carbon steel socket



www.cmt.co.uk

98







SOCKETS & MAGNETS

Premium Socket Set

- 42 piece mm/AF with ½" drive
- Complete with handy carry case

Deep Drive Socket Drive Metric

• 1/2" drive

SST8



	\square
17mm	12
19mm	12
24mm	12
27mm	12
30mm	12
32mm	12
	19mm 24mm 27mm 30mm



• ¾" drive



Code		Ŷ
SKT3419	19mm	1
SKT3424	24mm	1
SKT3427	27mm	1
SKT3430	30mm	1
SKT3432	32mm	1

Socket Drive Metric

● ½" drive



Code		Ŷ
SKT10	10mm	2
SKT13	13mm	2
SKT17	17mm	2
SKT19	19mm	2
SKT24	24mm	2
SKT27	27mm	2
SKT30	30mm	2
SKT32	32mm	2

Mini Magnet

- 50 x 20mm
- Extra strong



020 8311 1144 sales@cmt.co.uk

Impact Sockets



Code

Courc	
HSKT13-1/2	13mm ½" drive
HSKT16-1/2	16mm ½" drive
HSKT17-1/2	17mm ½" drive
HSKT19-1/2	19mm ½" drive
HSKT21-1/2	21mm ½" drive
HSKT24-1/2	24mm ½" drive
HSKT27-1/2	27mm ½" drive

Ratchet Handle

• ½" drive

• Made from professional quality chrome vanadium steel

Y

Code

RHD001

Heavy Duty Ratchet Handle


- 1/2" drive
- Soft comfort grip

Code RHD002

PLIERS & GRIPS







Footprint Adjustable Wrench

• Genuine Footprint Brand



\bigcirc	Code
6	NCPPW07P 7"
6	NCPPW09P 9"
6	NCPPW12P 12"

102

NCPPW07 7"

NCPPW09 9" NCPPW12 12"

sales@cmt.co.uk

BOLT CROPPERS, CUTTERS & SNIPS




NCPEC200









TOOL BOX, VDE PLIERS, STILLSONS & STAPLE GUN

Hard Case Tool Box

- Robust metal latches
- Soft grip handle
- Built in padlock
- Removable tote tray
- 51cm (20") wide






Code		
ST194858		

Stillson Wrench

- Serrated teeth for a secure grip
- Hardened long-life construction



VDE Pliers Set-3 Piece

- High quality drop-forged chrome vanadium
- Individually tested to 10,000V
- Conforms to DIN EN60900 (VDE4000 9659)
- Includes: Long Nose Pliers, Side Cutting Pliers, Combination Pliers





VDEPSET

Hand Staple Gun & Staples

- Arrow T50 staple gun
- Galvanised steel staples to suit
- Staples boxes of 5000



Code		
AT50PHS	Stapler	1
ARRT5038	10mm staples	1
ARRT5012	12mm staples	1

104 020 8311 1144 sales@

sales@cmt.co.uk

BRUSHES & PENCILS



















PIPE CUTTERS & GAS TORCH EQUIPMENT

PVC Pipe Pipe Slice Cutter • Capacity 4 - 42mm • 15mm or 22mm NCPPC15 15mm NCPVCPC NCPPC22 22mm **MAX Gas Lance Gas Lance** & Torch Kit & Torch • 1000mm • Contains gas lance, torch, hose and • Adjustable flame intensity regulator • 50mm burner • Pilot flame • For use with propane • Also available in double or triple head RTGL RTGKIT **Propane Gas** Gas Hose Regulator • 2m length • High pressure regulator RTGH RTGR

106

020 8311 1144 sales@cmt.co.uk www.cmt.co.uk

TOOL TETHERING



Tethering Your Tools	108
Common Tether Points	110-111
Tool Lanyards	112-113
Anchor Points	114
Tether Accessories & Storage	115
Learning Hub Board	116

TETHERING YOUR TOOLS

ON SITE, SAFETY WHEN WORKING AT HEIGHT IS PARAMOUNT

Dropped tools present a danger at almost any height, regardless of the tool weight and this ingenuitive and hassle-free tethering system significantly decreases the chance of tools being dropped. It's simple: follow the three steps and select the correct product for your task from each step to complete your unique tethering system.

COMMON TETHER POINTS

Not all tools are created tether-ready. It's as easy as creating a secure attachment point on the tool you are using and ensuring the tool weight does not exceed the maximum allowed for the tether point. Go to pages 110-111

OOL LANYARDS

Choosing the best tool lanvard for the job depending on the task and weight of the tool ensures safety first in your working environment. Go to pages 112-113

ANCHOR POINTS

Every tool lanyard needs an anchor. Whether it's on your wrist or belt, make sure it's secure with one of these weight rated anchors. Suggested maximum tool weights for wrist anchor are 1.5kg and for belt anchor 2.5kg. Go to page 114



Holes built into the body of the tool


Instant Tether System Tether Loop **Tether Ring** 360° D-Ring Loop 8 Ring Tether



Captive Handles

Closed loop built into the structure of the tool

> D-ring loop, Triple Lock



Open-Ended Handles

Open at one end with no captive holes

360° Sleeve Adaptor Instant Tether System D-ring Tether Tape



Moulded Grips

Open ended shaped handles found on small tools


360° Sleeve Adaptor Instant Tether System D-ring Tether Tape



Rotating Holes

Tools that require rotation to perform their function

360° Sleeve Adaptor Instant Tether System 8 Ring Tether



Tool performed with a

tapered mid-section

Tether Ring

Instant Tether System

Rotating Tools

Waisting Tools

Large tools with a built-in waist or thin mid section

Drill Boot Tether **Tether Choke** Instant Tether System Tether loop Tether Ring

Insulated Tools

Non-conducted tools for maintenance & electrical work

Instant Tether System Non conductive D-ring Tether tape

108

020 8311 1144 sales@cmt.co.uk

www.cmt.co.uk



neverletgo.com

Your tools made safe. For less.

The New NLG Go Range brings you safety you can trust at a great price.



101518 NLG GO Bungee Tool Lanyard CMT Code: **NLG101518** (See page 113)



101519 NLG GO Bungee Tool Lanyard, Twin CMT Code: **NLG101519** (See page 113)

Tether any tool in 3 simple steps







Tether Point

Create a secure attachment point on the tool.

Tool Lanyard

Choose the best tool lanyard for your task.



Anchor Point Select between a wristband, belt, harness or fixed point.



Video Guide Watch how to install every tether point: neverletgo.com/guide





1: COMMON TETHER POINTS

Tether Loop Aircraft-grade steel core NLG101380 120mm

Tether

NLG101381 150mm

Choke • Heavy duty, highly durable webbing Original Single arm Twin arm NLG101367 Original NLG101368 Single arm

Tape Measure Tether

NLG101369 Twin arm

• For standard & XL sizes



020 8311 1144

NLG101350



NLG101273	25mm	10
NLG101275	38mm	10

360° D-Ring Loop

- Provides direct tool attachment by choking / looping through drilled or preformed holes and captive handles, toggle allows easy and secure fastening
- D-Ring attachment point, cord length 18cm, total length 28cm

NLG101363

Triple Lock

3KG 6.6LE

- Allows quick addition of
- heavy duty anchor points Extreme tensile strength
- Can be used to tether large hand tools

NLG101454

sales@cmt.co.uk www.cmt.co.uk

1: COMMON TETHER POINTS




ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

NLG101375

Non-Conductive D-Ring

2: TOOL LANYARDS



Medium Duty Bungee Lanyard • Extends 80 to 120cm Strong & versatile 1.6.1 5KC 11LE NLG101372 **Heavy Duty Webbing** Lanyard

- 190cm
- Super heavy duty



Coiled Lanyard

- Extends 10 to 170cm
- Compact & anti-tangle



112


3311

NLG101389

020 8311 1144 sales@cmt.co.uk

www.cmt.co.uk

2: TOOL LANYARDS





GO **Tool Lanyard**

- Extends 70 to 120cm
- Lightweight
- Entry level





NLG101493

Short Coiled Lanyard

- Extends 4 to 70cm
- With 360° Quick Clips



NLG101364

GO **Bungee Tool Lanyard**

- Extends 70 to 120cm
- Lightweight
- Twin carabiner

3KG 661 NLG101519

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

3: ANCHOR POINTS

Wrist Band

- Suggested maximum tool weight when anchored to wrist: 1.5kg
- Comfortable & adjustable





Work Belt

• Comfortable & adjustable



• Suggested maximum tool weight when anchored to belt: 2.5kg



Heavy Duty Choke Anchor

 For fixed anchor point





TETHER ACCESSORIES & STORAGE




ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

Set up an account for our discounted rates / prices

LEARNING HUB BOARD

NLG Tool Tethering Learning Hub

- A high impact training and awareness tool to remind operators to tether up and a reference point on how they can do it
- A visual way to represent over 20 physical products



SITE VISITS AVAILABLE TO DISCUSS YOUR TOOL TETHERING REQUIREMENTS

CALL US FOR MORE DETAILS **020 8311 1144**



MEASURING & SURVEYING EQUIPMENT



Tape Measures & Road Wheel	118
Tape Measures	119
	120
Spray Paint Applicators & Marking Crayons	121
	122
Road Marking & Asphalt Release Agent	123-124
Road Repair	125
String Lines & Chalk Lines	126

TAPE MEASURES & ROAD WHEEL

Soft Grip Tape Measure

- Heavy Duty
- Robust, durable and flexible
- Convenient storage size
- Safety recoil function



3 1 5,055

MAX Professional Tape Measure

- Tough long reach blade
- Self-lock system





Code			_
TM5	5m	12	Со
TM8	7.5m	12	MA
TM10	10m	6	MA

Fisco BIG-T Tape Measure

- Ultra tough blade
- Unique snap-in belt holder



020 8311 1144

 TMBT5M
 5m

 TMBT8M
 8m

 Code
 Image: Code

 MAX5
 5m
 6

 MAX8
 8m
 6

MAX Road Measuring Wheel

- Unique folding design
- Lightweight and easy to store (canvas rucksack storage bag)
- Trigger brake and reset control
- Built in kick stand and carry handle
- Hi traction PU tyre, 12/2" dia. wheel



QUALITY, UNMATCHED.

RMW01

sales@cmt.co.uk www.cmt.co.uk

TAPE MEASURES

MAX Closed Frame Tape Measure



Fisco CC Closed Frame Tape Measure - Steel Blade



Steel Open Reel Tape Measure

- 30, 50 or 100m
- Steel 13mm ribbon
- Fast rewind
- Metric / Imperial
- Bump stop end



Code	
TMST030	30m
TMST050	50m
TMST100	100m

MAX Open Frame Tape Measure Nylon tape 1 / A \



30m	6
50m	6
100m	6
	30m 50m 100m

Fisco Pacer Open Frame Tape Measure

• 30 or 100m



Code		Ŷ
TMP30	30m fibreglass blade	1
TMP100	100m fibreglass blade	1
IMP100	100m fibreglass blade	1

SETTING OUT PEGS & PROFILE BOARDS



SEE PAGE 149

LINEMARKER SPRAYS

MAX Permanent Line Marker Spray

- 750ml cans
- New improved formulation
- High colour pigment
- Fast drying
- Anti clog formula
- Price each



TTTAX UNITED	TRAY Topica	TAX View	TAX	XATT	XALL	TTAX	BE
and the second sec	KER	KER I	1		of the surgery of the local division of the		
LINEMARKER	LINEMARKER	LINEMARKER	LINEMARKER	LINEMARKER	LINEMARKER	LINEMARKER	

Code		\bigcirc
LMP-BLU	Blue	12
LMP-RED	Red	12
LMP-WHT	White	12
LMP-YEL	Yellow	12
LMP-ORA	Orange	12
LMP-BLA	Black	12
LMP-GRE	Green	12
LMP-GRY	Grey	12

MAX Temporary Line Marker Spray

- 750ml cans
- New improved formulation
- High colour pigment
- Fast drying
- Anti clog formula
- Price each





Code		Ŷ
LMT-BLU	Blue	12
LMT-RED	Red	12
LMT-WHT	White	12
LMT-YEL	Yellow	12
LMT-ORA	Orange	12
LMT-BLA	Black	12
LMT-GRE	Green	12

SPRAY PAINT APPLICATORS & MARKING CRAYONS





ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

MEASURING & SURVEYING EQUIPMENT

LASERS & ACCESSORIES

66R Rotating Laser Kit

- Self levelling with bump stop
- Horizontal levelling
- Kit includes laser, tripod, receiver & staff



66RKIT

Yellow Retro Targets

- High visibility in daylight
- Self adhesive
- Variety of sizes available
- Priced individually



YRT20	20mm	10
YRT40	40mm	10
YRT60	60mm	10

1m Folding Ruler

- Metric & Imperial measurements
- Very strong ABS plastic



020 8311 1144

Telescopic Staff • 5m

- Lightweight aluminium
- Includes bubble and carry bag



TALSTAFF5

Silver Retro Targets

- High visibility
- in daylight
- Self adhesive
- Variety of sizes available
- Priced individually



Code		Ŷ
SRT20	20mm	10
SRT40	40mm	10
SRT60	60mm	10

Chartwell Survey Book

- Fully waterproof
- Printed in permanent ink



WR100

CSB2426

ROAD MARKING & ASPHALT RELEASE AGENT

Professional Torch Kit

Easytack Primer

- Primer for preformed thermoplastic road markings
- Recommended when applying onto concrete or old bitumen
- 750ml aerosol
- Easy and clean to use
- Touch dry in approximately 10-15 minutes





Code AET75CL

Asphalt Release Agent

Now introducing the T99 - the most eco-friendly & reliable tarmac cleaner on the market. Available in multiple volumes!





Can be used for cleaning:

- Paving machines
- Groundwork tools
- Lorry beds & chassis
- Footwear & PPE

Ê

T6910LTR

T6925LTR

10 litres

25 litres





ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

ROAD MARKING

Thermoplastic Line Marking Roll

- 5m length
- Create instant, permanent lines quickly and simply
- Ideal for reinstatements, car parks and roads
- Easy to apply with a gas torch
- 100mm 10 per box / 50mm 20 per box



Code			Ŷ
THERM100YEL	Yellow	100mm	10
THERM100WHT	White	100mm	10
THERM100RED	Red	100mm	10
THERM100PRI	Primros	e 100mm	10
THERM50YEL	Yellow	50mm	20
THERM50WHT	White	50mm	20
THERM50RED	Red	50mm	20
THERM50PRI	Primros	e 50mm	20

Overbanding Tape

- 35mm x 5m
- Standard or HAPAS approved

Anti Skid Sheets

- Quick and flexible solution to the repair of anti skid surfacing
- Easily cut to size
- 0.6m² per sheet (1m x 600mm)
- Pack of 5 sheets
- Available in blue, buff, green, grey and red



Code FORR35 Standard FORR172 HAPAS approved

172 HAPAS approved 020 8311 1144

sales@cmt.co.uk

THERMAS160

www.cmt.co.uk

NEW

MEASURING & SURVEYING EQUIPMEN

Colas RS Bitukold Spray

- 600ml spray
- Cold applied emulsion
- Rapid setting in cold and damp conditions



Code	Ś
CLBTK60	5

Colas Bitukold Standard

- 15kg tub
- Cold hand-applied bitumen emulsion
- Can be used in place of a tack coat



Code CLBTK15

Bituseal Spray

- 750ml
- Fast curing touch dry in 5 minutes
- Spray application aerosol spray for quick and simple application
- Specially formulated bonds best on vertical surfaces and joints



Colas Bitumen Colspray

- 750ml spray
- Bitumen cold joint sealer and tack coat spray



Code

CLSPR75

Colas Leoclean

- 500ml trigger spray
- Cleaner and degreaser
- Removes bitumen, tar, asphalt, grease and carbon



Code

CLLCN50

Cold Asphalt Road Repair

- 25kg bags
- Easy to use, instant solution to repairing potholes and roads
- Cold applied, permanent repair
- Use directly in any weather
- Instantly trafficable

0




REP25BAG

Code BS75

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

STRING LINES & CHALK LINES



020 8311 1144 sales@cmt.co.uk www.cmt.co.uk

DECORATING & SEALANTS



Paint Brushes	128
Rollers & Roller Trays	129
Decorating Accessories	130-131
Sandpaper & Adhesives	132
Sealant & Sealant Guns	133
Expanding Foam, Applicator Gun & Foam Cleaner	134

PAINT BRUSHES

Econ Paint	omy tbrush	7
Code		Ŷ
PBE001	1"	12
PBE002	2"	12
PBE003	3"	12

Masonary Wall Brush

• 4" (100m)

PBW5

PBE004 4" PBE006 6"

- Use on smooth or rough surface
- Hard wearing synthetic & natural bristle mix

MAX Professional Paintbrush



Code		Ô
PBP001	1"	12
PBP002	2"	12
PBP003	3"	12
PBP004	4"	12



www.cmt.co.uk



sales@cmt.co.uk

020 8311 1144

ROLLERS & ROLLER TRAYS



Premium Roller Sleeves

- 45mm core
- Medium (13/4") pile



Mini Roller & Tray Set



Roller & Tray Set

• 9" Tray & frame

• 9" soft medium pile roller



RLTC09

Premium Roller & Tray Set

- 9" tray & frame
- 2 x 9" simulated
- sheepskin roller sleeves
- Use on both smooth and rough surfaces

FAIRKIT9

Mini Roller Sleeves

- Pack of 10
- 100mm



ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

DECORATING ACCESSORIES

Paint Scuttle Set

- 15 litre scuttle
- · Set complete with wooden handle & 12" roller



Paint Kettle Plastic

• 1 Litre





Mixing Paddle

- 10mm DIA hex shank
- 80mm head

MP10600

- Max 600rpm
- To mix paint, plaster, cement etc.



- Solvent designed for thinning paints & solvents
- Conforms to BS245



Code		Ø
WS2L	2 litre	8
WS4L	4 litre	4

Paintbuster Wipes

Tub of 50

- Suitable for hands & hard surfaces
- Removes paints & inks
- Removes graffiti from non-porous surfaces



JLPBUSTER





020 8311 1144 sales@cmt.co.uk www.cmt.co.uk

DECORATING ACCESSORIES





Code		\bigcirc
SCRA02	2"	12
SCRA03	3"	12
SCRA04	4"	12



Long H Duty S	landle Heavy craper	1	9
Complet roplacen	e with 2 hent blades		
• 4" (100r			
	A Alle		
Code			
SCRAHD4	Scraper		12

Code	
SCRAHD4	Scraper
SCRARB5	Replacement Blades (pk5)

Professional Scraper





6

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

36 24

DECORATING & SEALANTS

132

SANDPAPER & ADHESIVES

Sandpaper Roll

- Industrial quality for long life & high performance
- Ideal for ½ sheet sanders, palm sanders or for hand use
- 10m x 115mm

2.4		
10		
V.		

Code		Ŷ
SANDROLL-001	40 grit	1
SANDROLL-002	60 grit	1
SANDROLL-003	80 grit	1
SANDROLL-004	120 grit	1
SANDROLL-005	180 grit	1
SANDROLL-006	240 grit	1

Aerosol Spray Adhesive

• 500ml











SEE PAGES 175-180

020 8311 1144 sales@cmt.co.uk www.cmt.co.uk

SEALANTS & SEALANT GUNS

MAX General Purpose Silicone

- For use on porous surfaces
- Quick curing
- Permanently flexible
- Certified to EN15651






Code		Ŷ
CS310	Clear	25
WS310	White	25
BLKS310	Black	25



ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

DECORATING & SEALANTS

EXPANDING FOAM, APPLICATOR GUN & FOAM CLEANER



134

020 8311 1144 sales@cmt.co.uk www.cmt.co.uk

SITE EQUIPMENT



Oil & Lubricants	136-137
Fuel Containers & Accessories	137-138
Tonne Bags, Tarpaulins & Sand Bags	139
Protective Sheeting, Correx & Accessories	140-141
Trestles & Props	141
Rope, Scaffold & Rebar Caps & Cobra Rodding System	142
Cobra Rodding System	142
Tarmac Sheets, Hessian Roll & Shrink Wrap	143
Tapes	144
Barrier Tapes & Barriers	145
Ratchet Straps & Lifting Slings	146
Steel Strapping Equipment	147
Fencing Pins & Road Pins	148
Setting Out Pegs, Warning Tapes & Mesh Fencing	149
Hoses & Accessories	150-151
Drain Equipment	152-154
Site Security & Whistles	155
Padlocks & Security Chains	156-157
Secure Site Storage	158-160
Manual Handling	160-161
Matting	162

OIL & LUBRICANTS

MAX 2 Stroke Oil (One Shot)

- 2 Stroke oil in 100ml one shot bottles
 use as a straight mix with 5 litres of petrol
- For all modern static 2 stroke engines
- Semi synthetic
- 50 in a box





BEST SELLER

Code	1
OIL100ML	50

MAX High Quality Lubricant Spray

- 400ml
- Cleans and lubricates, reducing friction and wear
- Protects from rust and moisture
- Suitable for use on metal, wood, rubber, vinyls & most plastics







• 300ml






MAX100

136

Ŷ

OIL & FUEL CONTAINERS



		FCPR05	FCPG05	FCPB05
Code				Ø
FCPR05	5 litre green			6
FCPG05	5 litre red			6
FCPB05	5 litre black			6

Metal Petrol Cans



Code		Ŷ
FCSR10	10 litre - red	8
FCSG10	10 litre - green	8
FCAE10	Explo-safe	8

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

FUEL CONTAINERS & ACCESSORIES

Metal Jerricans

• Available in red or green



Code		\bigcirc
FCJ10-RED	10 litre	4
FCJ10-GRN	10 litre	4
FCJ20-RED	20 litre	4
FCJ20-GRN	20 litre	4

Plastic Funnel

- 250 x 175mm
- Rectangular

FNPL250

PVC Funnel

• Filter included




Spout for Jerrican • 20 litre only



10

10	JC20S	
	Heavy Duty Barrel Pump	







FNPVC200

020 8311 1144 sales@cmt.co.uk www.cmt.co.uk

TONNE BAGS, TARPAULINS & SAND BAGS

Tonne Bag with Open Top

- 1 tonne capacity
- 85 x 85 x 85cm
- Single use



Code

TONB01

Tarpaulin Sheet

 Eyelets round edges



 Mesh skip net to suit 8 yard skip

• 15 x 9'

Code		(\mathfrak{P})
TARP1218	1.2 x 1.8m	12
TARP45	3.5 x 5.4m	5
TARP117	11 x 7m	3

Polypropylene Sandbags

- 33 x 77cm
- Black or white

POLYBWHT White



Ð	Code	
50	HESSB	Hessian
50	HESSRT	Rot Proof

10

SITE EQUIPMENT

Ś		
1		

Hessian and Rot Proof Sandbags

• 33 x 75cm (14 x 33")

SKIP08

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

Set up an account for our discounted rates / prices

Ŷ

50

PROTECTIVE SHEETING & ACCESSORIES

Debris Netting

• 2 x 50m roll






Code		
DN200GRE	Green	1
DN200YEL	Yellow	1
DN200BLU	Blue	1
DN200RED	Red	1
DN2000RA	Orange	1

Monarflex Sheeting

- 2 x 45m
- Personalised branding available





FLOOR PROTECTION, CORREX SHEETING, TRESTLES & PROPS



ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

Set up an account for our discounted rates / prices 141

SITE EQUIPMEN

Polypropylene

ROPE, SCAFFOLD & REBAR CAPS & COBRA RODDING SYSTEM

BEST SELLER Rope • Made from strong blue polypropylene Meets the needs of all trades • Larger sizes on drum reel Code R0PE22006 6mm x 220m 10 ROPE50006 1 6mm x 500m ROPE22010 10mm x 220m ROPE22012 12mm x 220m Scaffold **Scaffold Tube Nipple Caps End Cap** • Pack of 200 • Box of 1000 Code \bigcirc Code Ŷ SCAF001YEL SCAF002YEL **Cobra Rodding Mushroom** System Caps BEST SELLER • Other sizes • Small 6 - 16mm available on • Large 16 - 32mm request Pack of 250 MUSHL Code ()MUSHS COBFF06100 Ferret frame 1 6mm x 100m Code COBCF09100 Compact frame 9mm x 100m 1 COBLF09100 Large frame 9mm x 100m 1 MUSHS Small 40 1 COBLF11100 Large frame 11mm x 100m MUSHL Large 40 020 8311 1144

142

sales@cmt.co.uk

www.cmt.co.uk

SITE EQUIPMEN

TARMAC SHEETS, HESSIAN ROLL & SHRINK WRAP

Tarmac Sheet

- Waxed jute material
- With ropes & eyelets

Quilted Tarmac Sheet

- 610gm PVC tup
- 14oz jute bottom
- With ropes & eyelets

Code		\bigcirc
TS1209	12 x 9'	1
TS1509	15 x 9'	1
TS1812	18 x 12'	1
TS2418	24 x 18'	1

Hessian Roll

- 1.37m x 46m
- 100% natural & biodegradable

Code		Ŷ
TSQ1209	12 x 9'	1
TSQ1509	15 x 9'	1
TSQ1812	18 x 12'	1

Bubble Wrap -Small Bubble

• 1200mm x 100m

Code	9
HESROLL	1

Black Shrink Wrap Industrial

- 500mm x 250m
- 25MU gauge



Code BWSB12100

Clear Shrink Wrap

- 400mm x 250m
- 20MU gauge



ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

6

 \bigcirc

6

Ŷ

TAPES

Gaffa Таре • 50m

Code			$ \Psi $
GAFBLA	Black	50mm	24
GAFSIL	Silver	50mm	24
GAFBLA75	Black	75mm	26
GAFSIL75	Silver	75mm	24
GAFBLA100	Black	100mm	12

Low Tack Protection Таре

• 50mm x 33m



Code		Ŷ
LTP50-BK	Black	24
LTP50-WHT	White	24

Double Sided Tape -**Black**

• 50mm x 10m



DSTBLK50

Silver Foil Tape

- SFT50 50mm x 45m
- SFT100 100mm x 45m



Code	1
SFT50	24
SFT100	24

• 19mm x 33m

36

24

Masking

• 25mm (1") • 50mm (2")

MT25 25mm

MT50 50mm

Таре

Insulation

Таре

Code		(
IN-WHT	White	10
IN-BLU	Blue	10
IN-GRE	Green	10
IN-BLA	Black	10
IN-RED	Red	10
IN-YEL	Yellow	10
IN-GRE/YEL	Green / Yellow	10

PTFE **Tape**

• 12mm x 12m



www.cmt.co.uk

020 8311 1144 144

sales@cmt.co.uk



- Unique way to cordon off an area
- retractable tape

 \bigcirc

Л

• Fits on a road cone • Contains 9m

Pendant Bunting Tape Red & White

• 26m

Code

PC258

• 32 red / white markers

JSP Warning

• 8mm plastic chain

• 25m pack in red / white

Chain



BUNTRW26

Self Adhesive Barrier Tape

• 50mm x 33m





Zebra Barrier Tape

- Width 70mm
- Non-adhesive





			_
Code			\bigcirc
HZTRW100	Red & White	100m	18
HZTRW500	Red & White	500m	10
HZTBY100	Black & Yellow	100m	18
HZTGW500	Green & White	500m	10

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

RATCHET STRAPS & LIFTING SLINGS

<section-header>

Light load ratchet strap

Heavy load ratchet strap

Code			Ŷ
RACH4L	2 tonnes	Light load - 4m	6
RACH4H	4 tonnes	Heavy load - 4m	6
RACH6H	4 tonnes	Heavy load - 6m	6
RACH8H	4 tonnes	Heavy load - 8m	6
RACH10H	4 tonnes	Heavy load - 10m	6
RACH12H	4 tonnes	Heavy load - 12m	6

Lifting Straps

• Supplied with test information & serial number sewn into strap



Code			Ŷ
LIFT012	1 tonne	1m x 44mm	10
LIFT001	1 tonne	3m x 35mm	10
LIFT009	2 tonnes	2m x 60mm	10
LIFT002	2 tonnes	3m x 60mm	10
LIFT003	2 tonnes	4m x 60mm	10
LIFT004	2 tonnes	6m x 60mm	10
LIFT005	3 tonnes	3m x 90mm	10
LIFT006	3 tonnes	4m x 90mm	10
LIFT010	3 tonnes	6m x 60mm	10
LIFT007	4 tonnes	4m x 120mm	10
LIFT008	4 tonnes	6m x 120mm	10

146 020 8311 1144 sales@cmt.co.uk www.cmt.co.uk

1

STEEL STRAPPING EQUIPMENT

Steel Strapping Kit

Kit includes:

- Strapping, steel, ribbon wound, 19 x 0.5mm black
- Mobile dispenser for ribbon wound steel strapping
- Safeguard Snap-on seals, 19mm
- Tensioner for steel strapping
- Sealer for 19mm steel strapping

Code TSSK19

Strapping Combination Tool

- For 19mm strapping
- A unique tool for clamping and tensioning steel strapping without the need for banding clips



Code

CTTLN19

Strapping Seals

- 19mm steel
- Packs of 1000





ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

Set up an account for our discounted rates / prices

FENCING PINS & ROAD PINS

Non-Conductive Fencing Pin

- 1270mm
- Lightweight for easy transportation & storage



Code	
RSIFP11	500

Non-Penetrating Steel Fencing Pin

- More durable than plastic alternatives
- 1350mm

Ê

• Held down with sandbags (see Page 139)



200

RSIFP11-ORA

Steel Fencing Pin

£	
-0-	0

Code	1
RSFP13NP	10

Steel Road Pin

- 6 different styles available
- Round pin (smooth bar)



Code		Ŷ
RSRP600	17 x 600mm	10
RSRP900	17 x 900mm	10
RSRP1200	17 x 1200mm	10
RSRP900/20	20 x 900mm	10
RSRP1200/20	20 x 1200mm	10
RSRP900/BASE	Road Pin with a base	10



Non-Conductive Road Pin

- 100% non-conductive
- 900mm



148

020 8311 1144 sales@cmt.co.uk

www.cmt.co.uk

SETTING OUT PEGS, WARNING TAPE & MESH FENCING

Underground Warning Таре

- 365m
- Provides visual warning of buried cables & pipes



Code		Ŷ
HZ-ELEC	Electricity	4
HZ-FIBR	Fibre optic	4
HZ-STRE	Street lighting	4
HZ-TELE	Telephone	4
HZ-GAS	Gas	4
HZ-WATR	Water pipe	4
HZ-TS	Traffic signals	4
HZ-SEWR	Sewer	4

Detectable Underground Mesh Warning Tape

• Plastic mesh tape with stainless steel wire for providing a detectable warning of non-metallic services below

HZDM-WATR Water pipe below

• 100m length



Mesh Fencing

- 1m height x 50m length
- Four different colours available



Code		Ŷ
RSMFO	Orange	1
RSMFB	Blue	1
RSMFG	Green	1
RSMFY	Yellow	1

Setting Out Pegs & Profile Boards





Code		Ŷ
SOPEG01	50 x 50 x 600mm	25
SOPEG09	50 x 50 x 900mm	25
SOPEG02	50 x 50 x 1200mm	25
SOPEG03	50 x 50 x 1500mm	25
PROFB	Profile boards 3' x 3' x ½'	25

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

HOSES & ACCESSORIES

Reinforced Contractor Hose

- 12mm (1/2") diameter
- 30m length



Code		Со
HOSP30	1	но

Pro Line Standpipe Hose



Compressor Hose with **Fittings**



Green Garden Hose c/w Fittings

- 12mm (1/2") diameter
- 30m Fittings as shown in image

Code	Ô
HOSG30	1
HOSG30	1

50m Green Garden Hose

- 12mm (1/2") diameter
- 50m



Code	۱ ۲
HOSG50	



Ŷ

HOSES & ACCESSORIES



12

 \bigcirc

12

()

10

10

10

10

10

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

DRAIN EQUIPMENT

Universal Drain Rod Set

- Includes double worm screw and plunger
- 10no 92cm rods
- 1no 10cm rubber plunger
- 1no 5cm double worm screw



Code	Ŷ
DR12P	1



Drain Brush

DRB04


DRB06

• Easy to use, just add to 5 litres of fuel

4"

6"





Code		Ŷ
DR4FM	4"	1
DR6FM	6"	1

Drain Plunger Half Circle



Code		Ø
DR4HM	4"	1
DR6HM	6"	1





Ŷ

1

DRAIN EQUIPMENT

Drain **Stopper**

• Fitted with removable top caps and rubber rings



Code		\bigcirc
DS050	50mm	1
DS075	75mm	1
DS100	100mm	1
DS125	125mm	1
DS150	150mm	1
DS200	200mm	1
DS225	225mm	1
DS250	250mm	1
DS300	300mm	1
DS350	350mm	1
DS450	450mm	1

Drain Stopper Nipples



Code		Ø
DSN12	3 ½": plugs 40-150mm (1½")	10
DSN1B	1": plugs 175-450mm (7-18")	10
DSN2B	2": multilock/ large plugs 17"+	10

Canvas Air Bag Stoppers



\Box
1
1
1
1

Brass Replacement Stopper End Cap



Code		Ŷ
DSEC1B	1"	1
DSEC12B	1/2"	1



ode	
VCAIRBAG100	
VCAIRBAG150	

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

Ρ


Ρ

Ŷ

1

DRAIN EQUIPMENT

Manhole



-	
Code	
DRAINTEST	12



	\sim
DR82011	1
DR84011	1

Standpipe Key

• 1 ¼" AF fitting

SPKEY

• 16mm diameter bar



 \bigcirc

Drain Test Rubber Hose

- Cut to size please confirm how many metres you require when ordering
- Price per metre

Code DTRTPM





154

020 8311 1144 sales@cmt.co.uk www.cmt.co.uk

Ŷ

SITE SECURITY & WHISTLES



ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY


PADLOCKS



Code		Ø
PDLB30	30mm	6
PDLB40	40mm	6
PDLB50	50mm	6
PDLB60	60mm	6
PDLLS50	50mm	6

ABUS 65/50mm Padlock Keyed Alike

- Solid brass padlock
- Keyed alike key suits all padlocks



Code ABUKA03906

Squire High Security Padlock - Combination

- Squire CP40
- Combination padlock - 4 digit
- 63mm




de	9
QCP4025	12

ABUS Combination Padlock

• 30mm

HS

- Combination padlock
- 3 digit
- Brass construction




 \bigcirc

PADLOCKS & SECURITY CHAINS



8mm Galvanised Security Chain

- 8mm welded chain
- Cut to size specify length (max. 10m)
- Maxload 450kg
- Tested but not certified not for lifting or load binding



Plastic Sleeved Chain

- High tensile 10mm security chain
- Thermoplastic cover to protect equipment from chain



Code		Ŷ
CHAIN10X1	10mm x 1m	10
CHAIN10X2	10mm x 2m	10

 \bigcirc

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY



forma-stor COSHH[™]

>> modular
>> quick
>> secure



save time, money and space

10

Increase productivity levels with our quick-assembly Forma-Stor range for on-site secure storage.



Order your armorgard forma-stor unit now. Visit cmt.co.uk or call 020 8311 1144

SECURE SITE STORAGE

Storage Vault

- Heavy duty steel van storage vaults
- Powerful gas strut to ensure the ease of opening & closing the lid
- Supplied with heavy duty keys, that won't snap easily & can be removed from the lock when it is in the unlocked position
- Serial numbered for extra security & for guaranteed key replacement service







Ê

Code			P
SECOX1	59kg	915 x 490 x 450mm	1
SECOX2	98kg	1215 x 490 x 450mm	1
SECOX3	129kg	1200 x 665 x 630mm	1
SECOX4	130kg	1210 x 640 x 1175mm	1
SECOX6	138kg	1800 x 555 x 445mm	1

SECOX2

Flambank Hazardous Storage Box & Chest

- 30 minute fire resistance
- Compliant with regulations
- More sizes available



Ê

Code		
SECFB2	1275 x 665 x 660mm	1
SECFBC4	1275 x 675 x 1270mm	1
SECCAS	6" Castor wheels	1

6" Castors

SECCAS

- 6" castors to suit SECOX3, SECOX4, SECFB2, SECFBC4
- 2 x fixed & 2 x braked swivel



ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

SECURE SITE STORAGE & MANUAL HANDLING

Beam Kart

BK2

EÞ

- Simple and effective method of moving beams
- Robust and durable for heavy site usage
- Puncture proof solid rubber tyres
- 500kg load capacity



-0-0	5-	and the second second second	
Code			Û
BK1	Upright sides		1
BK2	No upright sides		1

Transbank Hazardous Transit Box & chest

- Designed specifically for storing or transporting smaller quantities of flammables or chemicals
- Fully complies with all regulations
- 30 minute fire resistance

00

Ê

TRB4



- Very sturdy built to last
- Double strength weld joints
- Up to 500kg load capacity



ST150

ST250

Code		Ŷ
ST150	Load Capacity 150kg	1
ST250	Load Capacity 250kg	1
ST500	Load Capacity 500kg	1

Gorilla **Gas Cage**

- Modular, bolt together gas cage
- Galvanised for maximum durability





Ê

-	
GGCS	9

Code		
GGC4 68kg	1200 x 1200 x 1200mm	1
GGC6 87kg	1200 x 1200 x 1800mm	1
GGC9 135kg	1800 x 1800 x 1800mm	1

Code TRB4 28kg Box 880 x 485 x 540mm TRB6 38kg Chest 1195 x 485 x 540mm

160

020 8311 1144 sales@cmt.co.uk

Ŷ

1 1

TRB6

www.cmt.co.uk

armorgard

Rubble Truck

- Cleverly designed tipping feature
- 400 litre / 750kg capacity scoop
- Strong crane lift eyes
- Solid rubber or pneumatic tyres
- Stackable
- Also available with lid



1



Code RT400 Solid rubber tyres

RT400P Pneumatic tyres

Barro Box

- Unique secure yet portable design
- Mobile to static in seconds using the wheel winder lever
- Robust construction

BB2 740 x 1095 x 720mm

Turntable Truck

- Puncture proof solid rubber tyres
- Raised deck
- 1000kg load capacity
- 760 x 1820 x 455mm







Code TT100 Load capacity 1000kg



ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

MATTING

Heavy Duty Cellular Matting

- 1m x 1.5m x 22mm
- Moulded anti-slip cellular structure
- Provides safety and traction on steep surfaces
- Easy clean
- Quick installation

Ê

Code RMCB22

Hi Vis Rubber Matting

- 1m x 10m long roll
- Excellent anti-slip properties
- Tough and durable
- VOC compliant
- Complies to EW649

Black Rubber Matting

- 1.5m x 10m x 3mm
- Excellent anti-slip properties





60

15




162

RMHV10

2 020 8311 1144 sales@cmt.co.uk www.cmt.co.uk

ELECTRICAL & LIGHTING



Extension Leads	164-165
110v Transformers	165
Torches	166
LED Lighting	167
Site Lighting & Cable Management	168-171
Fans & Heaters	172-173
Batteries	174

EXTENSION LEADS

Extension Leads • 240v

87 8		
Code		Ŷ
EL24W41	1m 4 way	10
EL24W45	5m 4 way	10

Cable Reel Open 240v

EL24W62 2m 6 way



Code		Ø
EL225	25m	1
EL250	50m	1

240v 25m 16A **Blue Cable Reel**





Cable Reel Open 110v

- 110v
- 2 way 16 amp outlets



Code		Ŷ
EL125	25m	1
EL150	50m	1

240v 50m 16A **Blue Cable Reel**

- 2 way 16 amp outlets
- 50m of



EL24016A50

020 8311 1144 sales@cmt.co.uk www.cmt.co.uk

ELECTRICAL & LIGHTING

EXTENSION LEADS & 110v TRANSFORMERS





Code		\bigcirc
ET300	3 K.V.A	1
ET500	5 K.V.A	1

10 K.V.A Transformer

- Single phase
- 230/240v to 110v
- 4 x 16A outlets
- 2 x 32A outlets

ET1000

10 K.V.A





			∇
ELS11016	Female	16amp	1
ELS11032	Female	32amp	1
ELP11016	Male	16amp	1
ELP11032	Male	32amp	1

4 Way Splitter Box



Code		Ø
EL14W16	16amp	1
EL14W32	32amp	1

BATTERIES FOR OUR RANGE OF BATTERIES GO TO PAGE 174





ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

TORCHES



- Can run on 3 x AAA batteries (included)
- Run time up to 60 hours
- Water & dust resistant

LED7298

• Lamp head pivots within 90° angle for directional lig.

020 8311 1144

sales@cmt.co.uk

Ŷ

1

& pulse

• 10 hour

LEDRHT

• 3 x AAA batteries

(are included)

battery life

www.cmt.co.uk

Ŷ

MAX10 LED Light

- High power LED
- 10W
- 900 Lumens
- 110v



- Ci	nd	ρ	
	00		

MAXLED10

LED **Festoon Lighting**

- 110V
- Ultra low wattage consumption at 2.5w per module
- Injection moulded fittings & Solid State lamp components take heavy knocks
- 2m spacing between light fittings
- Sonic sealing technology to give IP44 rating



10		
25		

MAX20 LED **Flood Light**

- High power LED
- 20W
- Rear mounted socket
- 110v



Ŷ

MAXLED20

LED Floodlight 110v

- High power LED
- 50w
- Also available in 240v
- Slim, fold flat design



Ŷ

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

SITE LIGHTING

Low Energy Floodlight

• 38w

• Supplied complete with bulb




Halogen Floodlight • 400w • 110v • Supplied complete with bulb

Code		Ŕ
LTPRO-110	110v light	6
LTPRO-240	240v light	6
LTPROB	Replacement bulb	1

Festoon Lighting Kit

- Complete with bulbs
- Replacement bulbs ELB160B (each) see page 169
- 110v
- 25m 20 Fittings
- 50m 40 Fittings





Code		Ŷ
LTFLK01	25m kit	1
LTF50	50m kit	1

J

SITE LIGHTING & CABLE MANAGEMENT



100
100
100

Cable Ties

- Pack of 100
- Black or



Code			Ø
CABT200	4.8 x 200mm	Black	1
CABT300	3.6 x 300mm	Black	1
CABT400	4.8 x 430mm	Black	1
CABT580	12.7 x 580mm	Black	1
CABT710	9 x 710mm	Black	1
CABT200YEL	4.8 x 200mm	Yellow	1
CABT300YEL	4.8 x 300mm	Yellow	1
CABT400YEL	4.8 x 400mm	Yellow	1
CABT430YEL	9 x 430mm	Yellow	1
CABT530YEL	9 x 530mm	Yellow	1
CABT780YEL	9 x 780mm	Yellow	1

Cable **Management Hooks**

• Pack of 10



CMH010

Extendable Tower Stand

- Effective management of trailing cables on site
- Extends up to 3m
- Carries multiple cables





ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

SITE LIGHTING

Halogen **Tripod Worklight**

- Adjustable stand 0.8m 2m
- 500w 1000w output
- Suitable for indoor & outdoor use
- Bulbs included

ELECTRICAL & LIGHTING

- Replacement bulb ELB500
- Protective grill glass guard
- 1 Gang 110v sockets



Code		Ŷ
LTHAL01	Single head	1
LTHAL02	Twin head	1
ELB500	Halogen 500w bulb	10

Fluorescent Tripod Worklight

- Bulbs included
- 5m cable & plug
- Replacement bulb LTFT1102
- 2ft bulb
- 2 Gang 16A 110v socket



LTF2FT

1

Ċ,



ELECTRICAL & LIGHTING

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

25

LTFT1105 5ft 58w

ELUPS54

Stick only

FANS AND HEATERS

Convector Heater

- 2kw
- 230v office convector heater
- 110v site convector heater
- Adjustable heat settings



Code		Ś
ELOFH01	230V	1
ELOFH03	110V	1

Oil Filled Radiator

- 2kw
- 240v
- Adjustable heat settings



- 2kw
- 240v
- Adjustable heat settings



SOFR20

SOFR20T

Without timer

With timer

020 8311 1144 sales@cmt.co.uk

1

(((())))))

www.cmt.co.uk

FANS AND HEATERS

Rhino Infrared Heater

- 110v or 240v
- A powerful short wave infrared heater
- Provides instant heat at the flick of a switch by heating up objects directly and not the atmosphere
- Contains twin 1400w infrared elements and lockable wheels for total portability and safety
- Ideal for temporary heating and for drying paintwork and plaster
- Plastic body resists dents and scrapes



Portable Air Conditioning Unit

- 240v
- 2600w
- 3 in 1 Cooling, Dehumidifier and Fan
- Ideal for rooms with an area of 18-22m2
- 3 speed fan for maximum control
- Auto swing function
- Digital soft-touch controls with LED
- display
- Programmable timer
- Handles and castors for easy movement
- Low noise (56dB)
- Dehumidifier 0.9 L/h
- Fan 360 m3/h Exhaust hose with adapter
- Window sealing plate assembly
- Remote control with 2 AAA batteries



Code		Ć
H029300	110v	:
H029400	240v	

Code			\Box	Code		
H029300	110v		1	EH1806	9000 BTU	
H029400	240v		1	H03622	12000 BT	υ
Office Fan He	ater	Desk Fan				
• 2kw		• 12"				
• 240v		• 240v				•
	In In and	• 2 fee e e e				

 Adjustable heat settings





- 3 fan speeds
- 80° oscillation
- 25° tilt



Floor **Standing Fan**

- 16"
- 240v
- 3 fan

ELFANF16



ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

BATTERIES

Procell Industrial Battery - D

• Pack of 10



Code		
PROD10		





<section-header><section-header>

PROAA10

Procell Industrial Battery - AAA



Procell Industrial Battery - C



174

020 8311 1144 s

sales@cmt.co.uk

www.cmt.co.uk

SITE PROTECTION



Indoor Protection	176-177
Wraps & Films	178
Ties & Tapes	179
Carpet Tiles	180

INDOOR PROTECTION

Rigid Board Edge Protection

- 50 x 50 x 4mm
- 2m length
- Protects exposed edges

Code	(\mathfrak{P})
EP50504	50

U-Foam Handrail/ Door Jam Protector

- 45mm x 2m
- Protects stair handrails from damage

Cushion Flexible Foam Edge Protector

- 75 x 75 x 2mm
- Prevents knocks and scratches to edges

Code FFEP75

Door Jam Foam Protector Flame Retardant

- 2m O-profile foam tube
- Protects door frames from scrapes, chips and scuffs
- Flame retardant

	Ŷ
HRP452	50
NRF4JZ	C

Stair Protector Roll

- 750mm x 25m
- Guards against all types of damage on stairs





SPR76025



INDOOR PROTECTION

Temporary Protective

Sheeting

• 4 x 25m



Code		Ŷ
SCRP3	3m	20
SCRP4	4m	20

Temporary Downpipe

- 150mm x 165m heavy duty flexible polythene
- Simple and effective means of providing temporary downpipes on incomplete guttering systems
- Attach with cable ties or jubilee clips

-	2	
	-	

	Code		
)	POLY260	200 gauge / 50MU	1
)	POLY480	500 gauge / 125MU	1
	Dust Sheet	:	
	• 3.6 x 2 (12 x 9		and the second s
		and an	1
	3		
	Code		Ŷ
	DS129		12
	55127		12
	Corre Flame	x Sheeting - e Retardant	
	• 2.5 x 1	.2m	-
	• Brandir		TMa
	availab	le	CL. C. out
	 Flame retarda 		TO COMMENT

TDP1050

Correx Sheeting -Standard

- 2.5 x 1.2m
- Branding available
- Standard correx
- Black





CRXST

	Ê	
	Code	
	CRXFR	
500	CRXFRPL	Plain

White

BRAND

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

Set up an account for our discounted rates / prices 177

WRAPS & FILMS

Black Shrink Wrap Industrial

- 25MU gauge



BSW10

Clear Shrink Wrap

- 400mm x 250m
- 20MU gauge

Window Film • 600mm × 100m	
Code WPFC600	

Bubble Wrap -Small Bubble

• 1200mm x 100m

Code	A
0000	\lor
CSW10	1

Tack Mat

TCKMAT

- 600 x 900mm
- 36 sheets per mat
- Peel to reveal new sheet





sales@cmt.co.uk 020 8311 1144 www.cmt.co.uk

TIES & TAPES



Zebra I Tape • 75mm • Non- adhesive	Barrier	HZT-RW100	HZT-BY
Code			Ŷ
HZTRW100	Red & White	100m	18
HZTRW500	Red & White	500m	10
HZTBY100	Black & Yellow	100m	18

0-44-
Garra
Tano

HZTGW500 Green & White 500m

• 50m

Code			Ŷ
GAFBLA	Black	50mm / 2"	24
GAFSIL	Silver	50mm / 2"	24
GAFBLA75	Black	75mm / 3"	26
GAFSIL75	Silver	75mm / 3"	24
GAFBLA100	Black	100mm / 4"	12

Double Sided Tape - Black

• 50mm x 10m



Cable Ties	
 Pack of 100 Black, Yellow 	
	\mathcal{O}
1///	

Code			
CABT200	4.8 x 200mm	Black	1
CABT300	3.6 x 300mm	Black	1
CABT400	4.8 x 430mm	Black	1
CABT580	12.7 x 580mm	Black	1
CABT710	9 x 710mm	Black	1
CABT200/YEL	4.8 x 200mm	Yellow	1
CABT300/YEL	4.8 x 300mm	Yellow	1
CABT400/YEL	4.8 x 400mm	Yellow	1
CABT430/YEL	9 x 430mm	Yellow	1
CABT530/YEL	9 x 530mm	Yellow	1
CABT780/YEL	9 x 780mm	Yellow	1

Low Tack Protection Tape

• 50mm x 33m



Code		Ŷ
LTP50-BK	Black	24
LTP50-WHT	White	24




ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

CARPET TILES

Cityscape Tiles

- Heavy wear tile
- Pile weight: 400gr/m²
- 500 x 500mm tile size
- Polypropylene fibre
- Other colours available to order



CARPTL02 Light Grey

Urbanscene Tiles

- Heavy contract tile
- Pile weight: 550gr/m²
- 500 x 500mm tile size
- Solution dyed nylon
- Other colours available to order



Retractable Blade Trimming Knife & Blades



Pack of 100 blades

CALL US NOW FOR PRICING & SITE SURVEY REQUIREMENTS

TECHNICAL SPECIFICATIONS & SAMPLING AVAILABLE

CALL 020 8311 1144

020 8311 1144 sales@cmt.co.uk www.cmt.co.uk

KNF003

SITE FURNITURE & STATIONERY



Site Essentials & Stationery	182-184
Canteen Tables & Benches	185
Lockers	185
Drawers & Desks	186
Cabinets, Cupboards & Tables	187
Office Chairs	188

SITE ESSENTIALS & STATIONERY

I

Drawing Stora Trolleys	age	1
• Storage of plans, drawings, charts, maps, graphics & oversized sheets		
Trolley provides easy unobstructed access		L.



290954

600210

A290954 A1 trolley

A290946	A1 plan hanger
A600210	A0 trolley
A290938	A0 plan hanger

Wooden **Notice Board**

- Cork back
- Two sizes available



Code		Ø
CTNB06	900 x 600mm	1
CTNB12	1200 x 900mm	1

Drywipe White Board

- 1200 x 900mm
- Wooden frame
- Other sizes available to order



Plastic Waste Paper Bin

- 15 litre
- Black



5 1 5

OFFBIN

Premium Aluminium Notice Board

- Felt back
- Includes wall fixings
- 1200 x 900mm
- Other sizes & colours available to order



Code	Ø
NB129BL Blue	1
NB129GY Grey	1

Premium Aluminium Drywipe White Board


- 1200 x 900mm
- Aluminium frame
- Non-magnetic

CTWB06A

• Other sizes available to order



SITE ESSENTIALS & STATIONERY



SITE FURNITURE & STATIONERY

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

SITE ESSENTIALS & STATIONERY

Hard Back A4 Lined White Copier Note Book Paper • Reams of 500 sheets • Prices per ream • 5 reams per box R PPA480 A4 PPA380 A3 KF01060 Office Motorola TLKR 40 Stapler **Two Way Radio** • Twin pack KF01057 • 8 channels Up to 4km range Requires 3 x AAA batteries per radio (not included, see page 174) KF01057 Stapler 1 MR61583 KF27001 Staples (26/6) Box of 5000 **Wall Mounted** Hat & Coat Stand Ash Tray Black • 2.7 litre 81 • 240 x 90 x 300mm 1 HCSBLK KF04271 **Fingerprint** Wall Clock Clocking-in System 12 • White wall clock with 11 • Optical fingerprint traditional design 10 reader • Face diameter: 9 220mm Scratch proof 8 • Requires 1 x AA Unbreakable 5 battery (not included, and durable 6 see page 174) WCLOCK220 A300CIM


sales@cmt.co.uk

www.cmt.co.uk

184

020 8311 1144

CANTEEN TABLES, BENCHES & LOCKERS



SITE FURNITURE & STATIONERY

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

DRAWERS & DESKS

3 Drawer Pedestals -Light Beech

- Available as desk height or mobile under desk
- Adjustable feet
- Lockable

E



Code		Ð
PSS637	Desk height	1
PSR535	Under desk	1

Panel End Corner Crescent Desk - Light Beech

- Available in left & right hand
- 1600 wide x 600/800 deep x 720mm height



£	Ŗ
-0-	0

Code	Ŷ
DDL161 LH	1
DDR161 RH	1

Rectangle Desks -Light Beech

• 1600 x 800 x 720

E

• Option of none, one or two fixed pedestals

Desk with built

in pedestals

• Pedestal options: 3 personal drawers or 1 personal drawer and a filing drawer



Code		Ø
DDA161	Rectangle desk only	1
DDA1621	With one pedestal	1
DDA1622	With two pedestals	1

CABINETS, CUPBOARDS & TABLES

Metal Filing Cabinet with 4 Drawers

- Grey
- 4 drawers
- Other colours & sizes available to order





Code	
SC270915	

Site Tables -Light Beech

- Beech top with sturdy metal under frame
- 50mm diameter fixed pole legs
- Available in 2 sizes



£	
-0-	0

Code		Ŷ
DBA121	1200 x 800 x 720	1
DBA161	1600 x 800 x 720	1

2 Door Steel Cupboard

- Grey
- Lockable
- 914 wide x
- 400mm deep
- 2 heights available



Ê

Code	
SC1000GY	1m height, 2 shelves
SC1950GY	1.95m height, 4 shelves

Open Shelf Bookcase

- 800 x 425 x 1954
- 4 adjustable height shelves
- Beech


Ê

X5C081

1

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

OFFICE CHAIRS





DID YOU KNOW?

CONTACT US NOW FOR DETAILS REGARDING OUR FURNITURE DESIGN INSTALLATION SERVICE

CALL 020 8311 1144

COVID HYGIENE

Hand Sanitiser Dispensers 190-191



Site Sanitiser Gel	191
Site Sanitisation Station	192
Mobile Wash Station	193
Dispensers and Refills	194-195
DEB Dispensers and Refills	196-197
Alcohol Hand Sanitiser and Hand Wipes	198
Aprons, Gowns, Disposable Gloves & Thermometers	199
Face Masks & Visors	202

HAND SANITISER DISPENSERS

Touch Free Auto Hand Sanitiser Dispenser

- PVC casing
- Anti-theft design
- Easy fill tank
- Sensor effective from 6-12cm
- Adjustable droplet amount
- Battery powered (sold separately)
- Approx. 100,000 dispensing cycles
- CE certified
- Can be supplied on a back board with custom artwork
- Actual product may vary from image





P

Ŷ

Code

BC800PVC

Touch Free Auto Hand Sanitiser Dispenser

- Professional stainless steel casing
- Anti-theft design
- Easy fill tank
- Sensor effective from 6-12cm
- Adjustable droplet amount
- Battery powered
- Approx. 100,000 dispensing cycles
- CE certified
- Can be supplied on a back board with custom artwork
- Actual product may vary from image



BC800SS

Manual Hand Sanitiser Dispenser

- Manual hand push dispenser
- Can be mounted on a range of different surfaces
- Supplied with all the necessary wall fixings
- Easy fill tank
- Can be supplied on a back board with custom artwork
- Actual product may vary from image



an/

- Alers



BRAND

Code BC2333

HAND SANITISER DISPENSERS & GEL

Touch Free Sanitiser Dispenser Display

- Freestanding stand for easy installation in any location
- Sturdy steel construction
- PVC dispenser
- Anti-theft design
- Easy fill tank
- Auto infrared sensor effective from 6-12cm
- Adjustable droplet amount
- Battery powered
- Approx. 100,000 dispensing cycles
- CE certified
- · Can be supplied with custom artwork





Hand Sanitising Station





HDSMBB

Hand Sanitiser Gel - 1 litre

- Easy refill for all CMT sanitiser dispensers
- 70% alcohol hand sanitiser gel
- Conforms to EN1276 and EN1500
- Quick and effective against 99.9% of germs
- Instant protection from a wide range of viral and bacterial infections
- No water or towel required
- No sticky residue
- Fast drying
- Various sizes available
- Bottle styles and designs may vary


CALL FOR BULK RATES

• 1 litre



HSG1L





- Easy refill for all CMT sanitiser dispensers
- 70% alcohol hand sanitiser gel
- Conforms to EN1276 and EN1500
- Quick and effective against 99.9% of germs
- Instant protection from a wide range of viral and bacterial infections
- No water or towel required
- No sticky residue
- Fast drying
- Various sizes available
- Bottle styles and designs may vary
- 5 litres



JLSS05 CALL FOR BULK RATES

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

P

HAND SANITISER

Set up an account for our discounted rates / prices

Ŷ

SITE SANITISATION STATION

Mobile Sanitising Station

- Incorporating our 1 litre Alcohol Gel Hand Sanitiser Station
- Low level rear shelf for storage of refill cartridges and other items
- Wheeled for ease of mobility around site

Tubular steel frame that can stand up to wind and the elements

Solid industrial duty rubber tyres for mobility over uneven ground Sturdy handles allow you to move the station around easily

Incorporates 1L refillable sanitiser dispenser

Safety & Information sign regarding hand care and station instructions

Low level shelf for replenishment and storage

SSTAND

SANITISING STATION

.01

Walkthrough Sanitising Station

- Incorporating a walkthrough barrier and a 1 litre Alcohol Gel Hand Sanitiser Station
- Including Usage & Safety Information sign

020 8311 1144

- Right or Left hand board available
- Swivel hook and eye attachment



sales@cmt.co.uk www.cmt.co.uk



Code		Û
SSTAND	Mobile station	1
SANSCAFLW	Walkthrough station	1

MOBILE WASH STATION

Heavy Duty Mobile Hand Wash Station

- No installation, plumbing or electrics required ready to go
- Contact-free tap foot pump ensures controlled amount of water
- Easily mobile, heavy duty steel tubular frame with all-terrain wheels
- Simple two tank supply system 25L clean, 25L dirty empty and refill with ease anywhere
- Provides up to 125 200ml hand washes per 25L tank fill-up
- The very robust build quality of these stations makes them ideal for site environments



Other configurations available please contact our sales team









V1





V3 FRONT

111

V3 REAR

Code		Ð
MHWSV1	Tap, towels and cleaner	1
MHWSV2	Tap, towels, cleaner and bin	1
MHWSV3	ABC skin solutions, towels, sanitiser and bin	1

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

Set up an account for our discounted rates / prices

DISPENSERS & REFILLS

Solvent Free Hand Cleaner

- With Aloe Vera & Jojoba oil
- Solvent free
- Very powerful hand cleaner
- Cleans and moisturises
- Prevents skin irritation
- Pleasant fresh fragrance







JLDES2

JLO2

Code		\bigcirc
JL02	2 Litre Cleaner	6
JL04	4 Litre Cleaner	4
JLDES2	2 Litre Dispenser	1
JLDES4	4 Litre Dispenser	1

Universal Protect 1 Litre

• 1 litre

Barrier to protect skin

JLDES1

• Silicone free



- With Aloe Vera & Jojoba oil
- Solvent free
- Cleans and moisturises
- Prevents skin irritation
- Pleasant fresh fragrance



Code		Ŷ
JLOR2	2 Litre Orange Cleaner	6
JLDES2	2 Litre Dispenser	1
JLDES2	2 Litre Dispenser	1

Recondition Afterwork

- 1 litre
- Moisturises
- Stimulates natural skin recovery
- Silicone free





JLRES1

Code		Ŷ	Code	
JLPR01	1 Litre Protect	2	JLRES1	1 Litre Recondition
JLDES1	1 Litre Dispenser	1	JLDES1	1 Litre Dispenser

194 020 8311 1144 sales@cmt.co.uk www.cmt.co.uk

DISPENSERS & REFILLS

Yellow Cleaner

- Powerful citrus hand cleaner
- Cleans grease, tar, ink, adhesive & paint
- Cleans & moisturises
- Prevents skin irritation
- With Aloe Vera & Jojoba oil



JLDES2

JLYEL2

JLDES4

BRAND

Code		٢
JLYEL2	2 Litre Yellow Cleaner	6
JLYEL4	4 Litre Yellow Cleaner	4
JLDES2	2 Litre Dispenser	1
JLDES4	4 Litre Dispenser	1

Skin Care Safety Centre

- Convenient safety board encourages compliance with full skin safety
- Easy maintenance and refill
- Robust & durable for site environment
- Refills not included
- Can be supplied with custom artwork





Skin Safety Centre

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

DEB DISPENSERS & REFILLS

DEB Universal Protect Dispenser & Refill

4 litre citrus powerwash

DEB Restore **Dispenser & Refill**

• 1 litre

IIII NO

JLHS01

JLHS05



• 1 litre

FROM ONL 14.39



JLHS02

5.12

Code		Code	Ŷ
JLDEBPR01	10	JLDEBRES1	10
JLHS01	6	JLHS02	6

020 8311 1144 sales@cmt.co.uk www.cmt.co.uk 196

DEB Safety Cradle


- For 750ml & 700ml refills
- Refills not included



JLDEB01

JLHC750	JLPC750	

JLSS750



DEB Skin Safety DEB Sun Protect Dispenser & Refill Board • 1 litre • 920 x 720mm • Board & dispensers only • Refills not included AND STATE skin safety centre 22: TEP EP 2 3 JLHS06 UV Sun Protection SUN1LDISP SUN1LDISP Dispenser JLHS06 Refill 6 JLDEB02

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

197

ALCOHOL HAND SANITISER & HAND WIPES

RATE

Hand Sanitiser Gel

- 70% alcohol hand sanitiser gel
- Conforms to EN1276 and EN1500
- Quick and effective against 99.9% of germs
- Instant protection from a wide range of viral and bacterial infections
- No water or towel required
- No sticky residue
- Fast drying
- Various sizes available
- Bottle styles and designs may vary







Code		
HSG100	100ml	CALL FOR BULK RATES
HSG250	250ml	CALL FOR BULK RATES
HSG500	500ml	CALL FOR BULK RATES

Alcohol Free Wipes

- Robust protective layer, with locking function to ensure wipes remain fresh
- Large pack size (120)

JLAHW120 120 wipes per pack

- Kind to skin alcohol and paraben free
- Great for disinfecting areas, hands and devices
- Doesn't stain surfaces or clothing



Sanitiser Liquid Spray

- 65% alcohol hand sanitiser liquid spray
- Conforms to EN1276 and EN1500
- Fine liquid mist spray
- For use on hands or hard surfaces
- Quick and effective against 99.9% of germs
- Instant protection from a wide range of viral and bacterial infections
- No water or towel required
- Fast drying
- Bottle styles and designs may vary



Code		Ŷ
AHSC100	100ml spray	24
AHSC200	200ml spray	12

Alcohol Wipes

R

- Pack of 200 wipes
- Suitable for cleaning and disinfecting a wide range of surfaces



020 8311 1144 sales@cmt.co.uk www.cmt.co.uk

JLSW200R

APRONS, GOWNS, DISPOSABLE GLOVES & THERMOMETERS


Protective Aprons

- Clear/blue polyethylene
- Flat packed in 500 quantity
- Dimensions 1170mm x 700mm
- 16 micron thickness



CPE Fluid Repellent Surgical Gown

- Thumb loops for ease of donning gloves
- Long sleeved, open back style with waist ties
- Non-sterile, latex free
- Manufactured from CPR (polyethylene)
- Available in 1150 x 1900mm and 1200 x 1960mm
- 93/42/CE Annex VIII conformity



Code IGFL

R

Infrared Forehead Thermometer

- Effective Forehead temperature is an early indicator of any fluctuations
- Quick Instantaneous result, with integrated radar technology to ensure accuracy
- Safe Contactless and quick use ensures minimum proximity to person being checked
- Easy to use Clearly shows red screen backlight for temperatures exceeding 37.5°C, and green if below



C
5
I
G

Ŷ

FOR

PATI

Code AFLAT700

Disposable Gloves

- Nitrile or Vinyl
- Powder free
- Medical Grade AQL 1.5
- Approved for medical and industrial use
- Tested to BS EN 420:2003 + A1: 2009
- BS EN 374-1/Type C
- BS EN 455
- Latex free
- Pack of 100

SGNDUP Nitrile

SGVDUP Vinyl	10 NCITHERM
ORDER 6AM TO 7PM FOR	NEXT MORNING DELIVERY

Ŷ

CMT are the **first UK** manufacturer to produce certified Type II, IIR and 3-Ply face masks

No.1 UK Manufacturer of Certified Face Masks

Our extensive knowledge of personal protective equipment and our commitment to leading innovations in safety, led us to start manufacturing surgical and standard use masks. Producing millions of masks per week with constant expansion to accommodate demand.

Masks are fully certified to EN14638:2019, with official certification and test reports in English - making it clear and simple to process through your own compliance systems.

Production facilities are based at the same complex as our head office, with over 400,000 sq. ft. of manufacturing and warehousing. Get in touch to book a visit, and see the manufacturing process from raw material to finished masks with your own eyes.



Type II, IIR and 3-Ply face masks are available in a range of pack sizes and packaging options, including own branding

Our focus is on helping you in guaranteeing a consistent, secure supply of UK manufactured masks at more competitive rates than offshore-sourced products.

Benefits of ordering through an accredited UK supplier rather than importing:

- Removes any risk of inconsistent supply
- Save weeks of time on delivery
- Deal with a professional UK team
- Avoid overstocking with reduced MOQs
- Supports UK manufacturing
- Avoid exchange rate fluctuations
- Supports our economy

Call us: 020 8311 1144 Email: enquiries@cmtgroup.co.uk www.cmtgroup.co.uk

Specification for Type II & IIR

These high-quality products are independently tested and accredited by ISO 17025 accredited laboratories, in line with all elements of the following international standards. Test reports and other documentation are available on request.

Full product name:	Disposable Non-Sterile Medical Face Masks Type IIR 3-Ply
Product size:	180mm x 90mm (ear loops = 180mm)
Product Weight:	2 grams
Product Material:	Inner layer: White spunbonded non-woven polypropylene 25g/sqm
Outer layer:	Blue spunbonded non-woven polypropylene 25g/sqm
Filter media:	Meltblown white non-woven polypropylene 25g/sqm, 0.35mm thickness
Elastic strap:	2mm thick white elastic – latex free
Nose piece:	3mm thick metal wire encased in white plastic, 165mm length
Product Performance:	EN14683:2019 Bacterial Filtration Efficiency (BFE) >= 99% Differential Pressure <= 10.2 Pa/cm2 Synthetic Blood Resistance: PASS (2R only) Microbial Contamination/Bioburden <= 23 C.F.U./g
Product Colour:	Blue / White
Packaging Size:	70mm x 200mm x 100mm
Packaging Units:	5, 10 or 50 per inner box
Manufacturer:	CMT Equipment LTD – Trident Works, Mulberry Way, Belvedere, London, DA17 6AN
Storage Conditions:	Store in a well-ventilated room where the relative humidity does not exceed 80%. Avoid high temperatures, keep away from fire and flammable materials.
Shelf Life:	5 years in original packaging
Handling:	Keep in original packaging until use - do not reuse. Replace when damp or damaged
Conformities:	EN 14683:2019; CE Marked; Registered with MHRA. Produced in accordance with MDR 2017/745. Class I medical device (non-sterile)
Dermatological Tolerance:	No known intolerance, does not contain latex
Dermatological Tolerance: Conditions:	No known intolerance, does not contain latex Non-sterile



COVID HYGIENE

FACE MASKS & VISORS

Surgical Face Masks

- 3-ply material, suitable for sensitive skin
- High elasticity ear hooks
- Comfortable fitting and easy breathing
- Latex free
- Filters dust, pollen and bacteria
- High B.F.E and P.F.E filtration
- Type IIR complies to EN 14683
- 50 masks per outer box, priced per box

	ENQUIRE FOR BULK RATES
	7

Code			\Box
SFM3L	Standard 3-Ply	CALL FOR BULK RATES	50
SM100	Type II	CALL FOR BULK RATES	50
SM120	Type IIR - Fluid Resistant Layer	CALL FOR BULK RATES	50

Reusable Cloth Face Masks

- 100% cotton
- Washable at 60 degrees
- Double cotton layer for extra protection
- Can be used for extended periods
- Elasticated straps for good fit
- Masks available in black or white

Full Face Protective Visor

- Conforms to EN166
- Elastic headband
- Foam forehead band for extra comfort
- Visor suitable for use with face masks
- Can be used for prolonged periods



Code			Ð	
CFM2L-W	White	CALL FOR BULK RATES	20	
CFM2L-B	Black	CALL FOR BULK RATES	20	



www.cmt.co.uk

JANITORIAL & CATERING



Eco Cleaning Products	204-205
Cleaning Products	206-208
Hand Cleaning	209
Hand & Surface Wipes	210
Rags, Cloths & Sponges	211
Toilet Rolls, Paper Towels & Dispensers	212-213
Bins	214
Bin Liners & Sacks	215
Vacuum Cleaners	216
Dustpans, Brushes & Doormats	217
Brushes, Litter Pickers & Wet Floor Sign	218
Mops & Buckets	219
Canteen Supplies	220-223
Canteen & Welfare Equipment	224-225
Personal Care & Boot Cleaners	226

ECO CLEANING PRODUCTS













PRODUCTS

PRODUCTS

Cruelty-Fre

PRODUCTS

PLANT BASED

Naturewatch

Foundation

For the advancement of animal welfare

SAFE

AQUATIC LIFE



PET FRIENDLY PRODUCTS

Eco Friendly Multi Surface Cleaner

411

- Powerful solution using natural plant extracts to lift away dirt and grime
- Formulated for a quick and easy clean
- Kills 99.9% bacteria
- Suitable to use on most hard surfaces
- 750ml



Code

ECOMSC750

Eco Friendly Window & Glass Cleaner

- Removes stubborn dirt & marks from windows, glass & mirrored surfaces
- Fast dry action formula
- Smear & streak free clean
- 750ml



 \bigcirc

12

 \bigcirc

12



020 8311 1144 sales@cmt.co.uk www.cmt.co.uk

204

ECO CLEANING PRODUCTS

Eco Friendly Toilet Cleaner

- Removes limescale & water mark staining
- Deep cleans, freshens & sanitises
- Kills germs & bacteria
- 750ml



Code

ECOTC750

Eco Friendly Washing Up Liquid

- Powerful foaming action that cuts through grease
- Long lasting concentrated formula
- Leaves dishes sparkling
- 500ml



12

 \bigcirc

12

Code

ECOWU500

Eco Friendly Natural Hand Soap

- Neutralises 99.9% harmful bacteria
- Gentle on skin
- Food safe
- Suitable for domestic office and catering uses
- Sustainable naturally derived raw materials
- Hypoallergenic suitable for sensitive skin
- Readily biodegradable
- Exact packaging may vary
- 500ml








Code ECOHS500

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

Set up an account for our discounted rates / prices

205

CLEANING PRODUCTS



020 8311 1144 sales@cmt.co.uk

5 Litre Thick

1 Litre Thick

JLTBL05

JLTBL01

 \bigcirc

4

www.cmt.co.uk

4

4

206

Code

JLDI05

CLEANING PRODUCTS



JANITORIAL & CATERING

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

CLEANING PRODUCTS



sales@cmt.co.uk

www.cmt.co.uk

208

HAND CLEANING

JANITORIAL & CATERI



ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

MAXGEL5

12

MAXBAR500

1

HAND & SURFACE WIPES





8

4

210 020 8311 1144 sales@cmt.co.uk www.cmt.co.uk

JLWW150 150 wipes

JLWW200 200 wipes

RAGS, CLOTHS & SPONGES



Microfibre Cloths

- Pack of 10
- 230gsm

JLTT10

- Excellent fibre split for effective microfibre cleaning
- Can be washed repeatedly



• Pack of 10

Code

JLCL01








J Type Cloths

Code		Ŷ
JLCL02A	Pack of 10	1
JLCL02B	Pack of 50	1



ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

1

1

211

TOILET ROLLS, PAPER TOWELS & DISPENSERS



 \bigcirc

TOILET ROLLS, PAPER TOWELS & DISPENSERS







Dispenser for Jumbo Rolls Ŷ

Code

A107470



- **Paper Hand Towels**
- Strong & durable ABS plastic
- Suitable for C-fold or Z-fold

Code

JLGPHTDIS

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

 \bigcirc

1

BINS

Wheelie Bin 240L

240 litre
Other colours available on enquiry

Ê

Code		Ø
WB240LGN	Green	1
WB240LBLK	Black	1
WB240LGRY	Grey	1
WB240LYEL	Yellow	1
WB240LBLU	Blue	1
WB240LRED	Red	1

Swing Bin

- 50 litre
- Approx: W 420 x D 335 x H 665mm



Code	ιι
SWPB50	

Galvanised Dustbin

- 600 x 450mm (24 x 18")
- 80 litre
- Complete with lid







Black Dustbin

• 80 litre

Code

Complete with lid





BIN LINERS & SACKS



JANITORIAL & CATERING

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

JLRUB10

JLRUB100

1

JLWBS1

215

VACUUM CLEANERS

Numatic Vacuum Cleaner & Bags

• 110v or 240v





Сос
ND

 NRV200-110
 110v Numatic vacuum

 NRV200-240
 240v Numatic vacuum

 HHB10
 Numatic cleaner bags - pack of 10

MAX Wet & Dry Vacuum Cleaner - 15 Litre

- 1200W
- 220-240V
- 4 metre power cord
- Weight 4kg
- Wet & dry filters



MAX Wet & Dry Vacuum Cleaner - 30 Litre

 \bigcirc

1 1

1

- 1400W
- 220-240V
- 4 metre power cord
- Weight 6kg
- Wet & dry filters



DUSTPANS, BRUSHES & DOORMATS



ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

BRUSHES, LITTER PICKERS & WET FLOOR SIGN

Toilet Brush Caution Wet Floor Sign & Holder Sign reads "Caution Wet Floor" & "Cleaning in Progress" • Folds flat to store away • Carry handle CLEANING IN PROGRESS CAUTION Code \bigcirc Code \bigcirc JLBR05 24 1 DSSSN Litter Deck **Picker Scrub** Code JLBR01 FOR OUR **RANGE OF BROOMS** & **BRUSHES SEE PAGES** JLLIT STV333 74 - 75 Code 12 JLLIT Plastic 12 STV333 Professional

020 8311 1144 sales@cmt.co.uk

www.cmt.co.uk

MOPS & BUCKETS

JANITORIAL & CATERING

Professional Mop Head & Mop Handle • Head & handle supplied separately • Push on to the handle

PY12 head

Code		
JLPMHEAD	Mop head	12
JLPMHANDL	Handle	12

String Mop Head & Mop Handle



Metal Mop Bucket

JLMOP03 Handle

- Galvanised
- With wringer cone
- 7 litre (1.5 gallon)

Code

BM20



Kentucky Mop with Multi fold Head

• Head & handle supplied separately



Code		Ŷ
KENTKMOP	Mop head	10
KENTMH	Handle	10

Plastic Mop Bucket

- Heavy duty
- Wringer cone



Kentucky Wringer Bucket

• 24 Litre

Code

BBM03

10

• Available in Blue, Green, Red & Yellow

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

 \bigcirc

1



220

020 8311 1144 sales@cmt.co.uk www.cmt.co.uk

 \bigcirc

6

 \bigcirc

16

16

NEW

SUGAR



Bottled Spring Water

- 500ml
- Packs of 24





E



JANITORIAL & CATERING

84

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

• Packs of 12
Code

Code		
CTKNIF12	Knives	10
CTSPN12	Dessert spoons	10
CTFORK12	Forks	10
CTTSPN12	Teaspoons	10

Plastic Cups

- Clear plastic drinking cups
- 7oz
- Box of 3000



Code		Ø
CTKNIFPL	Knives	10
CTSPNPL	Dessert spoons	10
CTFORKPL	Forks	10
CTTSPNPL	Teaspoons	10

 \bigcirc

1

 \bigcirc

12

Polystyrene Cups

- Brilliant for hot drinks
- 10oz
- Box of 1000



6

PP9100

COMCS2000

222 020 8311 1144 sales@cmt.co.uk www.cmt.co.uk

JANITORIAL & CATERING



Code		\bigcirc
WDNKNIF	Knives	10
WDNDESP	Dessert spoons	10
WDNFORK	Forks	10
WDNTASP	Teaspoons	10
WDNS1000	Stirrer	10

Ceramic Bowls

• Packs of 6









CTWWUB Washingup brush
ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

Code

CTWUPB

CTWUPB Washing up bowl

CTWWUB

1

24

CANTEEN & WELFARE EQUIPMENT

Hot Water Urn

- 20 litre capacity
- 240v
- Other sizes available



Code CTURN20

Premium Cordless Kettle



- 240v
- Stainless steel
- Removable, washable filter





Code	Ô
KET02	1



Microwave Dynamical Systems Spower settings including defrost W 452 x D 330 x H 262mm 240v 800w 800w

Premium Toaster

1

- 240v Stainless steel
- 4 slice



Ð
1



020 8311 1144 sales@cmt.co.uk www.cmt.co.uk

CANTEEN & WELFARE EQUIPMENT

Site Fridge -Under Counter

- A+ energy efficiency
- Reversible door
- W 470 x D 440 x H 820mm
- 240v
- Now available with freezer unit FRIDGE-SE





Code		Ŷ
FRIDGE	Fridge	1
FRIDGE-SE	Fridge & Freezer	1

Dishwasher Tablets

• Pack of 30

Code

Code

DWRA

 Contains detergent, disinfectant & rinse aid





Site Dishwasher • Free-standing

- dishwasherAble to accommodate 12 place settings
- 3 temperature settings
- Cutlery basket
- Easy clean filter
- Low salt and rinse aid indicators
- Energy rating: A/AA



Code

CTDW01

Dishwasher Salt

• 2kg

Code

10

DWSALT

• Crystal dishwasher salt is designed for use with dishwashers & softeners



Chlorine Tablets

- Each tablet provides 2% chlorine solution in 5 litres of water
- Tub of 200





Ŷ

R

10

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

Ŷ

12

Code

CHLORTAB200

Ŷ

Δ

PERSONAL CARE & BOOT CLEANERS



020 8311 1144

sales@cmt.co.uk www.cmt.co.uk

ENVIRONMENTAL



Spill Kits & Granules	228-229
Plant Nappies & Pallet Sumps	230
Drip Trays	231
Oil Retention Mats & Drain Filters	233
Oil & Sediment Dewatering Filters	234
Hushtec - Sound Control Solutions	235-239
Eco Cleaning Products	240-241
Aquapax Spring Water	242-243
Eco Cutlery & Cups	244

SPILL KITS

Oil Spill kit

• Oil only

ENVIRONMENTAL

- Contains absorbent pads, socks and hazardous waste bags
- Clip close carry bag with handle
- 15L: 10 pads, 1 sock, 1 bag (and cable tie)
- 30L: 15 pads, 3 socks, 1 bag (and cable tie)



Code		Ŷ
SK15L	15 Litre	1
SK30L	30 Litre	1

50 Litre Oil & Fuel Spill Kit With Shoulder Bag

- Vinyl holdall
- Water resistant
- Contains absorbent pads, socks and hazardous waste bags

Oil Spillage Absorbent Sock

- 8cm x 1m
- Absorbs 3 litres per sock
- Price per sock





B 020 8311 1144 sales@cmt.co.uk www.cmt.co.uk

SPILL KITS & GRANULES

ENVIRONMENTAI



ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

70

SK100PAD

SPG25

229

1

PLANT NAPPIES & PALLET SUMPS

Plant Nappy Base Yellow & Blue

• To suit Plant Nappy liners



Code	Dimensions	Liner	Absorbency	\bigcirc
DRIP12	685 x 500mm	DRIP13	2L	10
DRIP04	1000 x 685mm	DRIP05	4.5L	10
DRIP07	2000 x 1370mm	DRIP08	16L	2

Plant Nappy Liner Yellow & Blue

- 3 sizes available
- To suit Plant Nappy bases

Code	Dimensions	Base		(P)

Code	Dimensions	Base	\square
DRIP13	685mm x 500mm	DRIP12	20
DRIP05	1000mm x 685mm	DRIP04	20
DRIP08	2000mm x 1370mm	DRIP07	5

2 or 4 Drum **Pallet Sump**

- 1300 x 750mm 2 drum
- 1260 x 1280mm 4 drum
- Includes grating

DRIP02

DRIPLO4 4 drum

2 drum



DRIP TRAYS

ENVIRONMENTAL

Value **Drip Tray**


- 790 x 400 x 40mm
- Plastic
- 11 Litres



Square Deep Drip Tray

- 1000mm or 1200mm square
- 120mm deep
- Heavy duty plastic





Steel Drip Tray

- Steel
- 900 x 600 x 50mm
- 25 litres
- anti-spill





DRIP01P

Extra Deep Drip Tray

Premium

- 1000 x 550 x 150mm
- Heavy duty plastic
- 40 litres



DRIP10

Lipped Spill Containment Tray

• 1000 x 1000mm



ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

1

en rhino e, **Smart Polution Prevention Products**

EnviroPad[®]

The ultimate product for drips and spills

The EnviroPad® captures and solidifies oil, diesel and other hydrocarbons. Unlike typical products which work like a sponge and are prone to leak, EnviroPad[®] uses a proprietary blend of polymers which immediately starts to turn the spill solid, permanently capturing it within the filtration membrane. This eliminates unwanted leaks, reduces waste and importantly saves times and money.

1370mm

M10 Medium

Up to 10.5L

- Best oil retention rates on the market, up to 44 litres
- Unrivalled cost per litre compared to the marketplace
- Usage instructions printed on the EnviroPad®
- Clean, safe, reliable pollution prevention
- 5 different sizes available



EnviroPad[®] S4 Small Up to 4.5L



L20



EnviroPad®

L20 Large

Up to 20.2L

L30

Up to 30.4L

EnviroPad® turns



L40 Large Up to 44.3L

OIL RETENTION MATS & DRAIN FILTERS

EnviroPad Oil Retention Mat

- Turns oil into rubber for highly efficient spill containment
- Solidifies the spill so contaminants cannot leak out
- Clean, safe, reliable pollution prevention
- Avoid fines and prosecution from environmental regulators





Code		\square
GRR520201EPAD	Small - S4 / 610mm x 460mm / up to 4.5L oil	15
GRR520210EPAD	Medium - M10 - 900mm x 690mm / up to 10.5L oil	15
GRR520105EPAD	Large - L40 - 2180mm x 1370mm / up to 44.3L oil	4

EnviroHorn Drain Filter

- Eliminate cost & time consuming process of regular drain unblocking
- Quick & effective pollution solution
- Reduces site down time



Code		Ŷ
GRR100001EHRN	250mm dia. x 400mm deep / capacity - 1L oil, 19kg sediment	10
GRR100101EHRN	250mm dia. x 400mm deep / capacity - 21kg sediment	10

ENVIRONMENTAL

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

OIL & SEDIMENT DEWATERING FILTERS

Sediment Dewatering Filter

• Wash to re-use

ENVIRONMENTAI

- Hi-Vis yellow casting
- Retains 20kg of sediment minimum
- Mitigates vacuum tankering fees & reduces site downtime
- Easy to use & quick to attach
- Water discharges to environment regulators accepted levels





Code

		\sim
GRR010601BFIL	Budget Sediment Filler - 100 micron - 1500mm x 350mm x 350mm / 20kg sediment	12
GRR010502SEDO	Sediment Dewatering Filter - 150 micron - 1500mm x 350mm / 20kg sediment	25
GRR010510SEDO	Sediment Dewatering Filter XL - 150 micron - 1500mm x 800mm / 40kg sediment	20

Oil & Sediment Filter

- Can be emptied and washed for repeated use
- Removes oil sheen from water
- Mitigates vacuum tankering fees & reduces site downtime
- Easy to use & quick to attach
- Water discharge to environment regulators accepted levels
- 1.5m x 350mm
- 150 micron
- 2.5L oil, 20kg sediment





020 8311 1144 sales@cmt.co.uk



SOUND CONTROL SOLUTIONS

Hushtec Global was born with a passion of bringing to market innovative solutions that protect people, the environment and increase health and safety measures across a wide range of industries.

Hushtec are a worldwide practical safety solutions provider that were formed as a result of a driven family business committed to continuous development and improvement.

HUSHTEC BARRIERS

Performance Series Barrier

We have proven through extensive trials, tests & re-designs that our panels are incredibly durable. We have combined the most endurable material properties to provide a weatherproof and UVresistant acoustic panel that will withstand the toughest conditions with minimal deteriorations.



- Noise absorption of up to 75%
- Custom size panels available
- Full printed personalisation available to enhance your company brand and environmental image
- Quick and easy to erect
- Can also control the spread of dust and fumes
- Weather and UV Resistant



HUSHP13

HUSHTEC PHONE BOX

Phone Box

The new Hushbox phone station provides a quiet environment for site personnel to make phone calls. In the event of an emergency, conversations can be heard clearly with no background noise interference, making response times quicker and potentially saving lives.



ENVIRONMENTAI

- Quick and easy to install recommended positioning is every 30 40m apart
- Lightweight and relocatable
- Ideal document station
- Reflective strip and fluoro colours available for increased site awareness
- Width: 750mm Height: 750mm Depth: 750mm
- Custom branding and sizing available



Code HUSHPB

HUSHTEC ROCK BREAKER ATTACHMENT

Rock Breaker Attachment

The all new Hushtec Rock Breaker noise control attachment was developed to mitigate the hammer noise effects generated within the breaker by controlling and absorbing noise at source. Through considerable research, the conclusion was made that a significant majority of the noise was generated within the breaker unit itself rather than the pick hitting the concrete.



- Custom manufactured to suit various attachments ranging from 3 100T in size
- Fire Retardant & Water Resistant
- Flexible, strong with optional cut-outs to accommodate for hydraulic hose's/ grease knuckle points
- Ripstop PVC coating for additional strength
- 100mm Velcro overlaps to ensure 100% noise barrier and minimal noise leakage points




Code HUSHRB



NOISE TESTING

THIRD OCTAVE BAND SPECTRA FOR MEASUREMENTS



MEASUREMENT RESULTS

Rock Breaker Attachment	Duration (m:ss)	Noise Level	
On	6:25	78 dB LAeq	
Off	7:35	86 dB LAeq	

ECO CLEANING PRODUCTS













PRODUCTS

PRODUCTS

Cruelty-Fre

PRODUCTS

PLANT BASED

Naturewatch

Foundation

For the advancement of animal welfare

SAFE

AQUATIC LIFE



PET FRIENDLY PRODUCTS

think green

Eco Friendly Multi Surface Cleaner

łП

- Powerful solution using natural plant extracts to lift away dirt and grime
- Formulated for a quick and easy clean
- Kills 99.9% bacteria
- Suitable to use on most hard surfaces
- 750ml





ECOMSC750

Eco Friendly Window & Glass Cleaner

- Removes stubborn dirt & marks from windows, glass & mirrored surfaces
- Fast dry action formula
- Smear & streak free clean
- 750ml



 \bigcirc

12

()

Code

ECOWGC750

240

020 8311 1144 sales@cmt.co.uk www.cmt.co.uk

ECO CLEANING PRODUCTS

Eco Friendly Toilet Cleaner

- Removes limescale & water mark staining
- Deep cleans, freshens & sanitises
- Kills germs & bacteria
- 750ml



Code

ECOTC750

Eco Friendly Washing Up Liquid

- Powerful foaming action that cuts through grease
- Long lasting concentrated formula
- Leaves dishes sparkling
- 500ml



Code

ECOWU500

Eco Friendly Natural Hand Soap

- Neutralises 99.9% harmful bacteria
- Gentle on skin
- Food safe
- Suitable for domestic office and catering uses
- Sustainable naturally derived raw materials
- Hypoallergenic suitable for sensitive skin
- Readily biodegradable
- Exact packaging may vary
- 500ml



think green



 \bigcirc

12

Code ECOHS500

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

INTRODUCING AQUAPAX WATER

Sealed and protected from light and air, in wholly recyclable, safely reusable, sustainably produced, non-leaching paper cartons, means Aquapax elevates itself above the ongoing war on plastic: it makes Aquapax unique in the market.

Most of our wholly recyclable carton material is paperboard made from trees, sourced from sustainable FSC Certified forests. Our 500ml cap is made from sugar cane, a natural plant that just grows back!

Multi-award winning Aquapax is also one of the purest waters in the world and the ever-increasing consumer demand for convenient, pure, additive-free, portable drinking water, is clear! Hence our passion for Aquapax.

ONE OF THE PUREST WATERS IN THE WORLD.

Parie & Stil

URAL MIN

AQUAPAX SPRING WATER



Code

AQUA50012

THINK INSIDE THE BOX

AQUAPAX CARTONS HAVE A LOWER CLIMATE IMPACT COMPARED TO ALL ALTERNATIVE FORMATS





ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

ECO CUTLERY & CUPS

Wooden Cutlery CMT think green • Eco friendly alternative to plastic • Packs of 100 NEW

Code		Ŷ
WDNKNIF	Knives	10
WDNDESP	Dessert spoons	10
WDNFORK	Forks	10
WDNTASP	Teaspoons	10
WDNS1000	Stirrer	10

Paper Drinking Cups

- Compostable & biodegradable
- 8oz single wall
- Box of 1000







FIRE, ACCIDENT & EMERGENCY



First Aid	246-248
Aerowash Eyewash	249
Defibrillator	249-251
Clinical Waste & Sharps Disposal	252
Fire Equipment	253-257
Site Safety Stations	258

FIRST AID

First Aid Kits

- Supplied in a robust polypropylene green case
- Supplied with wall hanging bracket
- HSE compliant filling
- Refills available

FIRE, ACCIDENT & EMERGENCY



Code		Ø
HSFAK05	1-5 persons	20
HSFAK10	10 persons	20
HSFAK20	20 persons	10
HSFAK50	50 persons	10

ST AID

1 Person Kit in Zipper Pouch

- Provide for lone workers
- Convenient zip pouch
- HSE compliant filling

Van Kit

- Aerokit® vehicle First Aid Kits in robust cases suitable for use in vehicles with comprehensive fillings. Compliant to the various regulations
- Orange case to indicate not to be removed from vehicle







020 8311 1144 sales@cmt.co.uk www.cmt.co.uk

Burn Safety Kit

• Use on injuries including burns, cuts, scrapes & abrasions



First Aid Kit with 500ml Eyewash Solution

• 10 person



Code	Code
HS90816 10	HSFAK10EYE5 10

Workplace First Aid Kits

- Small, Medium and Large kits available
- Supplied in a weatherproof wall mountable case
- Meets BS8599-1:2011
- Contains assorted dressings,



Code		9
AKWS	British Standard 86 pcs small kit	1
AKWM	British Standard 128 pcs medium kit	1
AKWL	British Standard 189 pcs large kit	1
AKS-R	Small British Standard refill	1
AKM-R	Medium British Standard refill	1
AKL-R	Large British Standard refill	1

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

FIRST AID

248


Aeroplast® Premium Fabric & Transparent Plasters	Ant Cle
• Wash proof • Assorted • Box of 100	• Ste • 100
CO AERO PLASTI Fabric	
100	

WOUND PROTECTION HSFP100

Code		P
HSWP100	Transparent	20
HSFP100	Fabric	20

Aerostationery® A4 Accident Report Book

 Designed to cover common stationery requirements applicable to the First Aid industry





020 8311 1144 sales@cmt.co.uk

www.cmt.co.uk

EYEWASH & DEFIBRILLATOR



Ê

Code NF1200A Ŷ

5

249



YOUR BEST FIGHTING CHANCE

Are you prepared for Cardiac Emergencies?

Lifesaving, Pure and Simple



HEARTSINE[®] DEFIBRILLATORS The perfect blend of Quality and Price

The best things in life are often simple.

That's true for the best lifesaving technology as well. The simple truth is that SCA strikes from 7 million people a year worldwide with no warning. There's little time to react and even less time to think.

So your AED solution must be close at hand, reliable and effective.

Defibrillators Save Precious Minutes Because every second counts Every minute that passes without defibrillation reduces survival rate by 7–10% Increase The Chance

DID YOU KNOW?

13% of workplace fatalities are from Sudden Cardiac Arrest (SCA)

HEALTHCARE | WE MAKE IT BETTER

HEARTSINE DEFIBRILLATOR PRICING



HeartSine Samaritan 360P

Fully Automatic Defibrillator with CPR Metronome, visual and voice prompts



AERO

HeartSine Samaritan500P

Semi-Automatic Defibrillator with CPR Metronome, visual and voice prompts and patient specific CPR feedback

INCREASE THE CHANCE Your Complete Site Package

The Defibrillator + Carry Case + Internal Wall Cabinet + AED Prep Kit + Signage



• EASY TO USE • FASTEST TIME TO FIRST SHOCK • HIGHEST INDUSTRY IP RATING OF IP56 DELIVERS A LIFESAVING SHOCK IN MORE CASES THAN ANY OTHER DEFIBRILLATOR.

Code		1
HS360P	HeartSine 360P Package	1
HS500P	HeartSine 500P Package	1

CLINICAL WASTE & SHARPS DISPOSAL

AEROHAZARD[®] SHARPS & MEDICAL WASTE PRODUCTS

A wide range of waste disposal containers which are designed to meet user's demands for strength, simplicity & value. This range offers outstanding protection against penetrating sharps & leaking fluids due to its rigid polypropylene construction & wall thickness. Assembly is fast & permanent; simply press the lid around the rim of the container until it snaps into place. A simple closure mechanism allows single handed disposal & most items have a temporary & permanent closure feature.



sales@cmt.co.uk

www.cmt.co.uk

FIRE EXTINGUISHER SELECTION CHART							
Extinguisher	CLASS A	CLASS B	CLASS C	ELECTRICAL			
type	Paper, Wood, textiles etc.	Flammable liquids e.g. petrol, oil etc.	Flammable gases e.g. butane & propane	Electrical Equipment			
WATER	√						
FOAM	√	√					
CO ₂		 Image: A second s		✓			
POWDER	 Image: A set of the set of the	✓	√				

FIRE EQUIPMENT

EXTINGUISHER SERVICING & MAINTENANCE AVAILABLE





CALL 020 8311 1144

FIRE SAFETY SIGNS

FOR OUR RANGE OF SIGNS GO TO PAGES 482-483





ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

Powder Extinguisher Range

- Corrosion resistant finish
- Protective plastic base with 4, 6, 9kg
- CE marked
- Lloyds Register certified



Code		() ()
FRP1	1 kg	1
FRP2	2 kg	1
FRP4	4 kg	1
FRP6	6 kg	1
FRP9	9 kg	1

Water Extinguisher Range

- Corrosion resistant finish
- Internal polyethylene lining
- Protective plastic base
- CE marked
- Lloyds Register certified

ATER

Foam Extinguisher Range

- Spray nozzle
- Corrosion resistant finish
- Internal polyethylene lining
- Protective plastic base
- CE marked
- Lloyds Register certified



Code		Ŷ
FRF2	2 Litre	1
FRF6	6 Litre	1
FRF9	9 Litre	1
FRF9	9 Litre	T

CO₂ Extinguisher Range

- CE marked
- Aluminium cylinder
- Powder coated corrosion resistant finish
- Lloyds Register certified



Code

FRW6

FRW9 9 Litre

6 Litre

020 8311 1144 sales@cmt.co.uk

 \bigcirc

1

1

WATER

www.cmt.co.uk

Double Fire Extinguisher Trolley

- Trolley only extinguishers supplied separately
- Takes 2 x 9kg/9L extinguishers
- Complete with bell



Fire Extinguisher Stand Standard Duty

• Stand only extinguishers supplied separately



Construction Fire Safety Point

- Heavy duty steel construction for maximum strength
- · Can be used with extinguishers up to 200mm diameter
- Fire buckets accommodated using bucket bracket kit
- Extinguishers, Signage & Site Alarm supplied separately
- Height 150cm, Width 66.5cm, Depth 38cm
- Capacity 3 x 9kg/9l extinguishers & accessories

pol



()

1

Code

Code DESREDHD

1

CONSTRUCTS

Fire Extinguisher Stand Heavy Duty

• Stand only extinguishers supplied separately



ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

255

()





Break Glass Site Alarm

- Self-contained alarm unit
- Indoor/outdoor applications
- 118db siren
- Durable polypropylene container



Push Button Alarm

Code

FRSHAL

- 200mm x 300mm x 120mm
- White/Red
- Self-contained, battery operated fire alarm
- Equipped with 105db siren
- 185mm x 315mm x 100mm
- Push Button or Break Glass versions available



6


020 8311 1144 sales@cmt.co.uk www.cmt.co.uk

256

Code

FRSMAL

 \bigcirc



ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

MAX Site Safety Stations

- Customisable, branding available
- Board options include spill kit station, first aid point, fire point and information point
- 1, 3 or 4 board configurations







Code		No. of boards	
MAXSTATION-1-INFO	Information point only	1	
MAXSTATION-1-FA	First aid point only	1	
MAXSTATION-1-SK	Spill kit point only	1	
MAXSTATION-1-FIRE	Fire point only	1	
MAXSTATION-1-INFISK	Information point, fire point and spill kit point	3	
MAXSTATION-1-FASKIN	First aid point, spill kit point and information point	3	
MAXSTATION-1-FASKFI	First aid point, spill kit point and fire point	3	
MAXSTATION-1-FAINFI	First aid point, information point and fire point	3	
MAXSTATION-1-FFIS	Fire point, first aid point, information point and spill kit point	4	

sales@cmt.co.uk

www.cmt.co.uk

258

020 8311 1144

PERSONAL PROTECTIVE EQUIPMENT



Safety Footwear	260-275
Hand Protection	276-291
Hearing Protection	292-297
Eye & Face Protection	298-307
Respiratory Equipment	308-319
Head Protection	320-325
Helmet Accessories	326-327
Fall Arrest & Restraint	328-330

FOOTWEAR SIZE GUIDES

EURO	37	38	39	40	41	42	43	44	45	46	47	48
UK	4	5	6	N/A	7	8	9	10	N/A	11	12	13

KEY TO EN ISO 20345 FOOTWEAR CLASSIFICATIONS

- SB Basic minimum standard. 200 joule toecap no midsole
- S1 As SB plus anti-static properties & energy absorbing heel
- S2 As S1 plus water penetration & water absorption resistance
- S3 As S2 plus pierce resistant & cleated outsole
- S4 200 joule toecap protection, all rubber or polymeric footwear with anti-static & energy absorption of seat region
- S5 As S4 plus penetration resistance and cleated outsole
- P Sole penetration resistance via a protective midsole (this symbol not required on S3)
- Metatarsal protection
- NM Non-metallic
- WP Water penetration
- WR Water resistant
- CI Insulation against cold
- HI Insulation against heat
- HRO Heat resistant

SLIP TESTING

- SRA Footwear slip tested on ceramic tile with sodium lauryl solution
- SRB Footwear slip tested on steel floor with glycerol
- **SRC** Footwear slip tested on both of the above

KEY TO SYMBOLS



NEW

MAX MX18-MT Metatarsal Protection Safety Boot

- 100% non-metallic
- Waterproof and breathable WR rated
- Metatarsal protection made from XRD® M-Guard, M rated
- Composite 200J toe cap provides falling object protection to 200 joules
- Sizes: UK 6-12



RESISTANT RUBBER SOLE Rubber injected sole unit, heat resistant to 300°C with increased resistance to solvents and alkalis




COMFORT INSOLE Feels comfortable and provides a high level of shock absorption



METATARSAL PROTECTION M-rated for extra protection from drop hazards

EXTRA PROTECT SCUFF CAP Composite toe cap, resistant to 200 Joules of pressure

MX18



PERSONAL PROTECTIVE EQUIPMENT

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

 $\widehat{\mathbb{C}}$

MAX MX15 Scuff Pro Comfort+ Gel Insole Safety Boot - Black

- EN ISO 20345; 2011 S3 HRO
- Buffalo leather
- Comfort plus innersole
- Extra protect scuff cap
- 300°C heat resistant sole
- Breathable lining
- Sizes: UK 6-13



RESISTANT RUBBER SOLE

Rubber injected sole unit, heat resistant to 300°C with increased resistance to solvents and alkalis

and the second second







BUFFALO® FULL GRAIN LEATHER Resistant to water penetration and absorption, looks smart and is very durable

BREATHABLE LINING Insulated to -17°C

> EXTRA PROTECT SCUFF CAP Steel toe cap, resistant to 200 Joules of pressure

Code MX15

sales@cmt.co.uk

020 8311 1144

 \bigcirc

MAX MX12 Comfort+ Gel Insole Safety Boot - Honey

- EN ISO 20345
- SRA slip rating
- S3 safety rating
- Honey Nubuck
- EVA rubber sole
- Mesh anti bacterial innersole
- Composite toe cap
- Kevlar midsole
- Sizes: UK 6 13



EVA RUBBER SOLE REVA rubber sole provides anti-fatigue properties for the wearer

IIA



COMFORT INSOLE Feels comfortable and provides a high level of shock absorption





HONEY NUBUCK LEATHER Smart and durable for constant site use. Water repellant upper

> KEVLAR MIDSOLE Ensures total protection against midsole penetration

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

MX12

Set up an account for our discounted rates / prices



264 020 8311 1144

sales@cmt.co.uk

www.cmt.co.uk



ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY



18kkv Disclaimer: This footwar is Electrical Hassed (DH) tested method ASTM (7842)-IB. Protection deterriorates rapidly in damp and we' environments. And with wear. BM footwar is intented as secondary secreprotection deprotement.

INDUSTRY DEFINING SAFETY FOOTWEAR

SAFETY FOOTWEAR DESIGNED WITH AN INSULATING SOLE UNIT (ELECTRICAL HAZARD)

RF160 OHM EN ISO 20345:2011

SB P E WRU FO SRC ASTM F 2413-18 EH SIZE: UK 6-12

18kV EH Rated Fully Non-Metallic | Boa® Lifetime of Boot Guarantee

Rockfall RF160 OHM Safety Boot

- EN ISO 20345:2011
- Protective toe cap and midsole
- BOA[®] fit system
- Can withstand electrical risks of 18kV
- EVA nitrile rubber outsole
- Ortholite® climate breathable footbed
- Sizes: UK 6 12







Code RF160

StormHi 8" Waterproof Safety Boot - Honey

- EN ISO 20345:2011
- Composite toe cap & midsole protection
- Full grain waterproof leather uppers
- Moisture wicked Air-Tex lining + waterproof membrane
- SRC slip resistance
- Sizes: UK 6 12



(\$3)

ST5211HY





 \bigcirc

Ŷ

NEW



www.cmt.co.uk

Dakota Safety Boot -

Non-Metallic

Rock Fall[®]

Maine Safety Trainer -Non-Metallic



TC130

V-Tech

Rigger Boot

V12

ole and t P pu antimfort footbed 7 - 11

- EN ISO 20345:2011 S3 SRC NM HRO
 - Lightweight hiker styled safety boot
- Sports comfort footbed
- Sports cushioning ankle for ultimate support
- Cut out 'Y' collar for extra comfort
- Rubber outsole Heat resistant to 300°C
- Sizes: UK 6 13



TC340A

Ŷ

Tan Leather Rigger Boot



- EN ISO 20345:2011 S3 SRC
- Buffalo smooth leather
- Steel toecap & midsole
- Heat resistant to 300°C
- Anti-static & anti-slip
- Oil resistant
- Fur lining provides cold insulation
- Sizes: UK 7 12 (other sizes available to order)

- EN ISO 20345:2011 S1P SRC
 Steel toecap & midsole
- Oil resistant
- Anti-static
- Fur lining provides cold insulation
- Sizes: UK 8 12

SRC 51 200 Code



ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

Ŷ

Set up an account for our discounted rates / prices

Safety Brogue Shoe

- EN ISO 20345:2011 S1 SRC
- Steel toecap & midsole
- Full grain leather
- Oil resistant
- Anti-static
- Slip resistant sole
- Sizes: UK 7 12



FWBBS

Activ-Step Deluxe Footbed Insoles

- Anti-fatigue
- Increased arch support
- Cuts down to exact size



Code		Ŷ
ATFI-09	UK size 9	1
ATFI-10	UK size 10	1
ATFI-11	UK size 11	1
ATFI-12	UK size 12	1



Code	

Extreme Cold Weather Socks



270

020 8311 1144 sales@cmt.co.uk www.cmt.co.uk

WOMEN'S FOOTWEAR

Vixen Emerald

- EN ISO 20345; 2011 S1P
- Steel toecap & midsole
- Premium leather upper
- EVA anti-fatigue footbed for increased comfort
- Dual density outsole
- Anti-static properties
- Lightweight & flexible
- Black
- Sizes: UK 3-7





Code

VX500

Vixen Onyx - Honey

- EN ISO 20345; 2011 S3 WR HRO SRC
- Fibreglass toecap & composite midsole
- Geniune honey nubuck
- Waterproof Activ-Tex[®]
- Women's fit
- Sizes: UK 3-8





Code

VX950C

FOR OUR NEW WOMENS CLOTHING RANGE



P

SEE PAGES 350-351

 \bigcirc



a new era IN SAFETY FOOTWEAR

The Worlds first hi-visibility 360° safety boot, designed and manufactured with innovative technical performance in mind to create, the most comfortable safety boot available today, NOSTREAST NO that can withstand the harshest of working conditions.



360° HI VISIBILITY

In daylight, lowlight and at night: EN ISO 20345 S5 HRO CI HI SRA EN ISO 20471 **RIS-3279-TOM** EN 1150

> ANTI-STATIC ANTI-CLOG

ANTI-SLIP



\$\$\$ HYDRO CONTROL

2mm airmesh network wicks saturated air to the exterior of the boot.

100% WATERPROOF

Fully waterproof to the very top of the boot.

ℜ THERMAL DEFENCE

A boot for all temperatures including thermal protection down to -40°C.

CRUSH PROTECTION

Fibre glass non-metallic toe cap: 200J EN 12568



Resistant to fuel oil and hydrocarbons.

ANTI-FATIGUE

Designed for all day wear; supports natural posture and spinal alignment, reducing wear and tear on lumbar vertebrae.



Excellent stability on rough/ uneven ground. Superb grip on typically hazardous surfaces such as wet rock and wooden sleepers.

PIERCE PROTECTION

Flexible Kevlar non-metallic penetration resistant midsole: 1100N EN 12568



SHOCK ABSORPTION





ARCHORI





Brightboot Low

Brightboot Tall

BRIGHTBOOT

PERSONAL PROTECTIVE EQUIPMENT



ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

Safety Chest Waders



- EN ISO 20345:2011 S5
- Steel toecap & midsole
- Waterproof
- Oil resistant
- Anti-static & anti-slip
- Sizes: UK 7 12

Safety Thigh Waders

- EN ISO 20345:2011 S5
- Steel toecap & midsole
- Waterproof
- Oil resistant
- Anti-static & anti-slip
- Sizes: UK 7 12



Heavy Duty Safety Wellington Boot



• EN ISO 20345:2011 S5 Steel toecap & midsole

- Waterproof
- Washable nylon lining
- Oil resistant
- Anti-static
- Anti-slip
- Kick-off spurs for easy removable
- Sizes: UK 6 12



Safety Wellington Boot

(SRC)

FW74

SS @ \$ \$ \$ \$ \$

• EN ISO 20345:2011 S5

- Steel toecap & midsole
- Waterproof
- Channelling for increased liquid dispersal
- Oil resistant
- Anti-static
- Sizes: UK 6 13



274

sales@cmt.co.uk

www.cmt.co.uk

020 8311 1144

 $\widehat{\mathbb{C}}$

PERSONAL PROTECTIVE EQUIPMENI

Rock Fall Silt Neoprene Safety Wellington

- EN ISO 20345:2011 S5 CI HRO SRC
- Protective fibreglass toecap
- Anti-penetration flexi-midsole
- Enhanced thermal properties
- Comfort footbed
- Waterproof
- Durable rubber outsole
- Rubber sole
- Sizes: UK 6 13







RF290

Ŷ

Dunlop Wellingtons

DUNLOS

(SRA)

FWWBDLP

(S5) (200)

(4)

	• EN ISO 20345:2011
~ DUNLOF	S5 SP4

- Steel tipped toe
- Steel midsole
- Waterproof
- Ideal for general tasks
- Sizes: UK 6 13

Dunlop - ACI Capped Wellingtons



- EN ISO 20345:2011 SB P FO SRA
- Steel tipped toe
- Midsole protection
- Waterproof
- Oil resistant outersole
- Actifort full safety
- PVC/Nitrile rubber
- Sizes: UK 6 12



ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

Ŷ

GLOVE TYPE GUIDE

European Standards

Implies that the glove comply with the basic requirements laid down by the EC Regulation: Personal Protection Equipment.

Simple Design (Category I)

For areas of 'minimal risks' where the effects of not wearing a glove are easily reversible or superficial. Such products are self-certified.

Intermediate Design (Category II)

For areas of 'specific risks' i.e. mechanical risks. Such products would have been EC type tested against European test methods and certified by a notified body.

Complex Design (Category III)

For areas/application that can seriously or irreversibly harm the health. Such products, in addition to the CE type test, will also have to be either produced under an approved quality system or be tested on an annual basis

CE Safety Standard Symbols - What to look out for Each glove has its own individual rating for each s

Each glove has its own individual rating for each standard it qualifies for. Against each product there will be standards symbols where appropriate, clearly displaying the particular safety standards that the glove complies with. This will help you quickly see what you need to know about the glove, helping you shop more efficiently.

Performance Level

0-4

0-5

0-4

0-4

What the numbers represent



Mechanical Hazards: EN388

- A Abrasion resistance
- **B** Circular blade-cut resistance
- **C -** Tear resistance
- **D** Puncture resistance
- E Straight blade cut (TDM) resistance A-F (f) Impact resistance P if passes

An "X" can be shown in place of any of the first 5 digits underneath the pictogram, where the test was either not carried out, not required or not suitable.

ł	EN388 PROTECTIVE AGAINST MECHANICAL RISKS
	EN374-2 BIOHAZARD RESISTANT
	EN374-3 CHEMICAL RESISTANT
٢	EN407:2004 THERMAL HAZARD PROTECTION
	ISO 10819 MECHANICAL VIBRATION & SHOCK
CE	EUROPEAN CONFORMITY

www.cmt.co.uk



CUT RESISTANT Protects hands from

sharp tools or objects



PUNCTURE RESISTANT



COLD PROTECTION Protects hands when handling cold objects



DISPOSABLE Protection against cross contamination



Protects hands in general assembly environment



ANTI-IMPACT Protection against impact damage



TOUCH-SCREEN Enables you to use a touch screen device



CHEMICAL RESISTANT

Protection from harmful chemicals/substances



GENERAL PURPOSE

Protects hands when performing general tasks



ELECTRICAL PROTECTION

Protects the wearer from electric shocks



HEAT/FLAMES/ARC PROTECTION Protection when

handling hot objects



ANTI-VIBRATION Protects hands from vibration

WATER RESISTANT Protection in wet conditions

Changes to EC standard EN 388

During 2016 a new version of EN 388, Protection against Mechanical Hazards, was published. It allows products offering higher classifications of cut levels to be identified.

What has changed

Any sample tested for cut resistance using the existing coup method, which blunts the blade used in the test, will have to be additionally tested using the ISO cut method. There will be 6 cut levels defined on the ISO cut method. Levels A, B and C are new. Level D is of a different value to the level previously quoted as 4. Level E is the same value previously quoted as level 5. Level F is also new and is the highest cut resistance value.

Level A	Level B 5	Level C	Level D	Level E	Level F
2	5	10	15	22	30

Back of hand protection (impact protection testing) is now included.



- **3** Means the sample achieved level 3 for abrasion
- 4 Means the sample achieved level 4 for coup cut
- 4 Means the sample achieved level 4 for tear
- 3 Means the sample achieved level 3 puncture
- **C** Means the sample achieved level C for ISO cut which was tested due to blade blunting during the coup test
- P Means the sample passes requirements for impact protection

QUALITY, UNMATCHED.

ТΜ

0 0 0

°,o



Latex Grip

- Sizes: M, L, XL, XXL (8, 9, 10, 11)
- Pack of 12



MP1 Grab & Grip Safety Gloves

- Sizes: M, L, XL, XXL (8, 9, 10, 11)
- Pack of 12



 $\widehat{\mathbb{C}}$

GGMP1

EN388 2016 ₫ 1142X

SGGT

279

Foam Latex Waterproof Gloves

- Flexible robust glove giving great dexterity
- Good cut & tear resistance
- Fully coated waterproof finish
- Perfect for working with concrete and other heavy handling
- Double coated latex
- Sizes: L, XL, (9, 10)
- Pack of 12

PERSONAL PROTECTIVE EQUIPMENT





Code	🕅
MAXWR100	120
Foam Latex Waterproof	

Thermal Gloves • Flexible robust glove giving great dexterity Good cut & tear resistance • Fully coated waterproof finish • Perfect for working with concrete and other heavy handling • Thermal lining for cold weather use Sizes: L, XL (9, 10) Pack of 12 TTA) QUALITY, UNMATCHED. Thermal lining EN388 2016 ≞ 3231X

sales@cmt.co.uk

MAXTHERM100

020 8311 1144

Foam Nitrile Gloves -**Palm Coated**

- Seamless liner for comfort
- Snug fit maximum dexterity
- Foamed nitrile coating ensures excellent wet grip
- Palm coated for breathability
- Sizes: L, XL, XXL (9, 10, 11)
- Pack of 12





SFNGPC

Foam Nitrile Gloves -**Fully Coated**

- Seamless liner for comfort
- Snug fit maximum dexterity
- Foamed nitrile coating ensures excellent wet grip
- Fully coated
- Sizes: L, XL, XXL (9, 10, 11)
- Pack of 12





Grip It SL - Sponge Latex Coated Gloves



<u>1018</u>

 \bigcirc

120

- The soft seamless knitted yarn provides an excellent level of comfort, whilst the open back style allows the hand to breathe
- The breathable seamless liner combined with the soft sponge latex coating provides outstanding dexterity and a snug fit
- The soft sponge latex coating offers excellent dry grip for safe and secure handling
- Pack of 12



Code		\bigcirc
SL8896	Size 9	60
SL8897	Size 10	60
SL8898	Size 11	60

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY



Cod

SNG

Nitron Lite Gloves

- Comfortable natural cotton
- Lightweight flexible nitrile coating
- Textured surface
- Sizes: XL (10) only
- Pack of 12



Nitron Extra Light Blue Gloves

- Comfortable natural cotton
- Lightweight flexible nitrile coating
- Textured surface
- Sizes: XL
- (10) only • Pack of 12

3111X

SNLB-10

48

Code

SNLY-10

Matrix Nitrile Gloves

- Seamless liner for extra comfort
- Lightweight ful nitrile coating offers excellent flexibility
- Elasticated knit wrist for snug fit
- Provides excellent dry grip
- Sizes: XL (10) only
- Pack of 12



3121X Code SMNFC-10

Nitron Fully Coated Gloves (with Knit Wrist)

240

 \bigcirc

Code SNFCKW-10

Ŷ

282

020 8311 1144 sales@cmt.co.uk

www.cmt.co.uk

20

PU Coated Gloves

- Cut level 1 (not colour coded)
- Knitted nylon glove with polyurethane coating
- Snug fit maximum dexterity
- Open back for maximum breathability
- Sizes: M, L, XL, XXL (8, 9, 10, 11)
- Pack of 12



SLG

4131X

Matrix P-Grip Gloves

- Knitted liner with polyurethane coating
- Seamless for extra comfort
- Snug fit maximum dexterity
- Good abrasion and tear resistance
- Black only
- Sizes: L, XL, XXL (9, 10, 11)
- Pack of 12

EN388

3131X

402-MAT Size 8

403-MAT Size 9

404-MAT Size 10

405-MAT Size 11

Matrix Mechanics Gloves

- Reinforced palm grip patches
- Spandex on the back of the hand for comfort
- Neoprene on knuckles for extra protection
- Adjustable velcro wrist strap for extra protection
- Three open fingers for maximum dexterity
- Sizes: L, XL, (9, 10)
- Pack of 12





PERSONAL PROTECTIVE EQUIPMENT

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

P

Heavy Duty Double Palm Rigger Gloves

- Extra thick leather with double thickness green leather on palm, thumb and forefinger
- Soft fleece lining to palm and fingers
- Size XL, (10)
- Pack of 12



Q,

9₀



Code	Ŷ
SRGBL-10	100

Canadian Leather Rigger Gloves

- Sizes: XL (10) only
- Pack of 12





Daytona Drivers Gloves

• High grade cow grain leather glove

9₀

50

50

- Available lined or unlined
- Sizes: L, XL, (9, 10)
- Pack of 12



020 8311 1144 sales@cmt.co.uk www.cmt.co.uk

ULDG100

DR100

Unlined

Lined

SCRG-10





ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

48

SLJFAG

STLG

Set up an account for our discounted rates / prices 285



2131X

Code	Ŷ
MXL	12

Qo

MAX PU Gloves

- PU
- Lightweight
- Sizes 9 & 10 available
- Pack of 12





Ço

- Nitrile
- Lightweight
- Sizes 9 & 10 available
- Pack of 12



3131X

MXP

4343B

PU300

12

www.cmt.co.uk

12



Cut Resistant Gloves

- Cut level 5 (not colour coded)
- Excellent resistance to abrasion and tear
- Elasticated knit wrist for a snug fit
- Sizes: L, XL, XXL (9, 10, 11)
- Pack of 12



Code		
SCRSG		

PU500 Gloves

- PU palm coated
- Cut level 5
- Sizes 9 & 10 available
- Pack of 12



Cut Resistant Sleeve

- Cut level 5 (not colour coded)
- Tubular sleeve 56cm (22")
- Cut & heat resistance for wrist & arm area
- Thumb hole for secure fit







 \bigcirc



Matrix Green -**PU Gloves**

- Seamless knitted, high cut resistant liner with glass fibre and polyurethane palm coating
- Maximum scores for abrasion. cut, tear and puncture
- Seamless liner and open back for comfort and breath ability, tight fitting for dexterity
- Sizes 9, 10 & 11 available
- Pack of 12

₽

4543

MGP

 \bigcirc



Welders Gauntlets

Standard size

Pack of 12



Tremor-Low Anti-Vibration Gloves

- Reduces the effects of impact, shocks and vibration
- Seamless liner
- Foamed coating
- Conforms to ISO10819:1996
- Sizes: L, XL (9, 10)
- Pack of 12

EN388 2016

<u>ل</u> 3243X

SAGV

ISO 10819

HexArmor Sharpmaster Gloves

W

20

- Very thin & flexible
- Needle resistant
- Visible even in poor and fading light
- Pack of 12

Y



Orange Criss-Cross Gloves

- Sizes: XL (10) only
- Pack of 12

 $\widehat{\mathbb{C}}$

60

 \mathbb{W}





020 8311 1144

sales@cmt.co.uk

50

www.cmt.co.uk

Disposable Latex Gloves

- Provides maximum dexterity, sensitivity and comfort
- Made from natural latex
- Textured finish for improved grip
- Rolled cuff for additional strength and prevention of liquid roll back
- 100 per dispenser
- Sizes: S, M, L, XL (7, 8, 9, 10)
- Pack of 12



CE

Code		9
SLDGP	Powdered	10
SLDGUP	Powder free	10

Disposable Clear Vinyl Gloves



- Offers protection against contamination, dirt and potential irritants in low risk situations
- No latex proteins eliminates protein sensitisation
- Rolled cuff for additional strength and prevention of liquid roll back
- 100 per dispenser
- Sizes: S, L, XL (7, 9, 10)
- Pack of 12



CE

SGVDG Powdered

SGVDUP Powder free

Disposable Blue Nitrile Gloves

- Offers protection against contamination, dirt and potential irritants in low risk situations
- Textured fingertips for improved grip
- Rolled cuff for additional strength and prevention of liquid roll back
- 100 per dispenser
- Sizes: S, M, XL (7, 8, 10)
- Pack of 12



CE



Stockinette Gloves

SGNDP Powdered SGNDUP Powder free

- Soft poly cotton knit wrist
- Die cut to ensure consistency of size
- Pack of 12



10

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

10

10

Set up an account for our discounted rates / prices

Classic Lightweight Gloves

- Double PU palm
- General handling tasks
- Sizes: S, M, L, XL, XXL (7, 8, 9, 10, 11)
- Pack of 12



120

TG1010



020 8311 1144



PERSONAL PROTECTIVE EQUIPMENT

Ŷ

120

R

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

 \bigcirc

SONIS[™] EAR DEFENDERS PEAK AT AN UNBEATEN 37 SNR






The Sonis[™] range has been stylishly designed with a traffic light colour code for easy identification. Materials have been chosen for both performance and comfort for extended periods of use.



✓ PERFORMANCE The Sonis[™] range of ear defenders have been designed by the JSP R&D team. Working with a leading UK acoustic engineering research facility they have developed an ear defender range that peaks at an unbeaten 37 SNR.



COMFORT The over-moulded headband has a built in comfort area with ventilation. The headband force and the cushion surface area work together to provide optimum cushion pressure and comfort.



✓ CUSTOMISATION Sonis™ cups can be coloured to meet a corporate identity. They can also be printed with a company logo for improved brand recognition and to discourage theft. MOQ's apply.



✓ ADJUSTABLE STEEL ARMS To facilitate even distribution of pressure the wearer can tilt and adjust the position of the earcup for optimum comfort and fit.



✓ **HYGIENIC** The headband is manufactured from TPE, making it easy to wipe clean. The sealing rings are easy to replace. Hygiene kits are available for each model.



✓ EXTRA VISIBILITY The Sonis[™] range is available with extra visibility cups and a reflective head band for added low light protection.

Sonis 1 Low Performance Ear Defenders

- Moderate industrial noise
- SNR=27



AEB010-0CY

Code		Ø
AEB010-0AY	Head	10
AEB010-0CY	Helmet mounted	10

Sonis 3 High Performance Ear Defenders

- Extreme industrial noise
- SNR=37



Code	
AEB040-0AY	Head
AEB040-0CY	Helmet mounted

Sonis 2 Medium Performance Ear Defenders

- Substantial industrial noise
- SNR=31



Code		Ŷ
AEB020-0AY	Head	10

Sonis Compact Medium Performance Ear Defenders

- Substantial industrial noise
- SNR=32



Code		Î
AEB030-0AY	Head	10
AEB030-0CY	Helmet mounted	10

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

Optime 1 Ear Defenders

- EN352-1
- Lightweight
- SNR=27



Code Image: Code PEM01 20

Optime 3 Ear Defenders

- EN352-1
- Soft cushion
- Comfortable
- SNR=35



Optime 2 Ear Defenders

- EN352-1
- Flexible
- SNR=31



Code	1
PEM02	20

Optime 2 Neckband Ear Defenders

- Adjustable protection for more demanding noise levels
- Neckband version for use with other protective equipment such as helmets
- Foldable
- Cushion faces protected when folded
- SNR=31



PEM03

BEST SELLER

Helmet Mounted Ear Defenders

- High Quality Rubber cushioning for better protection and comfort
- Adjustable arms
- Conforms to EN 352-3
- CE Marked
- Compatible with most types of Safety Helmet
- 24db protection rating



Code	Ô
EPG04	20

Centurion Aegean Helmet Mounted Ear Defenders

- Excellent protection throughout the frequency range
- Attaches to most helmets



Standard Ear Defenders

- EN352-1
- Lightweight and robust
- Durable high impact polystyrene
- Cost effective protection
- SNR=25



Code

EEG01

Surefit Contour Clip On Ear Defenders

- Aavailable for MK7, EVO 2, EVO 3 and EVO Lite
- SNR=26



Ŷ

20

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

Ŷ

Disposable Foam Ear Plugs

- EN352-1
- Box quantity: 200
- Lightweight and comfortable fit
- SNR=27





Code

Ear plug Dispenser c/w Ear plugs

• EN352-2

- Wall mountable (fixings included)
- 500 pairs per dispenser bottle
- 50 pairs per refill pack
- SNR=37





Code		Ŷ
EEPDISP	Dispenser	1
EEPDISRF	Refill pack	1

PERSONAL PROTECTIVE EQUIPMENT

 \bigcirc

1

Corded Ear Plugs

- EN352-2
- Box quantity: 200
- SNR-37

Corded Ear Plugs

Code	3
EEP02	10

Reuseable **Ear Plugs**

• EN352-2

- Reusable, durable foam plug
- TPE
- Box quantity: 50
- SNR=30



Classic **Ear Plugs**

- Reusable slow recovery foam
- 1 pair per pillow pack
- Box quantity: 250
- SNR=28



PP01002

Express Push In Ear Plugs

- No roll down required
- Improves hygiene
- Uncorded
- Box quantity: 100
- · Certified to EN352-2:2002
- Attenuation SNR=38dB, H=37dB, M=36dB, L=34dB



ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

4

PERSONAL PROTECTIVE EQUIPMENT

PERSONAL EYE PROTECTION **STANDARDS & OPTIONS**

Standard	Symbol Explanation	
EN166	1	OPTICAL CLASS
EN166	F	LOW ENERGY IMPACT
EN166	В	MEDIUM ENERGY IMPACT
EN166	т	HIGH SPEED PARTICLES AT EXTREME TEMPERATURES
EN166	3	PROTECTION AGAINST LIQUID DROPLETS & SPLASHES
EN170	2-1, 2	PROTECTION AGAINST UV, UVC & UVB
EN172	5-3, 1	SUN GLARE FILTERS, RECOGNITION OF SIGNAL LIGHTS
	K	ANTI-SCRATCH
	Ν	ANTI-FOG

Bollé Prescription Safety Glasses

- Take the pack to your local optician (includes everything you need)
- 16 styles
- them and tell you when they are ready



10

RXPACK



XEXCELLENCE **PRESCRIPTION PROGRAM**

- Improves the visibility and safety of employees, craftsmen and professionals
- Cover 98% of the correction needs of your professional clientele with a wide offer accessible to all.
- Quality lenses and a concentrate of innovations for enhanced safety.

To find out more about the procedure, contact us at : rxsafety@bolle-safety.com

Place your orders directly in the webshop!





020 8311 1144

sales@cmt.co.uk

www.cmt.co.uk



SILEX, THE NEW MODEL WITHOUT COMPROMISE

Bollé Safety continues to innovate, again and again, offering you solutions adapted to your needs while preserving the optimal quality of its products.

- No compromise on comfort: FLEX I60° technology that fits every face perfectly, flexible bi-material temples and absolute support without any pressure points.
- No compromise on performance: anti-scratch / anti-fog coating, panoramic vision and ultra-wraparound protection.
- No compromise on style: lenses with a refined design and coloured temples by Bollé Safety.
- **No compromise on affordability:** SILEX is suitable for everyone with an excellent price/quality ratio.




INNOVATION

Available in clear and smoke versions.



EYE PROTECTION



ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

EYBRPK SBR Foam & Strap Kit

301

EYE PROTECTION

 Bollé Contour EN166 1F AS K N Close fitting wraparound piece safety glasses Lightweight sports style Anti-fog & anti-scratch
Code
EYBC Clear 10
EYBCT Tinted 10
 Bollé Tracker EN166 170 172 1F CE K N Anti-scratch & anti-fog Supplied with neck cord Cear
Code
EYTRA Clear 10 EYTRAT Tinted 10
 Bollé Silex EN166 1FT AS CE K N. Ultra-wraparound frame. FLEX 160° temples for greater comfort.
Code
EYBSLX Clear 10 EYBSLXT Tinted 10

302 020 8311 1144 sales@cmt.co.uk www.cmt.co.uk

EYE PROTECTION



Code	
EYWV	Clear
EYWVT	Tinted

Wraparound Sports Style Specs

- EN166 1 F
- Flexible nose piece
- Adjustable
- Comfortable & smart

MAX Unbreakable Safety Specs

- EN166 1F
- Robust, flexible design
- Close fitting wraparound





10

10

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

PERSONAL PROTECTIVE EQUIPMENT

EYE PROTECTION

Continental **Specs**

- EN166
- Wraparound frame
- Lateral protection
- Adjustable non-slip nose
- Non-slip endtips
- Anti-scratch & anti-fog



Code		Ŷ
CONT23C	Clear	10
CONT23S	Smoke	10
CONT23BB	Blue blocker	10

Expert Specs

• EN166

- Adjustable & non-slip nose pads
- Soft & non-slip endtips
- Flex temples
- Anti-scratch & anti-fog



Code		Ŷ
EXP23C	Clear	10
EXP23S	Smoke	10

Uvex **Pheos**

- EN166 1F KNCE
- Supravision HC/AF Lens
- Anti-fog & anti-scratch
- Strong metal-free hinges



Code	Ŷ
EYUVC Clear	5
EYUVT Tinted	5
EYUVA Amber	5



Visitors **Over Specs**

• EN1661F

• Clear wrapped overspectacles



Thermex[™] **Safety Goggles**

- TMC[™] Technology for fog free use
- UV, dust, liquid splash, molten metal & exreme temperature protection
- Comfortable and secure fitting
- Can be worn with safety helmet or bumpcap
- Anti-scratch & anti-mist

Single lens

Double lens

Code		
AMG623	Single lens	1
AMG020	Double lens	1

Direct Vent Safety Goggles

- EN166 1B AS AF
- Lens: clear polycarbonate
- Frame: PVC
- Medium impact



Classic Safety Eye Screen

- EN166 1F
- Panoramically polycarbonate lens
- Moulded side shields, nose bridge
- & browguard Adjustable arms



EYSS Black frame: Clear/Amber

UVEX Ultrasonic

- BS EN 345 1B 349
- Panorama field of vision
- Elasticated headband
- Excellent comfort & design with great ventilation system
- Suitable for use with prescription glasses
- Anti-scratch & anti-fog



EYUG	GUV			

Professional Indirect Vent Goggles

- EN166 1F AS
- Lens: clear polycarbonate
- Frame: PVC
- Vented frame
- Anti-mist lens coating



ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

Ŷ

EYE AND FACE PROTECTION

Bollé Atom Goggles

- EN166 B K N
- Anti-scratch & anti-fog
- Clip-on face shield



EYBAG

Atlantic Safety Goggles

- EN1661B349
- Deluxe anti-mist wide angle goggle
- Wide elastic headband for improved comfort
- Moulded-in ventilation for dust, liquid, molten metal and hot solid protection

Code	(
AGP020	10

Shape Visor and Cradle

- EN166
- Perfect optical quality
- Wide field of vision
- Adjustable headband
- Compatible with prescription glasses



Cradle & Visor

Visor

Code	
SHA20C	Cradle
SHAPEVISOR	Visor

Bollé Atom Goggles Faceshield Polycarbonate Visor

- EN166 B
- Anti-scratch & anti-fog
- Used in conjunction with Atom goggle (not included).

EYBAFS

Safety Specs Neck Cord

- Breaks free in an
- emergency
- Black
- Glasses not
- included



Ŷ

P

100

Safety Visor and Carrier for JSP Helmet

• EN1661B39

SPCORD

- To suit Mk1, Mk2, Mk3. EVO2. EVO3 & EVOLite
- Offers protection against medium energy, high speed particles at 120m/s (270mph), liquid droplets & molten metal
- Spare visors available separately

Code		Ð
HHVISOR01	Safety Visor & carrier	5
ANX060	Surefit 20cm spare visor	10

306

020 8311 1144 sales@cmt.co.uk

Ŷ

1 1

www.cmt.co.uk

LENS & PPE CLEANING

JSP Complete Lens Cleaning Station



- Includes 4 boxes of 280 tissues & one bottle of cleaning spray
- All items easily replaceable
- Includes mirror
- Comes with 4 x screw/plug mounting pack





Code

EYCLCS

JSP Lens Spray

- Spray cleaning fluid
- Anti bacterial
- 300ml



		ICE EACH		
Code	10+	5-9		\mathbb{T}
EYCLSP	8.36	8.92	9.55	12

JSP Lens Tissues

- Low lint tissues
- Box of 280





Lens Cleaning Station

- For use on plastic, glass & polycarbonate lenses
- 8oz anti-fog & anti-static solution
- 600 tissues per box



 \bigcirc

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

12

EYLCS

RESPIRATORY EQUIPMENT

IDENTIFY THE HAZARDS - dust, metal fume, gas, vapour.

ASSESS THE HAZARDS - measure the hazard level/other protection - skin & eye.

SELECT THE RESPIRATOR - disposable, half mask, full face, powdered airline.

HAZARDS:

1) DUST:

Formed by the breaking down of solid materials, the smaller the dust particles the greater the hazard presents.

2) MISTS:

Formed by the processes that involve atomisation (such as spraying), mists consist of tiny droplets.

3) FUMES:

Formed by the vapourisation of a solid material by the application of extreme heat. Extremely fine particles are created as the vapour cools and condenses.

4) VAPOURS:

A gaseous state formed by evaporation from substances that are normally either solid or liquid at room temperature. A fume may form as vapour condenses.

5) GASES:

An air-like substance at room temperature that has the ability to diffuse and spread quickly and travel far.

TAKE CARE

Read the information on this page to help you choose the right breathing protection.

EUROPEAN STANDARDS

Our respirators are tested to the relevant European Standards. All respirators carry the CE mark plus the European Standard and performance category markings:

EN149 – Filtering facepiece and particulate respirators

EN405 – Valved filtering half mask respirators for gases and/or particulates

EN140 – Half mask facepieces EN136 – Full facepieces EN137 – Self-contained open-circuit compressed air breathing apparatus

EN143 – Particulate filters **EN146** – Powered Respirators – Hoods & Helmets

EN147 – Powered – Full Face Masks EN270 – Heavy Duty Supplied Air EN402 – Escape Apparatus. SCBAâ•‹with full face mask or mouthpiece assembly

EN529 – Respiratory selection, use and care

EN1146 – Compressed air escape apparatus with hood EN1835 – Light Duty Supplied Air EN12941 – Powered Respirators – Hoods and Helmets

EN12942 – Powered Respirator Full Face Masks

EN14387 - Gas & vapour filters

DISPOSABLE RESPIRATORS

Due to current global shortages, prices and availability on these products may be affected. Please contact our sales team to discuss your requirements.



Disposable FFP3 Valved Moulded Face Mask

- EN149:2001 +A1:2009
- Fast flow exhalation valve for lighter breathing resistance.
- Double elasticated head straps.
- Adjustable comfort, plus nose seal for optimised fit.



FFP3V



PERSONAL PROTECTIVE EQUIPMEN

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

CMT are the **first UK** manufacturer to produce certified Type II, IIR and 3-Ply face masks

No.1 UK Manufacturer of Certified Face Masks

Our extensive knowledge of personal protective equipment and our commitment to leading innovations in safety, led us to start manufacturing surgical and standard use masks. Producing millions of masks per week with constant expansion to accommodate demand.

Masks are fully certified to EN14638:2019, with official certification and test reports in English - making it clear and simple to process through your own compliance systems.

Production facilities are based at the same complex as our head office, with over 400,000 sq. ft. of manufacturing and warehousing. Get in touch to book a visit, and see the manufacturing process from raw material to finished masks with your own eyes.



Type II, IIR and 3-Ply face masks are available in a range of pack sizes and packaging options, including own branding

Our focus is on helping you in guaranteeing a consistent, secure supply of UK manufactured masks at more competitive rates than offshore-sourced products.

Benefits of ordering through an accredited UK supplier rather than importing:

- Removes any risk of inconsistent supply
- Save weeks of time on delivery
- Deal with a professional UK team
- Avoid overstocking with reduced MOQs
- Supports UK manufacturing
- Avoid exchange rate fluctuations
- Supports our economy

Call us: 020 8311 1144 Email: enquiries@cmtgroup.co.uk www.cmtgroup.co.uk

Specification for Type II & IIR

These high-quality products are independently tested and accredited by ISO 17025 accredited laboratories, in line with all elements of the following international standards. Test reports and other documentation are available on request.

Full product name:	Disposable Non-Sterile Medical Face Masks Type IIR 3-Ply
Product size:	180mm x 90mm (ear loops = 180mm)
Product Weight:	2 grams
Product Material:	Inner layer: White spunbonded non-woven polypropylene 25g/sqm
Outer layer:	Blue spunbonded non-woven polypropylene 25g/sqm
Filter media:	Meltblown white non-woven polypropylene 25g/sqm, 0.35mm thickness
Elastic strap:	2mm thick white elastic – latex free
Nose piece:	3mm thick metal wire encased in white plastic, 165mm length
Product Performance:	EN14683:2019 Bacterial Filtration Efficiency (BFE) >= 99% Differential Pressure <= 10.2 Pa/cm2 Synthetic Blood Resistance: PASS (2R only) Microbial Contamination/Bioburden <= 23 C.F.U./g
Product Colour:	Blue / White
Packaging Size:	70mm x 200mm x 100mm
Packaging Units:	5, 10 or 50 per inner box
Manufacturer:	CMT Equipment LTD – Trident Works, Mulberry Way, Belvedere, London, DA17 6AN
Storage Conditions:	Store in a well-ventilated room where the relative humidity does not exceed 80%. Avoid high temperatures, keep away from fire and flammable materials.
Shelf Life:	5 years in original packaging
Handling:	Keep in original packaging until use - do not reuse. Replace when damp or damaged
Conformities:	EN 14683:2019; CE Marked; Registered with MHRA. Produced in accordance with MDR 2017/745. Class I medical device (non-sterile)
Dermatological Tolerance:	No known intolerance, does not contain latex
Dermatological Tolerance: Conditions:	No known intolerance, does not contain latex Non-sterile



DISPOSABLE RESPIRATORS

3M FFP3 Valved Face Mask

- Secure face fit for increased comfort
- Reliable, effective protection against fine particulates
- Comfortable, lightweight design
- Soft inner face-seal ring
- Protection factor 50
- Pack of 10
- Availability dependent on manufacturer supply



Ŷ

Cod

3M8833

Moldex 2555 Mask

- FFP3
- Pack of 10
- EN149:2001 +A1:2009
- Availability dependent on manufacturer supply



Code	6
M2555	1

Uvex Silv-Air

- FFP3 breathing protection folding mask
- Exhalation valve
- Labelled for use with high levels of dust exposure (D)
- Adjustable headband length
- Pack of 15
- Availability dependent on manufacturer supply



Pro Series Respirator

- Pack of 10
- 3 panel fold flat design
- Low breathing resistance
- Lightweight
- Available in small sizes
- Sculpted nose fit
- Chin tab
- Availability dependent on manufacturer supply

Code 0

Moldex 2305 Mask

- FFP3
- Pack of 10
- EN149:2001 + A1:2009
- Availability dependent on manufacturer supply



Code

MM2505

Uvex Silv-Air Valved Moulded Disp Mask

- FFP3 breathing protection preformed mask
- Exhalation valve
- Labelled for use with high levels of dust exposure (D)
- Comfortable, fourpoint headband attachment
- Pack of 15
- Availability dependent on manufacturer supply

UVFFP3V

312

www.cmt.co.uk

 \bigcirc

10 UVFFP32310

JSP DISPOSABLE RESPIRATORS

Flexinet FFP3 Valved Face Mask

- P3 valved
- High efficiency (99% minimum) filtering with exhale valve
- Fully adjustable 4-point harness
- Availability dependent on manufacturer supply



le		
93V832		

Typhoon Horizontal Fold Flat FFP3 Face Mask

• EN149:2001 +A1:2009

FFP

- Individually wrapped
- Comfort foam
- Unique valve system
- Availability dependent on manufacturer supply



Olympus FFP3 Valved Moulded Face Mask

- EN149:2001 +A1:2009
- Colour coded to show FFP value
- Harness
- Availability dependent on manufacturer supply



(inde	
Couc	

FFP3VOLYMPUS

Olympus Fold Flat FFP3 Valved Face Mask

- EN149:2001 +A1:2009
- Individually wrapped
- Shaped to fit for added comfort
- Colour coded to show FFP value
- Availability dependent on manufacturer supply



PPE Recycling

Secure Sustainable Solutions

CMT has teamed up with one of the UK's leading secure destruction specialists to provide a nationwide service for the secure destruction and recycling of all types of PPE. As well as improving your carbon footprint and protecting the environment, this service can also be used as a secure way to protect your brand. All materials can be collected from your site and taken to a secure facility where it is destroyed by shredding and recycled.





Working in conjunction with our Charity Partners some of the unbranded garments can be sent out to 3rd world countries in support of less fortunate communities

CMT embraces the circular economy concept, whereby we keep resources in use for as long as possible, extract the maximum value from them whilst in use, then recover and regenerate products and materials at the end of each service life.

Contact our team 020 8311 1144

Licensed Waste Carrier No. CBDL318836

RESPIRATORY EQUIPMENT

FACE FIT TESTING

Qualitative Fit Testing can be used on what are defined as tight fitting respirators, with the exception of full face masks.

Qualitative Fit Testing can be used not only as a test method to ensure your employees are properly protected; but also as a very effective way of training them in the correct way of fitting a mask. Dust and half masks commonly fail to do the job they are intended to do because of poor fitting and care by the user.

CONTACT US FOR MORE DETAILS **020 8311 1144**

Qualitative Face Fit Testing Kit

- FACET Full test kit
- FACESOL 2x bottles



Code FACET FACESOL

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

Ŕ

JSP FORCE 8 RESPIRATORS

Force8™ PressToCheck™ Half Mask

- One of the lightest, most well balanced half face masks available
- Facepiece padded thermoplastic, moulds to face shape for excellent seal
- CR2 reflective strips increase visibility in low-light environments for added safety
- Filter Force8[™] filters available with low profile angle design for minimal visual impairment
- Conforms to EN142
- Daily Face Fit reassurance
- Passes dolomite
- Protection against construction dusts
- Improved hygiene
- Inhalation valve for easy maintenance
- Low profile covers protect filters
- Convenient belt bag available



Code

0000			∇
BHT0A3	Size: Medium	Half mask kit complete, including P3 filters	10
BHT003	Size: Medium	Half mask only (no filters included)	10
BHG003-1L5	Size: Small	Half mask only (no filters included)	10
BHG003-2L5	Size: Large	Half mask only (no filters included)	10
BPT170	Force8™ belt	Dag	10

P3 Twin Filter

- BMN990-001-700 (F8-003.1)
- Twin filter cartridges for Force8™
- High efficiency dust
- Press to check technology
- Offers an assigned protection factor (APF) of 20 x Workplace Exposure Limit (WEL) against fine dusts, fibres, fumes and liquid aerosols when attached to Force8™



020 8311 1144

BMN990



BHT0A3

- BGC310-001-000
- Twin filter cartridges for Force8[™]
- High Efficiency Dust
- Press to check technology
- Compact and lightweight.



P2 Twin Filter

- BMN380-011-700 (F8-002)
- Twin filter cartridges for Force8[™]
- Medium efficiency dust
- Press to check technology
- Offers an assigned protection factor (APF) of 10 x Workplace
 Exposure Limit (WEL) against fine dusts, fibres, fumes and liquid aerosols when attached to Force8™



BMN380 10

sales@cmt.co.uk

www.cmt.co.uk



БНТООЗ



BPT170

REUSABLE RESPIRATORS

PG30 Full Face Visor Respirator

- FogControl[™] innovative valves to direct breath downwards
- Full-face non-mist clear sealed visor provides excellent visibility
- Pressure-correcting pivot headband attachment that ensures an even seal
- Soft ComfortPlus Silicon Seal
- Extra Lightweight Manufactured Components
- Dual elastic headband with scull cradle
- CF Certified
- EN140:1998
- Compatible with PGP3 EN143:2000 P3 certified filters





PG30 Face Visor PGP3 Filters

MOD28 Half Mask Respirator

- 2 Filter Half Mask that has a soft and flexible body in order to obtain a very good fit to the users face
- Well balanced and weighted and even pressure distribution to the face
- Incorporates a patented bayonet system making removing and exchanging filters very simple and easy
- Suitable for use against vapours, gases and/or particles and dust.
- Complies to EN140:1998

MOD28F

• CE Marked according to EU regulation 89/686/EEC as PPE CAT III



PG28 Half Mask Respirator

- FogControl[™] innovative exhale valve to direct breath downwards and not mist googles or spectacles
- Pressure-correcting pivot headband attachment that ensures an even seal
- Soft ComfortPlus Silicon Seal
- Dual elastic headband with scull cradle
- CE Certified
- EN140:1998
- Compatible with PGP3 EN143:2000 P3 certified filters



PGP3

Ś
10
10

 \bigcirc

10

10

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

317

PG28

POWERED AIR RESPIRATOR

Jetstream Constructor Kit

- Jetstream[®] Mk[®] 7 Helmet with Visor, Nylon Hood and Hose – Battery pack and filter unit not included
- HDPE industrial safety helmet for EN397 protection against falling hazards with sealed visor
- Conforms to EN 12941:1999. Polycarbonate Visor conforms to EN 166.1.B.3.9.

CBH010

CBP020

	021 020		
Code			1
CBP020	Kit		1
CBH010	Helmet and visor		1

Jetstream 8 Hour Switch & Go Kit

- White nylon hood and reinforced hose to prevent kinking
- Belt mounted rechargeable respirator with large capacity disposable dust filter

CBB610

• EN 12941:1999



Code		(P)
CBB610	Kit	1
CBH030	Alternative headpiece	1

Jetstream Filters & Spares

• EN 12941:1999



Code		\bigcirc
CBU220	Jetstream waist mounted power unit Gas / Vapour TH2A2 filter	1
CBU620	Gas / Vapour GV-X A2 filter	1
CBU610	Jetstream PSL filter	1

POWERED AIR RESPIRATOR

PowerCap Infinity Powered Air

- Nominal protection factor = 500
- Unique powered air respiratory protection system
- User responsivem smart PPE
- Conforms to EN 12491:1998 + A2:2008, EN166.B, EN397
- High capacity HEPA filters
- Delivers 160 litres of clean air per minute
- Carry / storage box
- Easy maintenance
- Weight: approx 1.6kg





 \bigcirc

EVOLite[®] Mid & Micro Peak Ventilated Helmet with Slip Ratchet

- Conforms to EN397
- Extremely lightweight and ultra strong helmet
- Ultra comfortable 6-point terylene harness with 3D precision fitting
- Easyjust slip ratchet adjustment, UV stabilised
- Chamlon sweatband for maximum absorption
- Side and rear ventilation



BRAND

Code			\bigcirc
HHEVOLS-WHT	White	Mid peak	10
HHEVOLS-YEL	Yellow	Mid peak	10
HHEVOLS-GRN	Green	Mid peak	10
HHEVOLS-BLU	Blue	Mid peak	10
HHEVOLS-RED	Red	Mid peak	10
HHEVOLS-ORG	Orange	Mid peak	10
HHEVOLS-BLK	Black	Mid peak	10
HHEVOLM-WHT	White	Micro Peak	10
HHEVOLM-YEL	Yellow	Micro Peak	10
HHEVOLM-BLU	Blue	Micro Peak	10
HHEVOLM-RED	Red	Micro Peak	10

EVO®3 Standard (Mid) Peak Ventilated Helmet with Slip Ratchet

Conforms to EN397

- Extremely tough HDPE shell
- Ultra comfortable 6-point terylene harness, 3D precision fit
- Easyjust slip ratchet adjustment, UV stabilised
- Chamlon sweatband for maximum absorption
- Side & rear ventilation
- Micro peak, non vented & wheel ratchet available to order





Code		Ŷ
HHEVO3S-WHT	White	10
HHEVO3S-YEL	Yellow	10
HHEVO3S-GRN	Green	10
HHEVO3S-BLU	Blue	10
HHEVO3S-RED	Red	10
HHEVO3S-ORG	Orange	10
HHEVO3S-BLK	Black	10

EVO®2 Standard (Mid) Peak Ventilated Helmet with Slip Ratchet

- Conforms to EN397
- Top level protection at an economical price
- 6 point polyethylene harness
- One touch slip ratchet adjustment, UV stabilised
- Side & rear ventilation
- Micro peak & non vented available to order





		- *
2	-	4
1	20	A.
1		
1		3
	0	2

	ERS
	DNAL I
	U
	PRO
	T
	0
1	
)	
-	T
)	
	~
)	
)	
·	

Code		\mathbb{C}
HHEVO2-WHT	White	10
HHEVO2-YEL	Yellow	10
HHEVO2-GRN	Green	10
HHEVO2-BLU	Blue	10
HHEVO2-RED	Red	10
HHEV02-ORG	Orange	10
HHEV02-BLK	Black	10

EVO®3 Micro Peak Ventilated Helmet with Slip Ratchet

Conforms to EN397

- Extremely tough HDPE shell
- Ultra comfortable 6-point terylene harness, 3D precision fit
- Easyjust slip ratchet adjustment, UV stabilised
- Chamlon sweatband for maximum absorption
- Side & rear ventilation
- Mid peak, non vented & wheel ratchet available to order





Code		Ŷ
HHEVO3M-WHT	White	10
HHEVO3M-YEL	Yellow	10
HHEVO3M-BLU	Blue	10
HHEVO3M-RED	Red	10
HHEVO3M-BLK	Black	10

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

EVOLite® Skyworker™ Industrial Working At Height Helmet

- Specifically designed with a suspension system & shell structure that offer maximum head protection, making working at height safer than it has ever been
- Shock-absorbing expanded polystyrene liner for excellent side, front and rear impact protection
- Conforming to EN12492 & the impact test of EN397
- High strength ABS shell
- Micro peak
- Four point 'X-over' chinstrap & adjustable harness system
- Wheel ratchet adjustment system for firm & comfortable fit



Cod

Code		
AJS260-WHT	White	10
AJS260-YEL	Yellow	10
AJS260-GRN	Green	10
AJS260-BLU	Blue	10
AJS260-RED	Red	10
AJS260-ORG	Orange	10
AJS260-BLK	Black	10

EVO®5 Dualswitch™ Dual Standard Safety Helmet

- JSP's EVO®5 DualSwitch™ is fully certified to both EN397 (ground level) and EN12492 (at height), with the ability to change between the two standards easily at the flick of a switch
- Micro peak
- Four point 'X-over' chinstrap & adjustable harness system
- Wheel ratchet adjustment system for firm & comfortable fit.

BRAND

Code		9
AKS270-WHT	White	10
AKS270-YEL	Yellow	10
AKS270-BLU	Blue	10
AKS270-ORG	Orange	10
AKS270-BLK	Black	10



HEAD PROTECTION

10

Eco Hard Hat

- Conforms to EN397
- 6 point harness
- Lightweight
- Slip ratchet adjustment
- Comfort plus sweatband





ode		
	0.01	14/

HHECON-WHT White HHECON-BLU Blue

Centurion Concept Safety Helmet

- Extremely light yet strong helmet
- 6-point terylene crade with highly absorbent sweat band
- Side and rear ventilation for comfort
- Extended nape area for exra neck protection
 Reduced peak and wheel ratchet adjustment
- Reduced peak and wheel ratchet adjustment available to order



Code

S09WF

Centurion Reflex Safety Helmet

- 6 point Nylon Textile webbing
- Brushed nylon sweatband
- Ventilated
- Supplied with a Silver rear Flash as standard. Also available with a High visibility Yellow or Orange rear Flash or as a complete High Visibility helmet
- White or orange helmets available





R

10

Code

S12WMVOA

HEAD PROTECTION

EVOSpec - Helmet Mounted Eyeshield

- Retracts neatly and securely into helmet when not in use
- Stylish design
- 6 base curve lens offers optimum coverage for all users
- Low profile Bi-Polymer nose clip for improved comfort and security
- To suit EVO2, EVO3 and Evolite hard hats

ANT010

Code		Ŷ
ANT010	Clear	10
ANT120	Smoke	10

ANT120

Centurion Face Carrier and Screen

• Fits S09WF



Safety Visor and Carrier for JSP Helmet

- EN166 1 B 3 9
- To suit Mk1, Mk2, Mk3, EVO2, EVO3, EVOLite
- Offers protection against medium energy high-speed particles at 120m/s (270mph), liquid droplets and molten metal



HEAD PROTECTION

EVO® VISTAlens™

- EVO® safety helmet incorporating a fully retractable optical class 1 integrated overspec.
- Easy to deploy, adjust and maintain ensuring protection is on hand whenever required.
- Fully adjustable wheel ratchet and unique 3D adjustment system.
- Anti-scratch and anti-mist resistance.
- Conforms to EN166.1.FT impact protection.
- Clear or smoke overspec options available



Code

F F

HHVSTLC-WHT	White - clear lens
HHVSTLC-BLU	Blue - clear lens
HVSTLS-WHT	White - smoke lens
HHVSTLS-BLU	White - smoke lens

EVO® VISTAshield™

- EVO® safety helmet incorporating a fully retractable optical class 1 integrated faceshield offering A-rated impact protection.
- Easy to deploy, adjust and maintain ensuring protection is on hand whenever required.
- Anti-scratch and anti-mist resistance.
- Fully adjustable wheel ratchet and unique 3D adjustment system.
- Conforms to EN166.1.AT impact protection.
- Clear or smoke overspec options available



Codo	
Code	

HHVSTSC-WHT	White - clear shield
HHVSTSC-BLU	Blue - clear shield
HHVSTSS-WHT	White - smoke shield
HHVSTSS-BLU	White - smoke shield



9	
	10
	10
	10
	10
	10




ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

 \bigcirc

HELMET ACCESSORIES

Reflective Helmet Sticker Kits

- Helmet not included
- Packs of 10





AHV391



AHV391	For EVO2 and EVO3
AHV390	For EVOLite

Quick Release 4 Point Linesman Harness

- Fits EVO2, EVO3 and EVOLite
- Ideal for working at heights
- With 4-point chin strap harness
- Conforms to EN397, ENS0365 and ANSIZ89
- Helmet not included

Code

AHV200

Chamlon Helmet Sweatband

- Fits EVO2, EVO3 and EVOLite
- Egyptian cotton core
- Porous PU coating for sweat absorption
- PH neutral

AJA840

 Dermatologically tested

VISILite Helmet Light

- Increases worker visibility without dazzling
- Offers 3 light modes
- Fits all EVO safety helmets
- Up to 50m visibility
- USB rechargable



AHV860

Code		Ŷ
AHV860	EVOLite	10
AHV855	EVO2 and EVO3	10



In Case Of Emergency (Ice) Info Holders

- Gives instant access to potentially life saving information
- Helmet not included

Code ID10

326

020 8311 1144 sales@cmt.co.uk v

Q

10

www.cmt.co.uk



HELMET ACCESSORIES

Winter Helmet Liners

- Suitable for all helmets
- Velcro straps for a secure fit
- Can be worn with a chin strap
- Polycotton
- One size
- Hi vis versions conform to EN471
- Helmet not included





HHLINHV

Code		9
HHLINHV	Hi vis yellow	10
HHLIN	Black	50

Helmet Comforter

- Egyptian cotton core
- Porous PU coating for sweat absorption
- PH neutral
- Dermatologically tested



Railway Helmet Warmer

• Hi visibility orange full head and face comforter

- Conforms to EN471 GO/RT 3279
- Helmet not included



Code

AHV380

Surefit Thermal Helmet Liner

- Contact us for details on how to get your logo embroidered onto this product
- Helmet not included

SFITBN

10

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

BRANÓ

FALL ARREST & RESTRAINT

2m Single Tail Scaffolder's Lanyard

- Complete with 1 steel karabiner and 1 steel scaffold hook
- Lanyard conforms to EN355:2002
- Connectors conform to EN362:2004 Class B/T

K2[™] **Single Tail**

- Complete with 1 captive pin aluminium screw gate karabiner and 1 aluminium scaffold hook
- Lanyard conforms to EN355:2002
- Connectors conform to EN362:2004 Class B/T

FAR0305

Pioneer™ Scaffolder's 2m FAL

- Complete with 1 captive pin aluminium screw gate karabiner and 1 aluminium scaffold hook
- Lanyard conforms to EN355:2002
- Connectors conform to EN362:2004 Class B/T

- 2m adjustable restraint lanvard made from 14mm polyamide 3-strand twisted rope
- Manual ring type adjuster made of forged alloy steel
- Cost effective
- Conforms to EN358:1999

FAR0206

2m Lightweight Retractable Fall Limiter

- Weighing less than 600g this fall limiter is the lightest in its class in the world
- Fall indicator
- External shock absorber
- Conforms to EN360"2002



FAR0404

Spartan[™] Work Positioning Lanyard

FAR0308

5m Wire Retractable Fall Limiter

- Atex approved
- Complete with 1 steel karabiner and 1 steel scaffold hook
- Lanvard conforms to EN355:2002
- Connectors conform to EN362:2004 Class B/T

FAR0705

FAR0701



020 8311 1144 sales@cmt.co.uk R

10

Ŷ

FALL ARREST AND RESTRAINT

Pioneer[™] 2-Point

Two attachment points

• Fully adjustable chest,

a weight of 136kgIdeal for fall arrest and

shoulder and leg straps to

Conforms to EN361:2002

Harness

restraint

Pro-Fit[™] 1-Point Harness

- Comfort is important to users as this leads to good practice when donning the product
- Fully elasticated
- Lightweight and ultra comfortable
- Conforms to EN361:2002



Code FAR0101

Spartan™ 1-Point Harness

- A stylish product that does not falter when safety is paramount
- Cost effective

FAR0301

Conforms to EN361:2002

ode

FAR0203

JSP Confined Space Tripod

- Suitable for use on un-even surfaces
- A pulley system provided for steel cable guiding in case a winch is used
- Securely connected two eyebolts to be used for connection to PPE
- Adjustment achieved by sliding telescopic legs
- Load capacity 500kg
- Height: 1.35 to 2.15m
- Footprint: 0.80 to 1.50m
- Weight: 13kg
- Conforms to EN795 class B



PERSONAL PROTECTIVE EQUIPMENT

 Code

 10
 FAR1003

P

FALL ARREST AND RESTRAINT

Pioneer[™] Fall Arrest Kit

- 2-point harness
- 2m fall arrest lanyard
- JSP rucksack
- Harness conforms to EN361:2002
- Fall arrest lanyard conforms to EN355:2002



Spartan[™] Restraint Kit

- 1-point Spartan harness
- 1.8m fixed length lanyard
- JSP woven drawstring bag
- Harness conforms to EN361:2002
- Restraint lanyard conforms to EN354:2010



 \bigcirc

Code FAR1101

Ŷ

FAR1104

Pioneer[™] Construction

Kit

- 2-point Pioneer harness
- 2m lightweight retractable fall limiter
- JSP rucksack
- Harness conforms to EN361:2002
- Retractable fall limiter conforms to EN360:2002



Code

FAR1110

HI VIS CLOTHING & WORKWEAR



Work Bags	334
Hi Vis Clothing	335-345
Weather Proof Clothing	346-349
Ladies Clothing	350-351
PPE Recycling	352
Rail Vests	353
Rail Clothing	354-358
Rail Accessories	359-360
Workwear	361-368
Knee Protection	369
Flame Retardant Clothing	370-377
Arc & Flame Retardant Clothing	378-382

KEY TO SYMBOLS

CLOTHING SIZE COMPARISON:

MEN'S CH	IEST SIZES	MEN'S W	AIST SIZES
SIZES	INCHES	SIZES	INCHES
SMALL	36 - 38"	SMALL	30 - 32"
MEDIUM	40 - 41"	MEDIUM	33 - 34"
LARGE	42 - 44"	LARGE	36 - 38"
X LARGE	46 - 48"	X LARGE	40 - 41"
2X LARGE	50 - 52"	2X LARGE	42 - 44"
3X LARGE	54 - 55"	3X LARGE	46 - 47"
4X LARGE	56 - 58"	4X LARGE	48 - 50"





Anti-static



Water repellent



Flame retardant

Arc flash protected



3 EN ISO 20471 High visibility clothing



EN 343

Breathable, wind and waterproof clothing



EN 342

Certified Protection against cold



EN ISO 11611 Protection against infective agents

EN ISO 11612 & 14116 Protection against heat and flame



EN 1073-2

Protection against radioactive contaminants



EN 61482-1-2 Protection against electric



EN 13034 Protective clothing against liquid chemicals



EN 1149-3 / EN 1149-5 Protective clothing with electrostatic properties



EN ISO 13982 Protection against solid particulates



UV Standard 801 Protection from UV rays



RIS 3279 High visibility for rail workers



EN510 Anti Entanglement Protective clothing that minimises the risk of entanglement



020 8311 1144 sales@cmt.co.uk

www.cmt.co.uk



GARMENT PRINTING & EMBROIDERY

We offer a range of in-house garment decoration options

We'll work with you to print your garments exactly how you need them and we're dedicated to providing you with a reliable, cost effective and fast service

HEAT TRANSFER

Printed designs are often best suited for larger and more intricate designs, and tend to behave better when applied to lighter weight materials, such as reflective vests and jackets. The downside is that they tend to have a shorter lifespan than embroidered alternatives.





EMBROIDERY

Embroidery gives a high quality and long lasting result that is perfect for staple workwear items such as polo-shirts and fleece jackets. Ideal for most standard company logos, embroidery is more durable and can survive multiple washes, often retaining its quality for the lifetime of the garment.

CALL 020 8311 1144

WORK BAGS

Hi Vis Rucksacks

- 250gsm
- 600D Polyester
- 25 litre capacity
- Multiple pockets
- Padded back panel for comfort
- L 28cm, W 21cm, H 43cm



HVRKY

BRAND 祝

BRAND

Code HVRKY Yellow HVRKO Orange

Jumbo Kitbag

- Polyester fabric
- L750 x W350 x H300mm
- Ideal for tools or clothing
- Zipped end pockets
- Padded hand grip

KITBAG

• Call for details & prices on having your logo printed





- 520gsm
- Nylon PVC coated
- Ideal for tools or clothing
- ID holder
- Two zipped compartments
- Adjustable shoulder strap
- Call for details & prices on having your logo printed



Code	
B900KITBAG	L680 x W250 x H390mm
B903KITBAG	L480 x W230 x H320mm



OPERATIVE MAN-PACK KIT BAGS





CONTACT US TODAY 020 8311 1144

334 020 8311 1144 sales@cmt.co.uk www.cmt.co.uk







336 020 8311 1144 sales@cmt.co.uk www.cmt.co.uk







50% less emissions

50% less carbon dioxide

PROTECTION THAT DOESN'T COST THE EARTH



100% recycled polyester



Recycled clothing is chopped into pieces.

Pieces are processed into raw polyester material.



Polymerisation produces ECO CIRCLE™ fibres from Jiaren,Japan.

We take these fibres to create EcoViz® rp – a polyester fabric that fully conforms to ISO 20471.

100% recycled polyester





WE OFFER WORKWEAR AND PPE RECYCLING



FOR MORE INFO SEE PAGE 352 Reusing 4 Reusing 4 Collecting Recycling Recycling



- 175gsm
- 100% polyester birds eye knit
- Solar protection factor (SPF) rating 50+
- Wicking treatment for added comfort
- S-4XL



BRAND

HVPSY Yellow HVPSO Orange

Classic

Sweatshirt

- 300gsm
- Polycotton: 65% polyester 35% cotton
- Ideal when it's too cold for a T-Shirt but too warm for a iacket
- Hard-wearing, functional & comfortable
- Elasticated waistband & cuffs

HVSSO

Yellow

Orange

HVSSY

HVSSO

• S-3XL



HVSSY

ISO 20471

3

RIS 3279

TOM

B3040

Orange

BRAND 記





- 175gsm
- Polycotton double knitted: 75% polyester 25% cotton
- Wicking polyester fibres channel moisture away from the body
- S-4XL

HVLPSY Yellow



HVLPSO Orange Classic BRAND Hoodie 300gsm Polycotton: 65% polyester 35% cotton S-3XL A COLUMN TO MAN B304Y EN ISO 20471 B3040 3 RIS 3279 2 TOM B304Y Yellow

340

020 8311 1144 sales@cmt.co.uk

www.cmt.co.uk



Soft Shell Jacket

- 100% stretch polyester with internal micro fleece
- Fleece lined collar
- Interactive YKK zip fastener
- Mobile phone pocket
- Semi concealed zipped chest pocket & zipped front hand pockets
- Shock cord hem & cuff adjuster
- Retromax reflective tape
- S-3XL





HV2100



Code

HV2100 Yellow

HV2110 Orange

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

HV2110

MAX Polycotton Cargo Trousers



HVOPT Orange

Sweat Jogging Bottoms



- 280gsm anti-pill fleece fabric
- Comfortable to wear, allowing maximum movement without restriction

BSJBSO

1

RIS 3279

TOM

- 2 hip pockets with zip closure
- Rear patch & cargo pockets on both legs all with velcro flaps
- Reinforced nylon knee patches
- Elasticated ankles
- S-3XL

BSJBSY

Code

BSJBSY Yellow

BSJBSO Orange



Pulsar® Teflon Coated Combat Trouser BRAND

Durable 275gsm

HVYNVPT Yellow / Navy

HVONVPT Orange/ Navy

- Polv/cotton: 80% polyester 20% cotton
- Water repellent in light showers
- 3M Scotchlite reflective tape
- Knee pad pockets (pads not included)
- Partially elasticated waistband for comfort
- Double press stud & button with zip fly
- Ladies sizes available
- S-3XL
- /// PULSAR

PR336



P346

Code P346 Yellow PR336 Orange

HI VIS CLOTHING & WORKWEAR

342 020 8311 1144

sales@cmt.co.uk

www.cmt.co.uk

Hi Vis Two Toned Jogging Bottoms

- 100% polyester
- Brushed polyester warm lining
- Knee 300D reinforced Oxford denier area
- 2 side pockets with reflective tape for added visibility
- 2 thigh pockets & 1 back pocket, all with velcro fastening
- Elastocated ankle, perfect for fitting into boots
- Elasticated waistband with adjustable drawstring
- S-3XL



Code	
J9041	Yellow / Navy
J9081	Orange / Navy

BRAND

7-in-1 Storm Coat

- 190gsm
- 300D breathable PU fabric
- Concealed hood
- Removable body warmer & sleeves
- S-3XL

Code **S427** Yellow



Hi Vis Two Toned Hooded Sweater

- 100% polyester
- Brushed polyester warm lining
- 3 piece hood design
- Lightweight birds eye hood lining
- Oversized kangaroo style pocket
- Adjustable drawcord around hood
- Rib cuff with thumb loop for extra
- comfort





BRAND

ON81


Code

YN41 Yellow / Navy

YN41

```
ON81 Orange / Navy
```

Traffic Jacket Grey / Yellow



- Hi visibility yellow with reflective tape
- Unique graphite panel design
- Quilt lined with internal lycra storm cuffs
- Full length zip with storm flap
- Velcro cuff adjustment
- Chin protector fleece
- Chest pocket
- S-3XL

BEST SELLER

A Code

HVTRJGY Grey/Yellow

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY



344 020 8311 1144 sales@cmt.co.uk

www.cmt.co.uk



HI VIS CLOTHING & WORKWEAR

Nylon Rain Jacket

- 200gsm 100% polyester PVC coated
- 60gsm 100% polyester mesh yoke
- S-3XL

H440Y Yellow

H4400 Orange

Rain Trouser

Elasticated waist

Nylon

• 200gsm

• S-5XL





Breathable Rain Trousers

• 185gsm



 Elasticated waist • S-3XL HVOTY



нуото	$EN 150 20471 EN 343 \frac{1}{2} \underbrace{1}_{4} $	ниотво	EN ISO 20471 EN 343 1 2 3 3 2
Code	Code		
HVOTY Yellow	S493	Yellow	
HVOTO Orange	HVOT	BO Orange	

346

020 8311 1144 sales@cmt.co.uk

www.cmt.co.uk

Pulsar® Waterproof & Breathable Trouser

- 300D PU coated polyester fabric
- Fully waterproof
- 3M Scotchlite reflective tape
- Full length vertical stripes front & rear to show height in the wearer, increasing visibility
- Elasticated waistband & draw cord for a more precise fit
- S-3XL









TOM

```
Code
P206
       Yellow
```

PR503 Orange

Hi Vis FR & Arc Protected Rain Jacket





HV1355 HV1365

Code

```
Orange
```

Hi Vis FR & Arc Protected Rain Trousers

- Waterproof 8000mm
- Flame retardant
- High frequency welded seams
- Adjustable press studs by the ankles
- Elasticated waist

HW46

Code

HW43 Yellow

HW46 Orange

S-3XL

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

HW43



HI VIS CLOTHING & WORKWEAR

HVOT440Y Yellow

Light Duty 2 Piece Wet Suit

- Yellow
- Underarm vents & vent holes to prevent water ingress
- Zipped front with studded overlap
- Includes hood with neck cord
- Twin jacket pockets
- M-2XL



CLWS

Heavy Duty Wet Suit Trousers & Jacket

- Concealed hood
- Access for side pockets with flaps
- Available in yellow & navy
- Studded cuff
- Elasticated waist
- Hip draw cord
- Stud ankle adjustment
- S-3XL





Code		
CLWSHDSY	Yellow	Trousers & Jacket
CLWSHDTY	Yellow	Trousers only
CLWSHDJY	Yellow	Jacket only
CLWSHDSB	Navy	Trousers & Jacket
CLWSHDTB	Navy	Trousers only
CLWSHDJB	Navy	Jacket only





THE LEO WORKWEAR WOMENS RANGE

-EMPOWERING WOMEN TO WORK SAFELY

The most comprehensive range of womens high visibility clothing.

FOCUSED ON FIT FOCUSED ON QUALITY

WOMENS CLOTHING



BRAND

HVWLPSY

HVWLPSO

HI VIS CLOTHING & WORKWEAR

PPE Recycling

Secure Sustainable Solutions

CMT has teamed up with one of the UK's leading secure destruction specialists to provide a nationwide service for the secure destruction and recycling of all types of PPE. As well as improving your carbon footprint and protecting the environment, this service can also be used as a secure way to protect your brand. All materials can be collected from your site and taken to a secure facility where it is destroyed by shredding and recycled.





Working in conjunction with our Charity Partners some of the unbranded garments can be sent out to 3rd world countries in support of less fortunate communities

CMT embraces the circular economy concept, whereby we keep resources in use for as long as possible, extract the maximum value from them whilst in use, then recover and regenerate products and materials at the end of each service life.

Contact our team 020 8311 1144

Licensed Waste Carrier No. CBDL318836

RAIL VESTS



HVWRLU Orange

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

HVWRO Orange

том

TOM

Pulsarail[™] Short Pulsarail[™] Long BRAND BRAND **Sleeved Polo Shirt Sleeved Polo Shirt** 100% polyester 100% polyester birds eye knit fabric birds eye knit fabric with added wicking with added wicking treatment for extra treatment for extra comfort comfort Solar protection factor Solar protection factor (SPF) rating 50+ (SPF) rating 50+ • S-3XL • Knitted collar & cuffs • S-3XL pulsarail pulsarail RIS 3279 том Code PR176 Orange PR470 Orange Long Sleeved Polo Shirt Short Sleeved Polycotton Polo Shirt BRAND 能 **BRAND** • 175gsm • 175gsm • Poly/cotton double knitted: 100% polyester 75% polyester 25% cotton birds eye knit fabric with added · Certified to the UV wicking treatment **Protective Clothing** Standard EN13758-2, for extra comfort UPF 40+ Solar protection Wicking polyester fibres factor (SPF) rating channel moisture away 50+ from the body S-3XL Solar protection factor (SPF) rating 50+ Elasticated cuff 2 RIS 3279 • S-3XL TOM HVPSO Orange HVLPSO Orange Classic Classic BRAND Sweatshirt T-Shirt BRAND It • 300gsm • 150gsm 100% polyester • Poly/cotton: 65% polyester birds eye knit 35% cotton Lightweight, Ideal when it's breathable & too cold for a extremely T-Shirt but too comfortable warm for a jacket • S-4XL • Hard-wearing, functional & comfortable Elasticated waistband & cuffs EN ISO 20471 EN ISO 20471 • S-3XL 3 RIS 3279 2 TOM

354

HVSSO Orange

020 8311 1144 sales@cmt.co.uk

www.cmt.co.uk

HVTSO Orange

RIS 3279

TOM

RIS 3279

том

RIS 3279

TOM

Pulsarail[™] Waterproof

Over Trousers

300D PU coated

polyester fabric

• Full length vertical

height in wearer,

details on flaps

pulsarail

forming

• S-3XL

increasing visibility

Pulsarail[™] Waterproof BRAND Coverall • 300D PU coated 100% polyester fabric • 100% polyester mesh

- lining • Thinsulate liner available (G100COV see below)
- Unique design underarm ventilation system
- Modern sports style waterprof zip away lined arctic style hood with draw cord
- Elasticated waistband for a more precise fit
- S-3XL





Code

PR505 Orange

Flame Retardant & Anti Static Waterproof Salopettes

- 250gsm
- BizFlame rain material
- Waterproof & breathable

Unlined

HW25 Orange

• S-2XL





Code

PR503 Orange

Thinsulate Liner for Pulsarail Coverall

- Suits PR505 coverall (see above)
- 3M Thinsulate Insulation Type G100 guilting for maximum heat retention & comfort
- 5 anchorage points at the ankles, cuffs & back of neck
- Knitted cuffs & ankles
- YKK zip
- S-3XL

G100COV Grey

BRAND

HI VIS CLOTHING & WORKWEAR

355

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

RIS 3279 TOM

Polycotton Coverall

- 280gsm
- Poly/cotton: 80% polyester 20% cotton
- Texpel stain resistant finish
- Phone & rule pockets
- Side access pockets
- Mobile phone pocket
- Back elastic for ease of movement
- S-3XL

R

RT42 Orange

• 280gsm

Polycotton Cargo

• Poly/cotton with water

HI VIS CLOTHING & WORKWEAR



BRAND 代

Polycotton Bib & Brace

- 280gsm
 Poly/cotton: 80% polyester 20%
- cotton
 Texpel stain resistant finish
- Phone & rule pocket
- Zipped security pocket
- Side access pocket
- 7 pockets for ample storage
- Ergonomic kneepad pocket
- S-3XL

R



Pulsarail™ Teflon Combat Trousers

• Durable 275gsm

HVBBPO Orange

- Poly/cotton: 80% polyester 20% cotton fabric with twill finish
- S-3XL

Short	30-44
Reg	28-50
Tall	28-46

pulsarail

JI.

PR336 Orange

R

Code





1 RIS 3279 TOM





020 8311 1144 sales@cmt.co.uk

RIS 3279

TOM

ık www.cmt.co.uk



HI VIS CLOTHING & WORKWEAR



sales@cmt.co.uk

www.cmt.co.uk

358

020 8311 1144

RAIL ACCESSORIES

Complete Lookout Kit

Lookout holdall, chequered flag, red flag, flag poles x 2, detonators (fog signals) x 6, plastic detonator case, chain for whistle, whistle, complete horn, hand lantern, red lens aspect, 6 volt battery, track circuit clip, 1 person first aid kit, lookout armlet, site warden armlet



TSCLK

Level Crossing Attendant Kit

Level crossing holdall, red flag, green flag, flag poles x 2, hand lantern, red lens aspect, orange lens aspect, green lens aspect, 6 volt battery x 5, maxi-lite red lens x 2



Kit

Handsignal holdall, red flag, green flag, yellow flag, flag poles x 3, hand lantern, red lens aspect, orange lens aspect, green lens aspect, 6 volt battery

Hand Signalman

HANDSIGNA

TSHSK

Torches & Aspects

- LED floating lantern
- 300 lumens
- 10 hours run time
- 250m range
- 6 volt battery EB6V not included (See page 164)



Code	
UK47	Torch
TS010	Red lens aspect
TS011	Green lens aspect
TS012	Orange lens aspect
TS013	Blue lens aspect

RAIL ACCESSORIES

Detonators & Cases

- Coin sized
- To be placed on top of the rail
- Triggered by pressure rather than impact so safe to transport
- Loud warning to train drivers





TS001	Detonators
TS002	Plastic detonator case

Armlets with Inserts

• If you do not see the armband you are looking for please ask



Code	
TSA001	Lookout
TSA002	Site warden
TSA003	COSS
TSA004	Machine controller
TSA005	Crane controller
TSA006	Engineering supervisor
TSA007	Protection controller
TSA008	Site person in charge



Code	
TS004	Flag pole 54"
TS005	Chequered flag
TS006	Red flag
TS007	Green flag
TS008	Yellow flag

Level Crossing Lamp

• MaxiLite red lens



360

020 8311 1144 sales@cmt.co.uk www.cmt.co.uk

LRSMXLR

BRAND 能

W

FOR EVERYTHING EMBROIDERY

SEE PAGE 333



Classic T-Shirt

- 180gsm
- 100% cotton
- Crew neck
- Twin needle stitching on neck & shoulders
- Taped shoulder to shoulder
- Reactive dyed
- Stock colours: black, navy & red (other colours available to order)

Black

Navv

Red

• XS-4XL

CLTS-BLK

CLTS-NAV

CLTS-RED



Classic

220gsm

Taped neck3 self coloured

button placketReactive dyed,

washable at 60 degrees • Stock colours: black, navy, charcoal & royal blue (other colours available to order)

• XS-4XL

CLPS-BLK

CLPS-NAV

CLPS-CHA

CLPS-RBL

Black

Navy

Charcoal

Royal blue

Polo Shirt

Poly/cotton: 50% polyester 50% cotton
Knitted collar, hemmed sleeve & bottom



ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

Set up an account for our discounted rates / prices

Premium T-Shirt

- 200gsm
- 100% cotton
- Crew neck
- Twin needle stitching on neck & shoulders
- Taped shoulder to shoulder
- Reactive dyed
- Stock colours: black & navy (other colours available to order)
- S-3XL



5

Long Sleeved Polo Shirt



- Poly/cotton: 50% polyester 50% cotton
- Knitted collar, hemmed sleeve & bottom
- 3 self coloured button placket
- Reactive dyed, washable at 60 degrees
- Stock colours: black, navy & red (other colours available to order)
- XS-4XL

CLPSL



BRAND

Code CLPTS

Jersey Polo Shirt

- 190gsm
- 100% cotton
- Knitted collar, hemmed sleeve & bottom
- Taped neck
- 3 self coloured button placket
- Reactive dyed, washable at 60 degrees
- Stock colours: black & navy (other colours available to order)
- XS-3XL



Code

Oxford Weave Shirt -BRANCIES

Classic Sweatshirt

- 300gsm
- Poly/cotton: 50% cotton 50% polyester
- Lycra ribbed cuffs, welt & neck
- Stock colours: black, navy, charcoal & royal blue (other colours available to order)
- XS-4XL



BRAND

Oxford Weave Shirt -	
Long Sleeves	BRAND

- 120gsm
- Easy iron material
- Poly/cotton: cotton rich 70% cotton 30% polyester
- Collar size 15" 20"



Code	
KK351-WHT	White
KK351-SB	Sky blue

Classic Hooded Sweatshirt

- 300gsm
- Poly/cotton: 50% cotton 50% polyester
- Taped neck, lycra ribbed cuffs & welt
- Double fabric hood, front pouch pocket
- Brushed effect for superior comfort & look
- Available with or without self coloured full zip
- Reactive dyed
- Stock colour: navy (other colours available to order)
- S-3XL

UC504

BRAND

Code	UC501
CLSS-BLK	
CLSS-NAV	Code
CLSS-CHA	UC501 No zip
CLSS-RBL	UC504 Fullzip

Apache Softshell Jacket

- 94% polyester 6% spandex
- Micro fleece lined
- Water repellent & breathable
- Zipped pockets
- Velcro adjustable cuffs & draw cord waist
- Black
- M-2XL

HI VIS CLOTHING & WORKWEAR



Code

APSSHELL

Standard **Fleece**

- 300gsm
- 100% polyester super anti-pill micro fleece
- 2 zip pockets
- Stock colours: black, navy & red
- XS-4XL



BRAND

BRAND

Technik Softshell Jacket

- 310gsm
- 94% polyester 6% spandex
- Laminated micro polar fleece
- Windproof, water resistant.
- breathable membrane Mobile phone pocket
- Stock colours:
- black & navy
- S-4XL





TK50

Premium Full Zip Softshell Jacket

- 325gsm
- 3 layer 10000mm bonded fabric
- Mid layer: TPU waterproof, breathable & windproof membrane
- Outer layer: 93% polyester 7% elastane
- Inner storm flap
- Inner pouch & phone pockets
- Fully adjustable cuffs
- Adjustable hem with toggles

• XS-3XL



UC611

Regatta Red/Grey Jacket

- Anorak
- Reflective tape
- Lycra storm cuff
- Full length hook & loop-fastened storm flap
- Hood in collar
- Drop tail back
- Mobile phone pocket
- Internal wallet pocket

HVJYBA3-RG





Code

CLFJ

Apache All Season Work Jacket

- Lightweight, highly water repellent PU coated jacket with incredibly warm fleece lining
- Removable hood
- Two tone with reflective piping
- Zipped pockets
- Velcro adjustable cuffs & draw cord waist
- Black
- M-2XL

R



020 8311 1144

sales@cmt.co.uk www.cmt.co.uk



BRAND 代

HI VIS CLOTHING & WORKWEAR

Iona Safety Combat Trouser

- 245gsm
- Kingsmill fabric
- Knee pad pocket (pad not included)
- Stock colours: black, navy

Reg	S-4XL	S-2XL
Tall	S-2XL	n/a





BRAND 代

Code

S917

Action Trouser

- 245gsm
- Kingsmill fabric
- Reinforced at seat & knee
- Knee pad pocket (pad not included)
- Multiple zip pockets
- Stock colours: black & navy (other colours available to order)
- S-3XL

Short	28-48	30-44
Reg	28-48	28-48
Tall	28-48	28-48



Code

S887

Ballistic Trousers 3/4 Protection

Navy

- Sizes: short, regular & tall
- S-2XL



Code TRBLT

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

BRAND

Action Trouser Car Safe

• 245gsm

HI VIS CLOTHING & WORKWEAR

- Poly/cotton: 65% polyester 35% cotton
- Triple stitched on all main seams for ultimate strength
- Multifunctional & hardwearing
- Internal knee pad pocket (pad not included)
- Multiple pockets with extra strong lining
- Stock colours: navy, black (other colours available to order)

Short	30-42	28-48
Reg	30-42	28-48
Tall	30-40	30-44





BEST

SELLER

CLATNZ



366

020 8311 1144 sales@cmt.co.uk www.cmt.co.uk

HI VIS CLOTHING & WORKWEAR

Disposable Coverall Type 5/6



		\sim
CLDCV-WHT	White	50
CLDCVFR	Flame retardant	50
CLDCV-NAV	Navy	50
STCLDCV-ORA	Orange	50

Tyvek[™] Disposable Coverall Blue Panel

- Chemical protective clothing, Category III, Type 5-B & 6-B
- Stitched external seams featuring patentpending technology for enhanced liquid spray tightness
- Very low inward leakage thanks to optimised design
- Tyvek[™] auto-lock zipper & zipper flap for increased protection
- White
- L-2XL

CLTYVEK



- Excellent protection against dust & certain liquids
- Taped deams for additional protection
- Elasticated waist & ankles for convenience & freedom of movement
- Elastcated hood with three panel design
- Knitted cuffs for increased comfort
- Two-way zipper with sealable storm flap
- Offers protection against certain biohazards
- Low linting
- Colours: white & blue
- M-3XL White Blue M-XL



3M4565 White 3M4530 Blue

Microporous Shoe Cover Type 6B

- One size fits all
- Blue
- Pack of 100

CLOV



100

Knitted Beanie

- Outer fabric 100% soft touch acrylic
- Double layer knit
- One size fits all
- Black, navy & grey



Baseball Cap

• One size (Adjustable strap)

BRAND

BRAND

R

144

DON'T

 Black & navy available

B010CAP-BLK

B010CAP-NAV

Surefit Thermal

Helmet Liner

• Deep edges to cover the entire ear

• Stretchy material

SFITBN

provides a tight fit



CLBN-BLK

CLBN-NAV

Mesh Ear Balaclava

- Double thermal layer
- Mesh ear design accordance with Network Rail requirements
- Moisture wicking and quick dry fabric



Code TSXUT30



BEANIES EMBROIDERED





Lightweight Kneepad

- Nylon construction
- EVA foam
- Black





Code

Professional Gel Kneepads

- Gel cushion acts as a shock absorber for your joints
- Flexible and wide footprint gives the wearer stability





Code CLGKP

Standard Kneepads

- Allows user to move with confidence on their knees while working
- Strong outer shell protects your knee from sharp objects





Code

CLKP

Trouser Insert Kneepad

- Suitable for work trousers with internal pockets (see Hi Vis Clothing & Workwear section)
- 21.5 x 16.5cm
- Can be cut to size





Code **S156**

Protecting lives

ARC FLASH & Flame resistant Clothing

Make the smart choice for Arc Flash and Flame Resistant garments.



LIFETIME SEAM GUARANTEE

THERMSAFE COMPONENTS

Combined Ebt/ATPV Ratings

Garments can be layered to achieve an overall Arc Thermal Performance Value (ATPV) or Energy Break open Threshold (Ebt) rating. For example, thermals may achieve an Ebt of 4.3 Cal/cm², and an outer coverall may achieve an APTV of 13.6Cal/cm². However the combination APTV will be greater than the sum of the two single layers, as the air gap between the two layers affords the wearer additional protection.



370

THE IMPORTANCE OF FLAME RETARDANT CLOTHING

WHAT MAKES FR CLOTHING DIFFERENT?

- Self extinguishes or resists ignition
- Does not melt onto skin
- Provides thermal insulation from heat
- Resists breaking and exposing skin
- Reduces burn injury & increases chance of survival

THE COST OF A SINGLE BURN **INJURY CAN BE MORE THAN** THE COST OF AN ENTIRE FLAME RETARDANT CLOTHING PROGRAMME

If workers are in a dangerous environment where heat & flame are present, it's in the employer's responsibility to ensure they are protected.

FR clothing is an investment; not only does it help prevent the potentially huge costs of an incident occurring, it is also better quality & lasts longer than standard clothing, leading to savings in the long term.

KEY TO SYMBOLS





Flame retardant

Anti-static



Arc flash protected

Water repellent

FLAME RETARDANT **EN STANDARDS**




EN ISO 14116 Protective clothing against heat & flame. Limited flame spread materials



EN ISO 11612 Protection clothing against flame

EN ISO 13034 Protective clothing



against liquid chemicals EN 1149-3 / EN 1149-5

EN ISO 13506 Manikin test

EN 61482-1-2

EN ISO 11611

allied processes

Protection against

electric arc flashes


For use in welding &

EN STANDARDS FOR SAFETY WORKWEAR GUIDE



EN ISO 20471 High visibility clothing





EN ISO 1073-2 Protection against radioactive contaminants



ISO EN 13982 Protection against solid particulates



3 **EN ISO 343**

Breathable, wind & 1 waterproof clothing



EN ISO 342 Certified Protection against cold



UV Standard 801

Protection from UV rays

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

Set up an account for our discounted rates / prices





sales@cmt.co.uk

www.cmt.co.uk

372

020 8311 1144







• 330gsm

HI VIS CLOTHING & WORKWEAR

- Knee pad pocket
- Radio loops
- Stud adjustable cuffs
- Yellow/Navy
- S-4XL



020 8311 1144 sales@cmt.co.uk www.cmt.co.uk



HI VIS CLOTHING & WORKWEAR





DON'T FORGET TO SPECIFY SIZE & COLOUR OF GARMENTS WHEN YOU PLACE AN ORDER



uvonantimatatahinantimata



SIZE

non-around a railing around a



ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

SIZE



sales@cmt.co.uk

www.cmt.co.uk

378

020 8311 1144



HI VIS CLOTHING & WORKWEAR



sales@cmt.co.uk

www.cmt.co.uk

020 8311 1144



381 discounted rates / prices



Code HW45


HI VIS CLOTHING & WORKWEAR

FIXINGS & FASTENERS



Nails & Screws	384-385
Screwdriver Bits & Drill Chucks	386-387
Chemical Anchor Studs & Accessories	388
Chemical Anchor Resin Overview	389
Chemical Anchor Resins	390-393
Masonry & Steel Fixings	394
Sleeve & Wedge Anchors	395
Multi Fixing Bolts & Threaded Bars	396
Bolts	397
Nuts & Washers	398
Site Ironmongery	399-400

NAILS & SCREWS



Code		
HDN1	length 25mm	1
HDN15	length 40mm	1
HDN2	length 50mm	1
HDN25	length 65mm	1
HDN3	length 75mm	1
HDN4	length 100mm	1
HDN5	length 125mm	1
HDN6	length 150mm	1

Square Twisted Nails - Galvanised

- 30mm x 3.75mm
- 2.5kg box



Ring Shank Nails

- Annular Ringshanks
- Sherardised
- 25kg box
- Available in 50, 65 & 100mm lengths



Nails for Hilti Gun Nailer • Box of 100

	\bigcirc
length 19mm	1
length 22mm	1
length 27mm	1
length 32mm	1
length 37mm	1
length 42mm	1
length 47mm	1
length 52mm	1
length 62mm	1
length 72mm	1
	length 22mm length 27mm length 32mm length 37mm length 42mm length 47mm length 52mm length 62mm



020 8311 1144

384

sales@cmt.co.uk

RSN100 100mm

www.cmt.co.uk

NAILS & SCREWS

Rawl Plugs

- 100 pack
- RRP100, red, drill bit 5.5mm
- BRP100, brown, drill bit 7mm



Code	Ŷ
RRP100	1
BRP100	1

Classic Wood Screws

- Single thread
- Pozi countersunk (PZD)
- Zinc & yellow
- Price per box

Wood	l Screw	/S	
 Single Pozi co Zinc & Price p 	ountersunk yellow	(PZD)	P
Code			Ŷ
WS420	4.0 x 20mm	Qty. 200	1
WS425	4.0 x 25mm	Qty. 200	1
WS430	4.0 x 30mm	Qty. 200	1
WS440	4.0 x 40mm	Qty. 200	1
WS450	4.0 x 50mm	Qty. 200	1
WS460	4.0 x 60mm	Qty. 200	1
WS470	4.0 x 70mm	Qty. 200	1
WS530	5.0 x 30mm	Qty. 200	1
WS540	5.0 x 40mm	Qty. 200	1
WS550	5.0 x 50mm	Qty. 200	1
WS560	5.0 x 60mm	Qty. 200	1
WS570	5.0 x 70mm	Qty. 200	1
WS580	5.0 x 80mm	Qty. 200	1
WS590	5.0 x 90mm	Qty. 200	1
WS5100	5.0 x 100mm	Qty. 100	1
WS650	6.0 x 50mm	Qty. 100	1
WS6100	6.0 x 100mm	Qty. 100	1
WS6150	6.0 x 150mm	Qty. 100	1

Drywall Screws Black PH2

- Price per box
- Complete with Philips bit



Code			Ŷ
DWB3525	3.5 x 25mm	Qty. 1000	1
DWB3538	3.5 x 38mm	Qty. 1000	1
DWB3545	3.5 x 45mm	Qty. 1000	1
DWB4275	4.2 x 75mm	Qty. 500	1

Premium Wood Screws

- Improved countersinking & holding power
- Anti-friction thread reduces splitting
- Serrated thread for improved pull-out & torque when inserting
- Double cutting point for faster Drilling

Code			\bigcirc
PWS420	4.0 x 20mm	Qty. 200	1
PWS425	4.0 x 25mm	Qty. 200	1
PWS430	4.0 x 30mm	Qty. 200	1
PWS440	4.0 x 40mm	Qty. 200	1
PWS450	4.0 x 50mm	Qty. 200	1
PWS460	4.0 x 60mm	Qty. 200	1
PWS470	4.0 x 70mm	Qty. 200	1
PWS530	5.0 x 30mm	Qty. 200	1
PWS550	5.0 x 50mm	Qty. 200	1
PWS560	5.0 x 60mm	Qty. 100	1
PWS570	5.0 x 70mm	Qty. 100	1
PWS580	5.0 x 80mm	Qty. 100	1
PWS590	5.0 x 90mm	Qty. 100	1
PWS5100	5.0 x 100mm	Qty. 100	1
PWS650	6.0 x 50mm	Qty. 100	1
PWS6100	6.0 x 100mm	Qty. 100	1
PWS6150	6.0 x 150mm	Qty. 100	1

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

385

FIXINGS & FASTENERS

SCREWDRIVER BITS & DRILL CHUCKS

Phillips Bits

- Length 25mm
- Shank ¼" hexagon
- Titanium coated
- Shock & wear resistant
- S2 grade chrome vanadium steel



Poz	zid	ri	ve
Bit	S		

- Length 25mm
- Shank ¼" hexagon
- Titanium coated
- Shock & wear resistant
- S2 grade chrome vanadium steel
- Pack of 3



Code		Ø
FAISBPH1	PH1	3
FAISBPH2	PH2	3
FATSBPH3	PH3	3

Screwdriver **Bit Set**

- Pozi: PZ1, PZ2
- Phillips: PH1, PH2
- Slotted: SL4.5, SL6.5
- Magnetic bit holder

Code		Ø
FAISBPZ1	PZ1	10
FAISBPZ2	PZ2	12
FAISBPZ3	PZ3	12

Magnetic Bit Holders

- ¼" 60mm length
- Chrome vanadium
- 1/4" drive

BMBHSTD Hex

BMBHQS Quick release



1

BD60480

1

SCREWDRIVER BITS & DRILL CHUCKS



ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

387

CHEMICAL ANCHOR STUDS & ACCESSORIES

Chemical Anchor Studs

- 5.8 grade Zinc plated steel
- Chisel point to prevent rod turning when tightening
- Complete with nut & washer
- With embedment depth mark

Code	Size	Max. fixing thickness	Recommended hole size req.	Box qty.	Ŷ
CASM8110	M8x110mm	13mm	10 x 80mm	10	1
CASM10130	M10 x 130mm	20mm	12 x 90mm	10	1
CASM12160	M12 x 160mm	25mm	14 x 110mm	10	1
CASM16190	M16 x 190mm	35mm	18 x 125mm	10	1
CASM20270	M20 x 270mm	55mm	24x170mm	4	1

Blow Out Pump Hole Cleaner

- Ideal for cleaning dust from drilled holes prior to applying bonded anchors or installing mechanical anchors
- Hole cleaning is necessary for correct loads
- Manual, easy to use
- Serial application

Suitable for use in:

Cracked Concrete Non Cracked Concrete C20/25-C50/60 Aerated Concrete Block Hollow or Solid Sand-lime Brick Hollow Brick Hollow Lightweight Concrete Block

SEE PAGES

42-43

Code

BOP01

FOR OUR FULL RANGE OF SDS DRILL BITS



SEEEE

Ŕ



CHEMICAL ANCHOR RESIN OVERVIEW

Types & Features Of Resins Available

Types	Strength Performance Level	Cracked Concrete	Non Cracked	Indoor Use	Outdoor Use	Wet Application	Low Odour	Use With Rebar	Cure Speed	Suitable for use in all general masonry
Pure Epoxy	Extreme	\checkmark	\checkmark	\checkmark	\sim	\sim	Solvent Free	\sim	Slow	\checkmark
Vinylester	High	\sim	\checkmark	\checkmark	\sim	\sim	Styrene Free	\sim	Fast	\checkmark
Epoxy Acrylate	Medium	×	\checkmark	\checkmark	\sim	\sim	Styrene Free	\sim	Fast	\checkmark
Polyester	Standard	\mathbf{X}	\checkmark	\checkmark	\sim	\sim	Styrene Free	×	Fast	\checkmark

General Information:

- Cracked Concrete Determined by structural engineer according to fixing application.
- Styrene Free Low odour. More expensive. Better performance, higher strength. Friendly to environment. A+ Rating VOC content.
- Wet application Curing time is twice as long and slightly lower performance. All performance testing is done in wet so stated figures are accurate for wet application. Performance in dry will be higher than stated figures.

Product Approval Overview

Types		C2 Seismic	C1 Seismic	ETA Option 1	ETA Option 7 Non- Cracked	TR023 Post Installed Rebar	Diamond Drilled Holes	Fire Rated	WRAS	Strength	Cure Temp. Range
PUR500585	Resin 585ml	\checkmark	\checkmark	\checkmark	\sim	\sim	\checkmark	\checkmark	\checkmark	*****	5 - 45 deg
MAXCR04	Resin 410ml	×	×	\checkmark	\sim	\sim	\mathbf{X}	\checkmark	\sim	****	-10 to 35 deg
MAXCR03	Resin 410ml	×	×	×	\sim	\sim	×	\checkmark	\checkmark	****	-10 to 35 deg
MAXCR02	Resin 300ml	×	×	×	\sim	X	×	X	×	****	-10 to 35 deg
MAXCR01	Resin 410ml	X	X	X	\sim	×	X	X	X	****	-10 to 35 deg

Installation Guide



Standard Hole Dimensions In Concrete

Threaded Rod Diameter	M8	M10		M12	Μ		M20		M24		M30
Hole Diameter (mm)	10	12		14	1	3	24		28		35
Hole Embedment Depth (mm)	80	90		110	1	25	170		210		280
Est No. of holes per 410ml	85	52		31	1	5	7		4		2
Rebar Distance (mm)			12	14				22			32
Hole Diameter (mm)	12	14	16	18	20	22	25	28	32	35	38
Hole Embedment Depth (mm)	110	120	130	140	150	160	170	190	210	280	320
Est No. of holes per 410ml Cartri	dge 42	28	20	14	11	8	6	4	3.1	1.9	1.4

CHEMICAL ANCHOR RESINS

PUR500585 - PUR Epoxy Solvent Free Chemical Anchor Resin 585ml

Product Description

PUR 500 is a 2 component high strength pure epoxy chemical anchoring resin system. It is designed for deep embedment and large diameter holes due to its zero shrinkage, and longer working times. For diamond drilled holes, with rebar, and in areas of high chemical exposure eg. Seasalt and swimming pools. Use MET585 for correct applicator

Features & Benefits

- High bond strength with High load resistance
- Used with all grades of threaded rod and rebar in accordance with TR029
- Ideal for deep embedment installations
- Used in non-cracked and cracked concrete
- Used in dry and wet concrete and also in wood
- Used in flooded holes
- Used for overhead applications
- ETA approved for diamond drilled holes
- Ideal for elevated temperatures temperature ranges I, II and III
- ETA approved for rebar installations under TR023 and EN1992-1-1:2004 EC2
- Zero shrinkage enables large diameter installations
- ETA approved for Seismic Loads C2
- Manual cleaning up to 20mm diameter and embedment depths of 240mm
- Independently tested and approved anchor life 50 years
- 24 Month shelf life
- A+ Rating VOC content

Approvals

- ETA Option 1 ETAG 001 for cracked concrete with studs and rebar TR029
- ETA Option 1 ETAG 001 for rebar TR023 : Approved for Seismic Loads C2
- F120 Fire Test report ICC-ES Approval ESR 3853
- BS6920 for use with potable water WRAS Approved 1309522
- ETA approved in flooded holes, wet and dry concrete
- Tested according to LEED 2009 EQ c4.1, SCAQMD rule 1168 (2005)



THE FILL

Minimum Curing Time

Concrete Tem	perature	Gel - Working Time	Minimum Curing Time In Dry Concrete	Minimum Curing Time In Wet Concrete
5C		120 minutes	3000 minutes	x2
15 C		60 minutes	1200 minutes	x2
25 C		25 minutes	480 minutes	x2
35 C		16 minutes	240 minutes	x2
40 C		10 minutes	150 minutes	x2
Code				Ø
PUR500585	585ml			12
MET585	585ml extrusion to	ol		12
RNOZZLE	Applicator nozzle			12

020 8311 1144 sales@cmt.co.uk www.cmt.co.uk

CHEMICAL ANCHOR RESINS

MAXCR04 - MAX Vinylester Styrene Free Chemical Anchor Resin 410ml



MAX Vinylester is a 2 component high strength 10:1 ratio chemical anchoring resin system. It is designed as a fast curing high strength resin fixing anchor for very high loads and critical and overhead fixings especially in corrosive environments, or damp conditions. Use MET410 for correct applicator.

Features & Benefits

- High bond strength with High load resistance
- Used with all grades of threaded rod and rebar in accordance with TR029
- Used in non-cracked and cracked concrete
- Fast gelling and curing
- Used in dry and wet concrete
- Used in critical or overhead applications
- Used in corrosive environments
- ETA tested based on life of anchor 50 years
- Used for elevated temperatures temperature ranges I, II and III
- Used for post installed rebar installations under TR029 and TR023
- Low shrinkage enables large diameter installations
- Close edge distance and small spacing
- Manual cleaning up to 20mm diameter and embedment depths of 240mm
- Independently tested and approved

Approvals

- ETA Option 7 ETAG 001 for uncracked concrete with studs and rebar TR029
- ETA Option 1 ETAG 001 for cracked concrete with studs
- ETA for post installed Rebar TR023
- Fire approved R180
- Tested to BS6920 for use with potable water
- Tested according to LEED 2009 EQ c4.1, SCAQMD rule 1168 (2005).



Minimum Curing Time

Concrete Temperature	Gel - Working Time	Minimum Curing Time In Dry Concrete	Minimum Curing Time In Wet Concrete
-10 C *	50 minutes	240 minutes	x2
-5C*	40 minutes	180 minutes	x2
5C	20 minutes	90 minutes	x2
15 C	9 minutes	60 minutes	x2
25 C	5 minutes	30 minutes	x2
35 C	3 minutes	20 minutes	x2
Code			Ø
MAXCR04 410ml			12
MET410 410ml applicator			12
RS410G 410ml applicator			12
RNOZZLE Applicator nozzle			12



391

CHEMICAL ANCHOR RESINS

MAXCR03 - MAX Epoxy Acrylate Styrene Free Chemical Anchor Resin 410ml



MAX Epoxy Acylate is a 2 component high strength 10:1 ratio chemical anchoring resin system. It is designed as a fast curing high strength resin fixing anchor for high loads and medium loads and is particularly advantageous for fixings in damp environments or with chemical exposure. Use MET410 for correct applicator.

Features & Benefits

- High bond strength with High load resistance
- Used with all grades of threaded rod and rebar
- Used in concrete and masonry
- Fast gelling and curing
- Used in dry/wet concrete and flooded holes
- Resistance to chemicals and damp conditions
- Close edge distance and small spacing
- European approval for use in masonry with nylon sleeves
- Economical fixing resin
- Extremely versatile
- Styrene free with low odour
- Manual cleaning up to 20mm diameter and embedment depths of 240mm
- Independently tested and approved

Approvals

- 18/0800 ETA EAD 330499-00-0601 M8-M24 Threaded Rods 8-25mm Rebar
- 18/0799 ETA EAD 330076-00-0804 M6-M12 Masonry Installations.
- CE Certified 1404-CPR-3054/3053 ZAG, Solvenia.
- Tested according to LEED 2009 EQ c4.1, SCAQMD rule 1168 (2005).
- WRAS Approved for use with Potable drinking water no. TBA.
- A+ Rating VOC content

Minimum Curing Time

392

Concrete Tem	perature	Gel - Working Time	Minimum Curing Time In Dry Concrete	Minimum Curing Time In Wet Concrete
-10 C *		50 minutes	240 minutes	x2
-5C*		40 minutes	180 minutes	x2
5C		20 minutes	90 minutes	x2
15 C		9 minutes	60 minutes	x2
25 C		5 minutes	30 minutes	x2
35 C		3 minutes	20 minutes	x2
Code				Ø
MAXCR03	410ml			12
RNOZZLE	Applicator nozzle			12

MAXCR02 - MAX Polyester Styrene Free Chemical Anchor Resin 300ml

MAXCR01 - MAX Polyester Styrene Free Chemical Anchor Resin 410ml

Product Description

MAX Polyester a 2 component high strength 10:1 ratio chemical anchoring resin system. It is designed as a fast curing high strength resin fixing anchor for high loads and medium loads and is particularly advantageous for fixings in masonry due to the European approval and gives excellent value for money. Use MET410 or RS300G for correct applicator.

Features & Benefits

- Good bond strength with High load resistance
- Used with all grades of threaded rod
- Used in concrete and masonry
- Fast gelling and curing
- Used in dry and wet conditions
- European approval for use in concrete ETAG001 Option 7
- European approval for use in masonry with nylon sleeves
- Close edge distance and small spacing
- Also suitable as a filler for gap and crack filling
- Economical fixing resin
- Extremely versatile
- Styrene free with low odour
- Close edge distance and small spacing
- Manual cleaning up to 20mm diameter and embedment depths of 240mm
- Independently tested and approved

Approvals

- ETA ETAG 001 Option 7 M8-M16
- ETA ETAG 029 for Masonry Size M10
- ITB approved AT-15-6900:2011 ITB-978/W
- Association Socotec Approval CAZ 0834/1
- Tested according to LEED 2009 EQ c4.1, SCAQMD rule 1168 (2005).
- A+ Rating VOC content

Minimum Curing Time

Concrete Te	emperature	Gel - Working Time	Minimum Curing Time In Dry Concrete	Minimum Curing Time In Wet Concrete
-10 C *		50 minutes	240 minutes	x2
-5C*		40 minutes	180 minutes	x2
5 C		20 minutes	90 minutes	x2
15 C		9 minutes	60 minutes	x2
25 C		5 minutes	30 minutes	x2
35 C		3 minutes	20 minutes	x2
Code				Ø
MAXCR02	300ml			12
MAXCR01	410ml			12
MET300	300ml tool			12
MET410	410ml applicator			12
RS410G	410ml applicator			12
RSNOZZLE	Applicator nozzle			12





MASONRY & STEEL FIXINGS

Nylon Hammer In Fixings

- Nylon hammer fixings are for quick & easy fixing into concrete & solid masonry
- Zinc & Yellow passivated

Code		Qty.	\bigcirc
NHF660	M6 x 60mm	100	1
NHF880	M8 x 80mm	100	1
NHF8120	M8 x 120mm	50	1

Construction Screws Self Drilling Hex Head - Steel (Thick)

- Self-drilling screws for heavy section 12mm steel to steel
- HEX head self-drill screw with 16mm washer

 -

MINININININININININININININI

Code		Qty.	Ŷ
CSSH5532	5.5 x 32mm	100	1
CSSH5538	5.5 x 38mm	100	1
CSSH5560	5.5 x 60mm	100	1
CSSH5580	5.5 x 80mm	100	1

Construction Screws Self Drilling - Timber (Thick)

- Self-drilling screws for heavy section timber to steel up to 12mm thick
- Phillips recess

Code	Size	Qty.	
CSTH5560	5.5 x 60mm	200	1
CSTH5585	5.5 x 85mm	100	1
CSTH55100	5.5 x 109mm	100	1

Construction Screws Self Drilling Hex Head - Steel (Light)

- Self-drilling screws for light section 5mm steel to steel with a coarse self-tapping thread
- HEX head self-drill screw with 16mm washer



Code	Size	Qty.	Ŷ
CSSL5525	5.5 x 25mm	100	1
CSSL5538	5.5 x 38mm	100	1
CSSL5548	5.5 x 48mm	100	1
CSSL5550	5.5 x 50mm	100	1
CSSL5551	5.5 x 51mm	100	1

Construction Screws Self Drilling - Timber (Light)

- Phillips recess wing tip self-drilling screws for light section steel. They have a coarse selftapping thread & 6 ribs on the head to assist completion of countersinking
- Self-drilling screws for light section timber to steel up to 4mm thick

Code		Qty.	Ŷ
CSTL5540	5.5 x 40mm	200	1
CSTL5560	5.5 x 60mm	200	1
CSTL5580	5.5 x 80mm	100	1
CSTL55100	5.5 x 100mm	100	1

Multi-Fix Concrete Frame Screws

- Countersunk
- Torx TX30

Code	Size	Qty.	Ŷ
MCS75/50	M7.5 x 50mm	100	1
MCS75/60	M7.5 x 60mm	100	1
MCS75/80	M7.5 x 80mm	100	1
MCS75/100	M7.5 x 100mm	100	1
MCS75/120	M7.5 x 120mm	100	1
MCS75/150	M7.5 x 150mm	100	1
MCS75/180	M7.5 x 180mm	100	1

020 8311 1144 sales@cmt.co.uk www.cmt.co.uk



		\sim
DZSP08	M8 setting punch	1
DZSP10	M10 setting punch	1
DZSP12	M12 setting punch	1

Through Bolts Zinc Plated & Yellow Passivated

- The through bolt is the ultimate "through fixing" with the hole diameter as the bolt diameter. It is ideal for bolting in place awkward fixtures without the need for marking out, removal or repositioning
- It is a torque controlled anchor suitable for use in concrete over C20/25 strength



Code		Qty.	Ŷ
TB10100	M10 x 100mm	50	1
TB10120	M10 x 120mm	50	1
TB12100	M12 x 100mm	20	1
TB12120	M12 x 120mm	20	1

Hi-Tensile Sockets

• For use with concrete screw anchors



Code	Size	Ŷ
HSKT13	13mm ½" drive	1
HSKT16	16mm ½" drive	1
HSKT17	17mm 1⁄2" drive	1
HSKT19	19mm ½" drive	1
HSKT21	21mm ½" drive	1
HSKT24	24mm ½" drive	1
HSKT27	27mm 1⁄2" drive	1

SLEEVE & WEDGE ANCHORS

Drop in Wedge Anchors Standard - Non Lipped

- An internally threaded socket anchor for use with bolts or threaded rod of any length. May be set flush or at a depth
- Full expansion can be guaranteed by using the correct shouldered setting punch.
- Suitable for use in concrete



Code		Qty.	Ŷ
DWA830	M8 x 30mm	100	1
DWA1040	M10 x 40mm	100	1
DWA1260	M12 x 50mm	50	1
DWA1665	M16 x 65mm	25	1

Sleeve Anchors Hex Bolt Zinc Plated and Yellow Passivated

- The Hex Nut sleeve anchor is a thin walled sleeve anchor suitable for use in concrete, stone, brickwork, perforated bricks & dense concrete blocks
- The diagonal slot enables the small gaps to be pulled down & a positive clamping force to be exerted through the fixture



Code		Qty.	Ŷ
SLB10055	M10 x 55mm	50	1
SLB10100	M10x100mm	50	1
SLB12100	M12 x 100mm	50	1
SLB12125	M12 x 125mm	25	1

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

MULTI FIXING BOLTS & THREADED BARS

Hex Head Concrete Anchor Bolts

- Heavy duty anchoring into concrete, brick, stone, wood & concrete blocks
- High low parallel threads for ease of insertion & high pull out values
- B point for use in pre-drilled shallow holes

Code	Size	Box qty.	Ś	Ð
M0860	M8 x 60mm	100		
M0875	M8 x 75mm	100	1	1
M08100	M8x100mm	100	1	1
M1075	M10 x 75mm	100	1	1
M10100	M10 x 100mm	100	1	1
M12100	M12 x 100mm	50	1	L
M12150	M12 x 150mm	25	1	1
M14100	M14 x 100mm	50	1	1
M16100	M16 x 100mm	25	1	1
M16150	M16 x 150mm	10	1	1

6434444

Threaded

Bar

- Grade 4.8g zinc threaded bar
- 2m lengths
- 8, 10 & 12mm diameters
- Can be used with chemical resin

Code	Size	Sold per	Ø
M82NTRTR	M8 x 2m	each	25
M102NTRTR	M10 x 2m	each	15
M122NTRTR	M12 x 2m	each	10

Zinc Connector Nuts

- For extending the length of threaded bar
- Conforms to DIN6334



Code Size Pack s **M10TBCN100** M10x30mm 100

Hexagon Set Screws Fully Threaded BZP

- Grade 8.8 Din 933
- Bright zinc



Code	Size	Box qty.	R
HSF0650	M6 x 50mm	200	1
HSF0820	M8 x 20mm	200	1
HSF0850	M8 x 50mm	200	1
HSF0890	M8 x 90mm	100	1
HSF1025	M10 x 25mm	200	1
HSF1040	M10 x 40mm	100	1
HSF1050	M10 x 50mm	100	1
HSF1080	M10 x 80mm	50	1
HSF1090	M10 x 90mm	50	1
HSF10100	M10 x 100mm	50	1
HSF10150	M10 x 150mm	50	1
HSF1230	M12 x 30mm	100	1
HSF1240	M12 x 40mm	100	1
HSF1250	M12 x 50mm	50	1
HSF1255	M12 x 55mm	50	1
HSF1265	M12 x 65mm	50	1
HSF1280	M12 x 80mm	50	1
HSF1290	M12 x 90mm	50	1
HSF12100	M12 x 100mm	50	1
HSF12150	M12 x 150mm	25	1
HSF1630	M16 x 30mm	50	1
HSF1635	M16 x 35mm	50	1
HSF1640	M16 x 40mm	50	1
HSF1650	M16 x 50mm	50	1
HSF1660	M16 x 60mm	25	1
HSF1670	M16 x 70mm	25	1
HSF1690	M16 x 90mm	25	1
HSF16100	M16 x 100mm	25	1
HSF16120	M16 x 120mm	25	1
HSF16150	M16 x 150mm	25	1
HSF2030	M20 x 30mm	25	1
HSF2040	M20 x 40mm	25	1
HSF2050	M20 x 50mm	25	1
HSF2080	M20 x 80mm	20	1
HSF20100	M20 x 100mm	20	1
HSF20150	M20 x 150mm	10	1

Hexagon Bolt Part Thread Bright Zinc Plated

- Grade 8.8 Din 931
- Bright zinc



Code		Box qty.	\bigcirc
HPF1050	M10 x 50mm	100	1
HPF1080	M10 x 80mm	50	1
HPF10100	M10 x 100mm	50	1
HPF10120	M10 x 120mm	50	1
HPF10150	M10 x 150mm	50	1
HPF10180	M10 x 180mm	25	1
HPF10220	M10 x 220mm	25	1
HPF1250	M12 x 50mm	100	1
HPF1280	M12 x 80mm	50	1
HPF12100	M12 x 100mm	50	1
HPF12120	M12 x 120mm	50	1
HPF12140	M12 x 140mm	25	1
HPF12150	M12 x 150mm	25	1
HPF12180	M12 x 180mm	25	1
HPF12220	M12 x 220mm	25	1
HPF1650	M16 x 50mm	25	1
HPF1680	M16 x 80mm	25	1
HPF16100	M16 x 100mm	25	1
HPF16120	M16 x 120mm	25	1
HPF16140	M16 x 140mm	10	1
HPF16150	M16 x 150mm	20	1
HPF16180	M16 x 180mm	10	1
HPF16220	M16 x 220mm	10	1
HPF2050	M20 x 50mm	25	1
HPF2080	M20 x 80mm	20	1
HPF20100	M20 x 100mm	10	1
HPF20150	M20 x 150mm	10	1

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

NUTS & WASHERS

Square Plate Washers BZP -Bright Zinc Plated

- Square plate washer
- Zinc & clear
- Round hole
- BS3410



Code		Qty.	Ŷ
SPW1040	M10 x 40 x 3mm	100	1
SPW1050	M10 x 50 x 3mm	100	1
SPW1240	M12 x 40 x 3mm	100	1
SPW1250	M12 x 50 x 3mm	100	1
SPW1650	M16 x 50 x 3mm	100	1

Steel Flat Washer Form A BZP

- Bright plain washer
- Form A zinc & clear
- BS432



Code		Qty.	Ø
FWM06	M6	100	1
FWM08	M8	100	1
FWM10	M10	100	1
FWM12	M12	100	1
FWM16	M16	100	1
FWM20	M20	100	1
FWM24	M24	100	1

Hexagon Full Nuts Bright Zinc Plated

- Zinc plated
- DIN934



Code	Size	Qty.	Ŷ
HFN06	M6	200	1
HFN08	M8	200	1
HFN10	M10	100	1
HFN12	M12	100	1
HFN16	M16	100	1
HFN20	M20	50	1
HFN24	M24	25	1

SITE IRONMONGERY

T Hinges - Black Japanned

Pack of 2

FIXINGS & FASTENERS



Hasp & Staple - Zinc Plated

- 150mm
- Staple hole size: 12mm
- Fixings not included

Code	Size		Ŷ
TH150B	150mm (6")		1

Code		Ð
TH150B	150mm (6")	1
TH300B	300mm (12")	1
TH400B	400mm (16")	1

Padlock Bolt

- Bright zinc plated brenton padbolt
- 200mm (8")





PADB200

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

SITE IRONMONGERY

Digital Keypad Lock

Satin chrome



DIGKEY

Brass Padlock


- Brass body
- Hardened steel shackle
- Complete with 2 keys

FOR OUR FULL **RANGE OF** PADLOCKS



10





Code		Ŷ
PDLB30	30mm	6
PDLB40	40mm	6
PDLB50	50mm	6
PDLB60	60mm	6

020 8311 1144 sales@cmt.co.uk www.cmt.co.uk

CONCRETE & FORMWORK ACCESSORIES



Concrete Testing	402-403	
Rakes	404	
Concrete Placers & Brooms	405	
Curing Tank, Frost Protection & Thermometers	406	
Tying Wire, Cutters & Denso Tape	407	
Chemicals & Sealants	408	
Formwork Oil Sprayers	409	
Rebar Safety Strip & Mushroom Caps	410	

402

CONCRETE TESTING



020 8311 1144 sales@cmt.co.uk www.cmt.co.uk

CONCRETE TESTING



ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

Set up an account for our discounted rates / prices

RAKES

Round Tooth Tarmac Rake

- 48" hardwood plain handle
- Head size 16 x 4"
- 16 tooth





Round Tooth


Tarmac Rake

• Head size 16 x 4"

• 16 tooth

• 66" tubular steel handle

CONCRETE PLACERS & BROOMS



Big Blue Float Kit c/w Knuckle Head & 3 Handles

 \bigcirc

5

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

405

 \bigcirc

CURING TANK, FROST PROTECTION & THERMOMETERS

Polypropylene Concrete Curing Tanks

- 700 x 540 x 530mm
- Accepts 12 x 150mm or 40 x 100mm cubes
- Includes thermostat

Frost Protection Foam Blanket

• 8mm x 1.5m x 75m



Code		Ŷ
CT110V	110v	1
CT240V	240v	1



Digital Thermometer

- Celsius & Fahrenheit
- -50°C to +125°C (-58F to +257F)
- Easy read screen
- Includes battery



Thermometer





Code

020 8311 1144 sales

TH100

 \bigcirc

sales@cmt.co.uk

www.cmt.co.uk

TYING WIRE, CUTTERS & DENSO TAPE



ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

CONCRETE & FORMWORK ACCESSORIES

CHEMICALS & SEALANTS

Mould Oil

- Provides a physical barrier & chemical release
- Application: spray, brush or mop
- Kerosene based

		_		
		200		
	Actor Ship Company	- GAL		
1	A DESCRIPTION OF THE PARTY OF T		1	
	Constanting of the second			
		_	- 1	
		-		

Code		
CRA05L	5 litre	4
CRA25L	25 litre	40
CRA200L	200 litre	40

Concrete Curing Compound

- 25 litre
- An economical water based silicate general purpose curing compound
- Red tinted

408

• Application: Help curing process in concrete



020 8311 1144

Ecolease Form Release Agent

- 25 litre
- Water based
- For use in environmentally sensitive applications
- Application: spray



sales@cmt.co.uk

Ecotard MF Mould & Form Face Retarder

- Colour tinted to assist application
- Application: roller or brush



Ecotard TF Top Face Retarder

- 25 litre
- Spray applied
- Slows the set of surface mortar
- Application: spray



www.cmt.co.uk

FORMWORK OIL SPRAYERS

MAX Professional Sprayer

- Filling contents: 5 litre
- Total contents: 7 litre
- Operating pressure: 3 bar (44psi)
- Weight when empty: 1.7kg
- Tank: Plastic with large pressure reservoir
- Carried at the side
- Seals: FPM
- Nozzle: Flat-jet plastic nozzle
- Spray wand: Plastic, 50cm, 360° rotatable
- Hose: 2m, transparent, oil resistant
- Vilton seals for chemical resistance







Code

CONSPRAY5

Professional Formwork Oil Sprayer

- 5 litre capacity
- Pressure gauge & safety valve
- 6 bar (90psi)
- Metal tank



Code

WS500P



 \bigcirc

1

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

 \bigcirc

REBAR SAFETY STRIP & MUSHROOM CAPS



OTHER CONCRETE ACCESSORIES ARE AVAILABLE

- Concrete square bar
- Continuous plastic chair
- Plastic spacers
- Concrete spacers
- Tierod bar
- Dowel bar

CONTACT US WITH YOUR REQUIREMENTS

DID YO KNOV

PLANT, POWER TOOLS & AUTOMOTIVE



Drills, Batteries & Chargers	414
Saws & Grinders	415
Pressure Washers & Dust Extractor	416
Submersible Pumps	418
Wet Concrete Equipment	419
Hand Tampers & Breaker Steels	420
Compaction Equipment	421-422
	423
Cut-Off Saws	424-425
Trailer Parts	426-427
Automotive Supplies	428-429
Automotive Maintenance & Cleaning	430

ONE BATTERY PL/ OVER 170 SOLUTI

18v]+ 18v

Makita 18V Li-ion batteries charge in under an hour



22 minute charge



45 minute charge



36 minute charge



55 minute charge



ATFORM ONS

<u>36</u>v/

-

CONTACT CMT FOR SPECIAL DEALS 020 8311 1144



3.Oan 4.Oan 5.Oan 6.Oan



Visit our website for more information www.makitauk.com

DRILLS, BATTERIES & CHARGERS

Makita Combi Drill & Impact Driver Kit

• Includes: case, charger, Combi drill, impact driver & 3 x 18v Li-ion batteries



Code

MAKCOMBOJX1

Makita Li-ion Rapid Battery Charger

- Suits 3.0Ah, 4.0Ah & 5.0Ah Li-on batteries
- 14.4v 18v
- Air cooled rapid charge technology



Code

MAKFC18

Makita DDF453Z 18v LXT Drill Driver

- 18v Combi drill
- Single sleeve keyless chuck
- Compatible with Li-ion battery
- Body only

Code

MAKDDB3

Makita DTD152Z 18V LXT Impact Driver

- Compact design impact driver
- Twin LED lights
- Compatible with Li-ion battery
- Body only

MAKDTD152Z



Thakita



- Lightweight & shock absorbing
- Li-ion offers 430% more capacity than traditional Ni-Cad
- Remains cool even in heavy use



Code		Ŷ
MAKBAT3AH	3.0Ah	1
MAKBAT4AH	4.0Ah	1

Makita 110v SDS Plus Drill

- AVT anti-vibration technology
- 850 Watt
- 5 Joule impact energy

and the second

1

and the second s	•
	Ŷ
MAKSDSP210C	1

Makita SDS Max Rotary Hammer Drill 110v

- AVT anti-vibration technology
- 850 Watt
- 9.4 Joule impact



414 0

020 8311 1144 sales@cmt.co.uk

www.cmt.co.uk

L8V

SAWS & GRINDERS

makite

makita

PART NO 1220520

Makita Dustbag To Suit

5903R Circular Saw

Cleaner finish & less dust

 Cloth bag for efficient collection

MAKDUSTB903

 Quick release tool-less blade

change

Jigsaw - 110v

 Variable electronic speed control
 Sturdy adjustable base for accurate cutting

Makita Orbital Action

Makita 5903R Circular Saw 235mm - 110v

- Powerful motor
- Dust extraction facility
- Quick release height adjustment



Makita Reciprocating Saw - 110v

- Variable speed control
- Double insulation

MAKRECIP110V

Makita 115mm Angle

• Small gear housing for easy handling & manoeuvrability

Powerful 720W motor with excellent heat-resistance

Grinder - 110v

• Anti-restart function

Machine bevel gears

Soft start feature
Ergonomic 20 degree side grip angle
Lock-on switch to

reduce user fatigue

MAKAG115-110V

• Tool-less blade change

MAK4350CT-110V

14455061 110

Makita 230mm Angle Grinder - 110v

- Compact & lightweight design
- Large trigger switch
- Small gear housing for easy handling & manoeuvrability
- Double insulation

MAKAG230-115



ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

PRESSURE WASHERS & DUST EXTRACTOR

MAX High Pressure Washer 165 Bar 240v

- 165 bar max. pressure
- 2.1kW 240v motor
- 468 litres per hour max. flow rate
- 5m hose length on integrated reel with hose & lance storage
- Built in detergent tank
- Auto stop/start
- Fully adjustable spray nozzle





Kärcher Compact Pressure Washer 130 Bar - 240v

- 420 litres per hour flow rate
- 6m hose length
- Weight: 11.4kg
- 1800 Watt motor



KARK4

Kärcher Compact Pressure Washer 110 Bar - 240v

- 360 litres per hour flow rate
- 4m hose length
- Weight: 4kg
- 1400 Watt motor

KARK2C

M-Class Wet & Dry **Dust Extractor 110v**

- 42 litre tank capacity
- Includes hose, adapters, fleece filter bag & disposal bag
- Weight: 16kg

VC4210MX

• 1200 Watt motor



MAXPW165

416

020 8311 1144 sales@cmt.co.uk www.cmt.co.uk



#PERFORMANCE #DURABILITY #SAFETY



SUBMERSIBLE PUMPS

Submersible Pumps

For use in civil engineering, construction, landscaping, utilities and flooding emergency applications.

In these environments you need a pump that can handle the unknown subsurface conditions of mud, sludge, sand and other debris without breaking down.

SUBPMP1

- Robust & compact contractor pump
- 50mm (2") outlet
- Tough steel base & body

SUBPMP2

- Puddle sucker pump able to pump water down to 1mm
- 25mm (1") outlet
- Tough steel base & body



SUBPMP1



SUBPMP2

Code	Ŷ
SUBPMP1 Submersible abrasive water pump	1
SUBPMP2 Puddle sucker flood water pump	1
FR95416	
Electric ** pump50mm (2") outlet	
Heavy duty steel cast construction	
<u>LFH</u> • Layflat hole for pump discharge	
• Available in various sizes	Fresh

Code			
FR95416	2" submersibible pump with float		1
LFH210	Layflat hose	2"x10m	1
LFH250	Layflat hose	2" x 50m	1
LFH2100	Layflat hose	2"x100m	1
LFH350	Layflat hose	3" x 50m	1

020 8311 1144 sales@cmt.co.uk www.cmt.co.uk

WET CONCRETE EQUIPMENT

PDU Drive Unit

Petrol unit to power flexible drive pokers or submersible pumps. Extra tough large diameter tubular steel frames

- Tough 32mm steel tube engine protection
- Fully welded frame for extra durability
- Drive coupling choices suitable for
- most makes of poker
- Honda GX160 engine

£

FR92776

Power HP/kW 5.5 / 4.0

Weight Kg 23 Guaranteed sound power dB 94 5

Speed RPM 2800

Height mm 515 Width mm 445 Length mm 405



Belle MiniMix 150 Cement Mixer

Built for site durability, these are quality, portable mixers for all small to medium building projects. The number one choice for mixers worldwide

- Compact & portable for easy transportation
- Complete with barrow height swivel & stand
- Extra thick drum with quick mix padels
- CE compliant with NVR (No Volt Release) safety power switch
- 130 litre drum capacity



BMM150-230V

BMM150-110V

Aluminium Dapple Bars

- 900mm Aluminium Dapple Bar
- Cranked Handle
- A high quality, lightweight aluminium fully powder coated & welded flowing screed dapple bar
- Includes a 38mm bottom bar and cranked handle for superior 'moveability' when using on site.



Code 900mm

HAND TAMPERS & BREAKER STEELS

Hand Tampers

Choose beam lengths to suit your bay widths, allow a minimum of 0.1m overhang. Special size hand tampers made to order, sizes from 4.2 to 7.2m

- Aluminium Beam section, light & easy to use
- Solid handles, improves control, work without bending
- Smooth surfaces, just hose down after use



Code	Beam width mm	Beam height mm	Overall length m	Handle mm	Weight Kg
FR93282 4.2 metre beam length hand tamp c/w handles	28/32	102	4.72	680	20
FR93113 5.2 metre beam length hand tamp c/w handles	28/32	102	5.72	680	25
FR93114 6.2 metre beam length hand tamp c/w handles	28/32	102	6.72	680	30
FR93115 7.2 metre beam length hand tamp c/w handles	28/32	102	7.72	680	35

Points, Chisel & Tarmac Steels

- Forged, ground, hardened & tempered for the highest performance
- 1¼" (32mm) & 1" (25mm) shanks
- Other sizes are available







P81054 Tarmac cutter

P81042 Moil point

P81027 Narrow chisel

WBP2022 Clay spade

Code		Shaft mm	Length from collar inches / mm	Cutter size inches / mm	Weight Kg	
P81042-25	Moil point	25	18/450		4	10
P81042-32	Moil point	32	18/450		4	2
P81027-25	Narrow chisel	25	18/450		4	5
P81027-32	Narrow chisel	32	18/450		4	2
P81054-25	Tarmac cutter	25	10/250	4.5/115	4	2
P81054-32	Tarmac cutter	32	10/250	4.5/115	4	2
WBP2022	Clay spade	32	18/450		4	8

420

020 8311 1144

sales@cmt.co.uk

www.cmt.co.uk

COMPACTION EQUIPMENT

Red Range -Plate Compactors FPC

- The advantages of a lightweight plate with the features of a heavyweight
- Very low vibration levels without the additional weight
- Double mounted, mass plate anti-vibration system
- Total engine protection frame
- Optional paving mat available
- Optional transport wheels available
- 300, 320, 350, 400 & 450mm plates
- UK built
- Honda engines



<u> </u>
Þ
υ
\mathbf{r}
>
щ
\mathbf{J}
Ο
$\overline{\mathbf{a}}$
$\mathbf{\underline{\vee}}$
ເກ
00
×°
2
$\mathbf{\Box}$
\leq
Q
<

E

Code		Power HP/kW	Centrifugal force kN	Plate size W & L mm	Compaction ratio Kg/m ²	Guaranteed sound power dB	HAV level m/sec2	Weight Kg
FR93132	FPC320 Plate compactor	3.0/2.2	10	320×318	527	105	3.04	52
FR93122	FPC350 Plate compactor	5.5/4.0	14	350 x 348	566	108	2.95	65
FR93125	FPC400 Plate compactor	5.5/4.0	14	400 x 348	494	108	2.60	67
FR93133	FPC450 Plate compactor	5.5/4.0	14	450 x 348	451	108	2.87	69

Red Range -Plate Compactors FPL

- A lightweight plate with heavyweight features
- "Soft feel" handle for operator comfort
- Low vibration levels without the additional weight
- Mechanical lifting point
- 300 & 320mm plates
- Honda engine





Code	Power HP/kW	Centrifugal force kN	Plate size W & L mm	Compaction ratio Kg/m ²	Guaranteed sound power dB	HAV level m/sec2	Weight Kg
FR94217 FPL320 Plate compactor	3.0/2.2	10	320 x 318	527	105	6.10	52
W14783 FPL320 Water sprinkler kit							

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

E

COMPACTION EQUIPMENT

Red Range -Plate Compactors FPCL

- A lightweight plate with heavyweight features
- Lower mounted handle for versatile operation
- Folding handle, will fit into the boot of most cars
- 350, 400 & 500 base width covers a range of applications
- 350, 400 & 450mm plates
- Honda engines





Code	Power HP/kW	Centrifugal force kN	Plate size W & L mm	Compaction ratio Kg/m ²	Guaranteed sound power dB	HAV level m/sec2	Weight Kg
FR94252 FPCL 350 Honda GX160	5.5/4.0	14	350 x 348	583	108	9.6	65
FR94253 FPCL 400 Honda GX160	5.5/4.0	14	400 x 348	523	108	8.3	67
FR94254 FPCL 450 Honda GX160	5.5/4.0	14	450 x 348	477	108	9.0	69

FPGLAD

Ø

422

sales@cmt.co.uk

www.cmt.co.uk

FLOOR SAWS

Floor Saws

- Right or left hand cutting enabled by dual flanges and reversible guard (MFS500H only)
- Long guide pointer for accurate cutting
- Compact dimensions for high manoeuvrability & easy transportation
- Water tank over the blade for increased stability in the cut
- Petrol engines with cyclonic air filters for prolonged working in dusty conditions
- Hand wheel operated blades raising & lowering
- Honda engine
- Blade not included (see pages 9 - 30)

Power HP/kW 5.5/4.0

Weight Kg 185

Guaranteed sound power dB

Centrifugal force kN 10

Vibrator frequency VPM 4560 PLANT, POWER TOOLS & AUTOMOTIVE

HAV level m/sec2 4.8

	Power HP		Max cut depth mm	Water tank capacity litres	Sizes L x W x H mm	Weight Kg
FR94410 MFS350H Fairport	5.5	350	135	31	1516×568×1000	106
FR94409 MFS500H Fairport	13	450	184	31	1696×632×1010	125

FOR OUR FULL RANGE OF QUALITY DIAMOND BLADES TO SUIT



SEE PAGES 11 - 35



CUT-OFF SAWS

STIHL Petrol Cut-Off Saw 14"

- Compact design and optimised balance for excellent cutting and guide characteristics
- Long-life filter system with cyclone pre-separation minimises maintenance
- Extremely low vibration levels (3.9m/s²)
- For use with 350mm/14" cutting wheel
- Blade not included (see pages 11 35)

TS420

TS410

STIHL Petrol Cut-Off Saw 12"

- Compact design and optimised balance for excellent cutting and guide characteristics
- Long-life filter system with cyclone pre-separation minimises maintenance
- Extremely low vibration levels (3.9m/s²)
- For use with 300mm/12" cutting wheel
- Blade not included (see pages 11 35)

424 020 8311 1144 sales@cmt.co.uk www.cmt.co.uk

CUT-OFF SAWS

STIHL Battery Cut-Off Saw

- Compact and lightweight design for unrestricted mobility and flexibility
- Completely emission-free for clean work both indoors and outdoors, even in confined spaces
- Starts quickly and easily at the touch of a button
- For use with 230mm/9" cutting wheel
- Blade not included (see pages 11 35)



Code TSA230

Husqvarna Petrol Cut-Off Saw

- Compact and lightweight machine producing a superb power-to-weight ratio
- Improved digital ignition enables easy starting and efficient combustion with optimized engine timing
- Maintenance-free starter, strong poly-V belt and efficient filter-system ensure long service intervals and minimal downtime
- For use with 300mm/12" cutting wheel
- Blade not included (see pages 11 - 35)

K770





ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

TRAILER PARTS

Breakaway Cable

• Overall length 1010mm



Tow Ball & Hitch Pin

 Hitch '3500'kg (D=17.5kn, 5=250kg)


• Pin & wire '3500'kg



TP326

TP325

Code		
TP325	Hitch	1
TP326	Pin & wire	1



TP324

Clips

• Spring loaded rectangular type



020 8311 1144

sales@cmt.co.uk



www.cmt.co.uk

TRAILER PARTS

PLANT, POWER TOOLS & AUTOMOTIVE




• 7 pin (plug/plug)



TP335	Bracket cast 43mm	1
TP336	Bracket cast 48mm	1

Plastic Plug & Socket

- 12N
- 7 pin





Code	Ô
TP330	1
TP331	1

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

AUTOMOTIVE SUPPLIES

Screen

De Icer Wash • 500ml 5 litre spray can Ready mixed DE ICER DE500 SWASH Anti Ice Freeze Scraper AL EN • Effective to -36°C • Extra soft grip handle • Handy 500ml ready to use Colour/design may vary or 5 litre concentrated unti-freeze AF500ML 500ml ready to use CAF5L 5 litre concentrated ICES1 **AdBlue Heavy Duty Jump Leads Additive** Zinc coated • 10 litre crocodile clips • With spout • 2.5m cable dBlue • 200 Amp

Screen





ADBLUE10

AUTOMOTIVE SUPPLIES

Plastic Fuel Cans

• 5 litre



Code		8
FCPG05	Green	6
FCPR05	Red	6
FCPB05	Black	6

Puncture Repair Kit

- 5 repair patches included
- Solvent and scourer included
- Suitable for any inner tube tyres

PRKIT

Double Foot Pump

• 1.1kg

- Durable metal
- Multi-purpose



DFP100

Air Compressor 12v

- With inbuilt
- gauge • 30cm hose
- Thumb lock
- 2.5m cable



Code AIRC12V

Ð

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

PLANT, POWER TOOLS & AUTOMOTIVE

AUTOMOTIVE MAINTENANCE & CLEANING

R MAT

Car Seat Cover Set

- Universal fit
- Water, oil & grease resistant
- Durable nylon
- Air bag friendly
- Easy to clean

CARSCBU

Car Mats - 4 Set

Colours may vary

Van Seat **Cover Set**

- Universal fit
- Water, oil & grease resistant
- Durable nylon (standard)
- 100% waterproof fabric (heavy duty)
- Air bag friendly
- Easy to clean
- 1 x single seat
- 1 x twin seat

Code		Ŷ
VANSCBU	Standard	10
HDVANSC	Heavy duty	10

Truck Wash Traffic Film Remover

- 20 litre
- Removes traffic film & grease
- For use with pressure washers



TRUCKW80

SPILL KITS & CONTAINMENT PAGES 228 - 229







CLOTHS & SPONGES PAGE 211

Code	Ć
CARMAT4	1

020 8311 1144

Car Wash & Wax

- 5 litre
- Showroom finish
- High gloss





430

sales@cmt.co.uk www.cmt.co.uk

SAFESMART ACCESS



Insta-Deck & Mini Mobile Scaffold	432
Scaffold Tower	433
Portable Truck Access Stairs & Edge Protection	434
Portable Aluminium Stairs	435
Safeloader Platforms	436
Super Maintenance Podium	437
Stagings	438
Extension Ladders	439
Ladders & Steps	440
Ladders	441
Step Ladders	442
Platform Ladders & Step Ups	443
Access Podiums	444

CONTACT US FOR OUR COMPLETE ACCESS BROCHURE

INSTA-DECK & MINI MOBILE SCAFFOLD

Insta-Deck Scaffold

- Minimum platform height: 450mm
- Maximum platform height: 870mm
- Platform width: 600mm
- Weight: 26.8kg
- Safe working load: 200kg
- Folds flat for storage





Ê

Code 200205

SafeSmart Mini Mobile Scaffold

- Quick & easy to erect
- Available in the following platform heights: 0.6m, 1.6m, 2.1m, 3.1m, 3.6m, 4.6m, 5.1m & 6.1m
- Width: 0.78m
- Length: 1.8m
- Maximum load per platform: 275kg
- Made from 2" tube
- Based on robust industrial tower specifications
- 1 piece folding toe-board set
- Base can be used alone or increased by a further 3 lifts, giving an extra 6 platform heights (using extra components)
- Complies with BS1139 (Part 3) 1994 BSEN 1004





 \bigcirc



£	Ď
•	0

-0-0-			
Code	Description	Max Plat. Height	Max Reach Height
200041	Standard tower	0.8m	2.8m
200042	Standard tower c/w toe board	1.8m	2.8m
200043	Standard tower c/w toe board & stabiliser	2.5m	4.5m
200045	Standard tower c/w toe board & stabiliser	3.5m	5.5m
200046	Standard tower c/w toe board & stabiliser	4.3m	6.3m
200047	Standard tower c/w toe board & stabiliser	5.3m	7.3m
200048	Standard tower c/w toe board & stabiliser	6m	8m

020 8311 1144 sales@cmt.co.uk www.cmt.co.uk

SCAFFOLD TOWER

SafeSmart Aluminium Scaffold Tower

- Length: 2.5m
- 275kg working load per platform maximum 950kg per tower
- Integral ladders
- Self-closing trapdoor
- Phenol platform tops for good anti-slip properties
- Conforms to 3T erection/ dismantling method
- 150mm adjustable castors
- AGR also available





Co	de	

200049Platform height: 1.2mReach height: 3.2m200050Platform height: 2.2mReach height: 4.2m200051Platform height: 3.2mReach height: 5.2m200052Platform height: 4.2mReach height: 6.2m200053Platform height: 5.2mReach height: 6.2m200054Platform height: 7.2mReach height: 8.2m200055Platform height: 7.2mReach height: 9.2m200056Platform height: 9.2mReach height: 10.2m200057Platform height: 9.2mReach height: 10.2m200058Platform height: 10.2mReach height: 12.2m200059Platform height: 12.2mReach height: 13.2m200050Platform height: 12.2mReach height: 13.2m200057Platform height: 12.2mReach height: 13.2m200059Platform height: 12.2mReach height: 13.2m200050Platform height: 12.2mReach height: 4.2m200071Platform height: 12.mReach height: 4.2m200075Platform height: 12.mReach height: 5.2m200076Platform height: 5.2mReach height: 5.2m200077Platform height: 5.2mReach height: 6.2m200078Platform height: 5.2mReach height: 6.2m200079Platform height: 5.2mReach height: 6.2m200079Platform height: 5.2mReach height: 6.2m200079Platform height: 5.2mReach height: 6.2m200079Platform height: 5.2mReach height: 9.2m200080Platform height: 5.2mReach height: 9.2m	Single width (0.85m)		
200051 Platform height 3.2m Reach height 5.2m 200052 Platform height 4.2m Reach height 5.2m 200053 Platform height 5.2m Reach height 7.2m 200054 Platform height 7.2m Reach height 9.2m 200055 Platform height 7.2m Reach height 9.2m 200056 Platform height 9.2m Reach height 10.2m 200057 Platform height 9.2m Reach height 11.2m 200058 Platform height 10.2m Reach height 12.2m 200059 Platform height 1.2m Reach height 1.2m 200060 Platform height 1.2m Reach height 1.4.2m 200073 Platform height 2.2m Reach height 4.2m 200074 Platform height 3.2m Reach height 4.2m 200075 Platform height 4.2m Reach height 5.2m 200076 Platform height 5.2m Reach height 6.2m 200077 Platform height 6.2m Reach height 7.2m 200076 Platform height 6.2m Reach height 9.2m 200078 Platform height 7.2m Reach height 9.2m 200079 Platform height 7.2m<	200049	Platform height: 1.2m	Reach height: 3.2m
200052Platform height 4.2mReach height 6.2m200053Platform height 6.2mReach height 7.2m200054Platform height 6.2mReach height 8.2m200055Platform height 7.2mReach height 10.2m200056Platform height 9.2mReach height 10.2m200057Platform height 9.2mReach height 11.2m200058Platform height 10.2mReach height 11.2m200059Platform height 11.2mReach height 13.2m200050Platform height 12.2mReach height 13.2m200059Platform height 12.2mReach height 14.2m200050Platform height 12.2mReach height 14.2m200057Platform height 1.2mReach height 14.2m200059Platform height 1.2mReach height 14.2m200050Platform height 1.2mReach height 14.2m200071Platform height 2.2mReach height 5.2m200075Platform height 3.2mReach height 5.2m200076Platform height 5.2mReach height 7.2m200077Platform height 5.2mReach height 7.2m200078Platform height 5.2mReach height 7.2m200079Platform height 7.2mReach height 9.2m200080Platform height 7.2mReach height 9.2m200081Platform height 9.2mReach height 9.2m200082Platform height 9.2mReach height 11.2m	200050	Platform height: 2.2m	Reach height: 4.2m
200053Platform height: 5.2mReach height: 7.2m200054Platform height: 6.2mReach height: 8.2m200055Platform height: 7.2mReach height: 9.2m200056Platform height: 8.2mReach height: 10.2m200057Platform height: 9.2mReach height: 11.2m200058Platform height: 10.2mReach height: 11.2m200059Platform height: 11.2mReach height: 13.2m200060Platform height: 12.2mReach height: 13.2m200073Platform height: 12.2mReach height: 14.2m200074Platform height: 2.2mReach height: 3.2m200075Platform height: 3.2mReach height: 4.2m200076Platform height: 2.2mReach height: 4.2m200077Platform height: 3.2mReach height: 4.2m200079Platform height: 3.2mReach height: 5.2m200079Platform height: 4.2mReach height: 5.2m200079Platform height: 4.2mReach height: 5.2m200079Platform height: 5.2mReach height: 7.2m200079Platform height: 6.2mReach height: 9.2m200080Platform height: 7.2mReach height: 9.2m200081Platform height: 9.2mReach height: 10.2m200082Platform height: 9.2mReach height: 10.2m	200051	Platform height: 3.2m	Reach height: 5.2m
200054Platform height 6.2mReach height 8.2m200055Platform height 7.2mReach height 9.2m200056Platform height 7.2mReach height 10.2m200057Platform height 9.2mReach height 11.2m200058Platform height 10.2mReach height 11.2m200059Platform height 11.2mReach height 13.2m200060Platform height 11.2mReach height 13.2m200060Platform height 12.2mReach height 14.2m200073Platform height 1.2mReach height 3.2m200074Platform height 2.2mReach height 3.2m200075Platform height 2.2mReach height 5.2m200076Platform height 3.2mReach height 5.2m200077Platform height 4.2mReach height 5.2m200078Platform height 5.2mReach height 5.2m200079Platform height 5.2mReach height 7.2m200079Platform height 5.2mReach height 7.2m200080Platform height 5.2mReach height 9.2m200081Platform height 9.2mReach height 10.2m200821Platform height 9.2mReach height 11.2m	200052	Platform height: 4.2m	Reach height: 6.2m
200055Platform height 7.2mReach height 9.2m200056Platform height 8.2mReach height 10.2m200057Platform height 9.2mReach height 11.2m200058Platform height 10.2mReach height 11.2m200059Platform height 10.2mReach height 13.2m200060Platform height 11.2mReach height 14.2m200060Platform height 12.2mReach height 14.2m200073Platform height 12.2mReach height 3.2m200074Platform height 1.2mReach height 3.2m200075Platform height 2.2mReach height 4.2m200076Platform height 3.2mReach height 5.2m200077Platform height 4.2mReach height 5.2m200076Platform height 5.2mReach height 5.2m200077Platform height 5.2mReach height 7.2m200079Platform height 6.2mReach height 7.2m200080Platform height 7.2mReach height 9.2m200081Platform height 9.2mReach height 10.2m200082Platform height 9.2mReach height 11.2m	200053	Platform height: 5.2m	Reach height: 7.2m
200056Platform height 18.2mReach height 10.2m200057Platform height 9.2mReach height 11.2m200058Platform height 10.2mReach height 11.2m200059Platform height 11.2mReach height 13.2m200060Platform height 11.2mReach height 14.2mDouble width (1.45m)Platform height 1.2mReach height 3.2m200073Platform height 1.2mReach height 3.2m200074Platform height 1.2mReach height 5.2m200075Platform height 3.2mReach height 5.2m200076Platform height 3.2mReach height 5.2m200077Platform height 5.2mReach height 5.2m200077Platform height 5.2mReach height 7.2m200078Platform height 5.2mReach height 7.2m200079Platform height 7.2mReach height 10.2m200080Platform height 7.2mReach height 10.2m200081Platform height 9.2mReach height 11.2m	200054	Platform height: 6.2m	Reach height: 8.2m
200057Platform height 19.2mReach height 11.2m200058Platform height 10.2mReach height 12.2m200059Platform height 11.2mReach height 13.2m200060Platform height 11.2mReach height 14.2mDouble width (1.45m)Platform height 1.2mReach height 3.2m200073Platform height 1.2mReach height 3.2m200074Platform height 2.2mReach height 4.2m200075Platform height 3.2mReach height 4.2m200076Platform height 3.2mReach height 5.2m200077Platform height 5.2mReach height 6.2m200077Platform height 5.2mReach height 7.2m200078Platform height 5.2mReach height 7.2m200079Platform height 7.2mReach height 9.2m200080Platform height 7.2mReach height 10.2m200081Platform height 9.2mReach height 11.2m20082Platform height 9.2mReach height 11.2m	200055	Platform height: 7.2m	Reach height: 9.2m
200058Platform height 10.2mReach height 12.2m200059Platform height 11.2mReach height 13.2m200060Platform height 12.2mReach height 14.2mDouble width (1.45m)Platform height 1.2mReach height 3.2m200073Platform height 1.2mReach height 3.2m200074Platform height 1.2mReach height 4.2m200075Platform height 3.2mReach height 5.2m200076Platform height 4.2mReach height 6.2m200077Platform height 5.2mReach height 7.2m200078Platform height 6.2mReach height 7.2m200079Platform height 7.2mReach height 9.2m200080Platform height 7.2mReach height 10.2m20081Platform height 9.2mReach height 11.2m20082Platform height 9.2mReach height 11.2m	200056	Platform height: 8.2m	Reach height: 10.2m
200059Platform height: 11.2mReach height: 13.2m200060Platform height: 12.2mReach height: 14.2mDouble width (1.45m)200073Platform height: 1.2mReach height: 3.2m200074Platform height: 1.2mReach height: 4.2m200075Platform height: 3.2mReach height: 4.2m200076Platform height: 3.2mReach height: 5.2m200077Platform height: 5.2mReach height: 6.2m200077Platform height: 5.2mReach height: 7.2m200077Platform height: 6.2mReach height: 7.2m200078Platform height: 6.2mReach height: 8.2m200079Platform height: 7.2mReach height: 9.2m200080Platform height: 9.2mReach height: 10.2m200081Platform height: 9.2mReach height: 11.2m200082Platform height: 9.2mReach height: 11.2m	200057	Platform height: 9.2m	Reach height: 11.2m
200060Platform height: 12.2mReach height: 14.2mDouble width (1.45m)Platform height: 12.2mReach height: 14.2m200073Platform height: 1.2mReach height: 3.2m200074Platform height: 2.2mReach height: 4.2m200075Platform height: 3.2mReach height: 4.2m200076Platform height: 3.2mReach height: 5.2m200077Platform height: 5.2mReach height: 7.2m200077Platform height: 5.2mReach height: 7.2m200078Platform height: 6.2mReach height: 8.2m200079Platform height: 7.2mReach height: 9.2m200080Platform height: 9.2mReach height: 10.2m200081Platform height: 9.2mReach height: 11.2m200082Platform height: 10.2mReach height: 12.2m	200058	Platform height: 10.2m	Reach height: 12.2m
Double width (1.45m)200073Platform height: 1.2mReach height: 3.2m200074Platform height: 2.2mReach height: 4.2m200075Platform height: 3.2mReach height: 5.2m200076Platform height: 4.2mReach height: 6.2m200077Platform height: 5.2mReach height: 7.2m200077Platform height: 5.2mReach height: 7.2m200078Platform height: 6.2mReach height: 8.2m200079Platform height: 7.2mReach height: 8.2m200080Platform height: 7.2mReach height: 10.2m200081Platform height: 9.2mReach height: 11.2m20082Platform height: 10.2mReach height: 12.2m	200059	Platform height: 11.2m	Reach height: 13.2m
200073Platform height: 1.2mReach height: 3.2m200074Platform height: 2.2mReach height: 4.2m200075Platform height: 3.2mReach height: 5.2m200076Platform height: 4.2mReach height: 6.2m200077Platform height: 5.2mReach height: 7.2m200078Platform height: 6.2mReach height: 7.2m200079Platform height: 7.2mReach height: 9.2m200080Platform height: 7.2mReach height: 9.2m200081Platform height: 9.2mReach height: 11.2m20082Platform height: 9.2mReach height: 12.2m	200060	Platform height: 12.2m	Reach height: 14.2m
200074Platform height 2.2mReach height 4.2m200075Platform height 3.2mReach height 4.2m200076Platform height 4.2mReach height 5.2m200077Platform height 4.2mReach height 6.2m200078Platform height 6.2mReach height 7.2m200079Platform height 7.2mReach height 9.2m200080Platform height 9.2mReach height 10.2m20081Platform height 9.2mReach height 11.2m20082Platform height 10.2mReach height 12.2m	Double width (1.45m)		
200075Platform height: 3.2mReach height: 5.2m200076Platform height: 4.2mReach height: 6.2m200077Platform height: 5.2mReach height: 7.2m200078Platform height: 6.2mReach height: 8.2m200079Platform height: 7.2mReach height: 9.2m200080Platform height: 8.2mReach height: 10.2m200081Platform height: 9.2mReach height: 11.2m20082Platform height: 10.2mReach height: 12.2m	200073	Platform height: 1.2m	Reach height: 3.2m
200076Platform height 4.2mReach height 6.2m200077Platform height 5.2mReach height 7.2m200078Platform height 6.2mReach height 8.2m200079Platform height 7.2mReach height 9.2m200080Platform height 9.2mReach height 10.2m200081Platform height 9.2mReach height 11.2m200082Platform height 10.2mReach height 12.2m	200074	Platform height: 2.2m	Reach height: 4.2m
200077 Platform height: 5.2m Reach height: 7.2m 200078 Platform height: 6.2m Reach height: 8.2m 200079 Platform height: 7.2m Reach height: 9.2m 200080 Platform height: 8.2m Reach height: 10.2m 200081 Platform height: 9.2m Reach height: 11.2m 200082 Platform height: 10.2m Reach height: 12.2m	200075	Platform height: 3.2m	Reach height: 5.2m
200078 Platform height: 6.2m Reach height: 8.2m 200079 Platform height: 7.2m Reach height: 9.2m 200080 Platform height: 8.2m Reach height: 10.2m 200081 Platform height: 9.2m Reach height: 11.2m 200082 Platform height: 10.2m Reach height: 12.2m	200076	Platform height: 4.2m	Reach height: 6.2m
200079 Platform height: 7.2m Reach height: 9.2m 200080 Platform height: 8.2m Reach height: 10.2m 200081 Platform height: 9.2m Reach height: 11.2m 200082 Platform height: 10.2m Reach height: 12.2m	200077	Platform height: 5.2m	Reach height: 7.2m
200080 Platform height: 8.2m Reach height: 10.2m 200081 Platform height: 9.2m Reach height: 11.2m 200082 Platform height: 10.2m Reach height: 12.2m	200078	Platform height: 6.2m	Reach height: 8.2m
200081 Platform height: 9.2m Reach height: 11.2m 200082 Platform height: 10.2m Reach height: 12.2m	200079	Platform height: 7.2m	Reach height: 9.2m
200082 Platform height: 10.2m Reach height: 12.2m	200080	Platform height: 8.2m	Reach height: 10.2m
	200081	Platform height: 9.2m	Reach height: 11.2m
200083 Platform height: 11.2m Reach height: 13.2m	200082	Platform height: 10.2m	Reach height: 12.2m
	200083	Platform height: 11.2m	Reach height: 13.2m
200084 Platform height: 12.2m Reach height: 14.2m	200084	Platform height: 12.2m	Reach height: 14.2m



PORTABLE TRUCK ACCESS STAIRS & EDGE PROTECTION

SafeSmart Portable Truck Access Stairs

- Anti-skid rubber at the top of the stair
- Unique strutlock fittings ensure the stair stays rigid, safe & sturdy at all times
- Developed specifically for access to truck trays
- Folds flat for storage
- Large support foot
- Self levelling steps
- 6 step is pictured
- 300kg SWL
- BS EN 12811: Class B





Code 210294

SafeSmart Truck Loading Podium

- Built tough with 82 x 50mm Marine grade aluminium RHS
- Perforated & swaged deck for superior traction in wet and greasy conditions
- Foam filled tyres
- Anti-slip rubber feet
- Solid non slip treads
- Various configurations with options for single gate, salon gates, batwings
- Various heights available



 \bigcirc



 Code
 210196
 5 step
 1400m platform height

 210195
 4 step
 1130m platform height

PORTABLE ALUMINIUM STAIRS

SafeSmart Adjustastairs

- Adjustable & self levelling aluminium safety stair
- Safe, fast, easy access between floors during construction
- Folds flat for easy storage
- Durable & built to last
- Width: 600mm
- BS EN 12811: Class B





E V DEMO V HIRE

Code	Steps	Height	Height Adjustments	Weight	SWL	Ŷ
210290	3 steps	0.8m	0.4 - 0.7m	20kg	500kg	1
210291	6 steps	1.8m	0.9-1.4m	38kg	500kg	1
210292	9 steps	2.7m	1.4 - 2.0m	55kg	500kg	1
210293	12 steps	3.7m	1.8 - 2.7m	73kg	500kg	1
210295	15 steps	4.8m	2.2 - 3.4m	93kg	500kg	1
210296	18 steps	5.4m	2.7 - 4.1m	108kg	500kg	1

SAFELOADER PLATFORMS

SafeSmart - Truck and Heavy Vehicle Loading Access Platform

- Comes standard with fork lifting channels and crane lifting points
- Fully cross braced aluminium frame, creating total rigidity throughout platform
- Self closing gate at entrance to platform
- 200mm heavy duty castors, Fully height adjustable through 350mm





Code	Platform height	Platform Dimensions - Description	Ŷ
210694	2m	0.7mW x 1.4mH x 2.0mL Platform, Stairs one end	1
210695	4m	0.7mW x 1.4mH x 4.0mL Platform, Stairs one end	1
210696	6m	0.7mW x 1.4mH x 6.0mL Platform, Stairs one end	1

Stepover 70° Ladder Range

- Standard ladder has rubber feet which can be changed for retro-fit permanent feet plates which will attach to the support surface
- Includes two ladder handrails which attach to the ladder style and the main platform handrail posts



R

1

1

1

Stepover 45° Ladder Range

- Simple to fix to a concrete/ solid base or can be pinned for temporary use
- Includes two ladder handrails which attach to the stair and the main platform handrail posts
- Custom sizes, please enquire

E

Ô
1
1
1
1
1

-0-0-	
Code	
210700	
210701	
210702	

EP

210703

210704

020 8311 1144 sales@cmt.co.uk

www.cmt.co.uk

SUPER MAINTENANCE PODIUM



- Engineer's approval, SWL rating & serial number on certification plate
- Tough build with 82 x 50mm marine grade aluminium RHS won't corrode or weaken with age
- Perforated & swaged deck for superior traction in wet & greasy conditions
- Large solid rubber wheels for ease of movement
- 7 11 step models come with retro-fittable outriggers as standard
- Comes with operator safety manual & assembly instructions
- BS EN 131-7: 2013
- Option for front gate access





E V DEMO V HIRE

R Code Platform height Platform size Steps 210183 565mm 800 x 1800mm 2 steps 1 210284 850mm 800 x 1800mm 3 steps 1 210185 1130mm 800 x 1800mm 4 steps 1 210186 1400mm 800 x 1800mm 5 steps 1 210187 1700mm 800 x 1800mm 6 steps 210188 1970mm 1000 x 2000mm 7 steps 1 210189 2250mm 1000 x 2000mm 8 steps 1 2540mm 210190 1000 x 2000mm 9 steps 1000 x 2000mm 1 210191 2828mm 10 steps 210192 3100mm 1000 x 2000mm 11 steps 1

STAGINGS

Aluminium Lightweight Stagings

- Strong stable platforms
- Aluminium stiles & cross bearers for strength
- Phenol anti-slip board
- Handrail system can be clamped on for safe working at height
- BS2037 certified 270kg distributed load
- Also available in 450mm width





Ê

Code	Length		Ŷ
600mm wide staging			
200032	2.50m		1
200033	3.05m		1
200034	3.65m		1
200035	4.20m		1
200036	4.80m		1
200037	5.40m		1
200038	5.95m		1
200039	6.55m		1
200040	7.10m		1
Staging handrail system			
200020	0.45m	Handrail post	1
200021	0.60m	Handrail post	1
200022	6.0m	Aluminium handrail tube	1

CALL 020 8311 1144

FREE ON-SITE DEMOS AVAILABLE FOR ALL ACCESS PRODUCTS

MANY PRODUCTS ALSO AVAILABLE FOR HIRE



438 020 8311 1144 sales@cmt.co.uk www.cmt.co.uk

EXTENSION LADDERS

Triple Combination Ladders

- 3 way use: step ladder, extension ladder & free standing extension ladder
- Easy conversion
- Stabiliser for stability
- Lightweight aluminium
- 150kg load rating
- EN131 certified

H	150kg WEIGHT RATING
KA	RATING
- FA	
H.	

SAFESMART ACCESS

Code	Closed length	Extension length	Free standing extension length	Ô
200098	1.85m	4.94m	2.92m	1
200099	2.41m	5.44m	3.76m	1
200100	2.97m	6.84m	4.88m	1
200101	3.53m	8.24m	5.72m	1
200102	4.09m	9.92m	6.56m	1

R

Fibreglass Extension Aluminium Extension Ladders Ladders • Easy to use, free standing • Easy to use, free standing extension ladder extension ladder • Stabilisers for stability Stabilisers for stability • Lightweight aluminium • Lightweight fibreglass construction construction • BS EN 131 Non-conductive Semi-automatic locks ()Code Closed length Open length Double 210080 3.10m 5.13m 1 210081 1 3.68m 6.29m 210082 1 4.26m 7.45m 210083 4.84m 8.61m 1 (\mathcal{P}) Code Closed length Open length 210084 5.42m 9.77m 1 Triple 210076 3.03m 5.06m 1 210085 3.10m 7.45m 1 210077 3.61m 6.22m 210086 1 210079 4.48m 1 3.68m 9.19m 7.96m

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

Set up an account for our discounted rates / prices

LADDERS & STEPS

Aluminium Swingback Step Ladder

0

- Channel section stiles
- Box section back legs
- Rubber feet
- Hinged locking stays
- EN131



Length	Treads	Kg	Ŷ
0.82m	4	4	1
1.05m	5	5	1
1.27m	6	6	1
1.5m	7	7	1
1.72m	8	8	1
2.17m	10	10	1
2.62m	12	12	1
	0.82m 1.05m 1.27m 1.5m 1.72m 2.17m	0.82m 4 1.05m 5 1.27m 6 1.5m 7 1.72m 8 2.17m 10	1.05m 5 5 1.27m 6 6 1.5m 7 7 1.72m 8 8 2.17m 10 10

Fibreglass Step Ladder Reinforced moulded plastic top • Wide serrated treads • Hinged locking stays • EN131

Code	Length	Treads	Kg	Ŷ
200111	1.2m	4	4	1
200112	1.5m	5	5	1
200113	1.8m	6	6	1
200114	2.4m	8	8	1
200115	3.0m	10	10	1

Trade Series Telescopic Ladders

- Extends 0.77 3.2m & locks rung by rung (11 rungs)
- Reinforced nylon couplings
- Precision engineered aerospace grade aluminium
- Compacts down for ease of storage
- 10.6kg
- 1 year warranty
- 150kg load rating
- EN131

Code





Wooden Pole Ladders

- Finest quality heavy duty
- Matched Scandinavian whitewood stiles finished with two coats of ladder preservative
- Hardwood rungs

	L
Steel Pole Ladders	H
High quality steel ladderFully coatedRubber feet	



Ê

Code	Size	Ŷ
200013	3m	1
200014	4m	1
200015	5m	1
200016	6m	1



Code	Size	Ð
200006	3m	1
200007	4m	1
200008	5m	1
200009	6m	1

Aluminium Straight Ladders

- Unique frame design
- Stabilisers for stability
- Lightweight aluminium
- Meets BS2037 Class 1
- Other sizes available just call us



		1	
Code	Length		Ŷ
210338	3m		1
210340	4.2m		1
210341	4.8m		1
210342	6.0m		1

STEP LADDERS

Aluminium Adjustastep Platform

- Height adjustable for working off a large safe platform at variable heights
- Platform heights adjusted through each ladder's range in seconds
- Set front and back stiles to varying heights for working on steps or uneven ground
- Handrail allows for 3 points of contact
- Large rubber feet for stable grip and hard wearing
- Rated to 200kg for industrial applications
- One-piece, smooth operation simply folds flat and locks
- Can be fitted with accessories tool bucket and full surround handrail

	✓ DEMO	✓ HIRE
00		

Code	Туре	Height	Overall Stile Length	Weight	Ø
210261	4-7 Step	1.15m - 2.02m	2.27m - 3.14m	8.0kg	1

Trade Series Platform
Ladder Accessories

- Full surround safety rail creates a safer working environment for any height
- Spring wheeled castors allow users to manoeuvre around work space with ease

Overall Stile Length	Weight
2.27m - 3.14m	8.0kg
21	

210335

Code	Туре		Ð
210334	Spring loaded castor		1
210335	Full surround safety rail		1
210336	Trade series Platform Ladder clip-on bucket		1

21

PLATFORM LADDERS & STEP UPS

Fibreglass SafeSmart Platform Ladder

• Large non-slip platform surface

• Fully electrically safe

• Wide, comfortable treads

Welded diagonal back braceBS EN 131-2: 2010

• Simply folds out

Aluminium SafeSmart Platform Ladder

- Large non-slip platform surface
- Simply folds out
- Wide, comfortable treads
- Welded diagonal back brace
- BS EN 131-2: 2010



Code	Deck height	Steps	Ø
210300	0.6m	2	1
210301	0.9m	3	1
210302	1.2m	4	1
210303	1.5m	5	1
210304	1.8m	6	1
210305	2m	7	1
210306	2.4m	8	1
210307	2.7m	9	1



Code	Deck height	Steps	Ŷ
210310	0.6m	2	1
210311	0.9m	3	1
210312	1.2m	4	1
210313	1.5m	5	1
210314	1.8m	6	1
210315	2m	7	1
210316	2.4m	8	1
210317	2.7m	9	1

Low Level Platform Step Up

- 500mm high
- Legs lock out when in use
- Folds away to compact size
- Lightweight

2 2



		•
Code	Size	1
200000	0.6m x 0.3m	1
200001	0.6m x 0.6m	1

SAFESMART ACCESS

50

SAFE

ACCESS PODIUM

SAFESMART ACCESS

BS8620 Podium

- Lightweight aluminium construction
- Easy to access in and out
- Folds up compactly
- Two height settings
- Can be fitted with anti-surf feet





✓ HIRE		Ê
Code	Platform height	\mathfrak{O}
BS8620-07	0.75m	1
BS8620-1	1.0m	1
BS8620-12	1.2m	1
BS8620-15	1.5m	1
BS8620-17	1.75m	1
BS8620-20	2.0m	1



SECURASITE



Temporary Fencing	446
Fencing & Vehicle Gates	447
Temporary Fencing Accessories	448
Pedestrian Barriers	450

TEMPORARY FENCING

Securasite Temporary Fencing

- Square top
- Anti climb mesh
- 2800mm (H) x 3800mm (W)



Ê

EXTRA CARRIAGE CHARGE CHARGES MAY APPLY

Code SCAC40

Securasite Temporary Fencing

- Round top
- Anti climb mesh
- 2000mm (H) x 3500mm (W)






EXTRA CARRIAGE CHARGE CHARGES MAY APPLY

Code SCRT40




Securasite Fencing Gates

- Access for pedestrians on site
- 2000mm (H) x 1200mm (W)



Securasite Vehicle Gates

- Access for vehicles on site
- 2000mm (H) x 4200mm (W)





TEMPORARY FENCING ACCESSORIES

Standard Thermoplastic Foot















SOUND CONTROL SOLUTIONS

Hushtec Global was born with a passion of bringing to market innovative solutions that protect people, the environment and increase health and safety measures across a wide range of industries.





FOR MORE DETAILS SEE PAGES 235-239

SECURASITE

PEDESTRIAN BARRIERS

Fixed Leg Barrier


- The Securasite Pedestrian Barriers are a system of interlocking, free standing panels that are fast to install, durable and easy to stack when not in use.
- Ideal for construction sites, public events or sporting venues



Ê

EXTRA CARRIAGE CHARGE CHARGES MAY APPLY

Code SCPB23



450 020 8311 1144 sales@cmt.co.uk www.cmt.co.uk

TRAFFIC MANAGEMENT



Barriers	452-455
Trench Covers & Kerb Ramps	456
Speed Humps	458
Safety Goal Posts	460-461
Road Cones	462
Skipper Unit, Demarcation Poles & Chain Barriers	463
No Waiting Cones, Stop & Go Signs & Verge Posts	464
Flashing Beacons	465
Cone Signs	466-468
Q Signs	470-471
Metal Road Signs	472-477
Outdoor Bins	478

TRAFFIC MANAGEMENT



Code			日日
GATEBF	With standard feet	CALL FOR BULK RATES	40
GATEBA	With anti-trip feet	CALL FOR BULK RATES	40
GATEBA-BLU	Blue with anti-trip feet	CALL FOR BULK RATES	40
RSSB-FOOT	Replacement standard foot	CALL FOR BULK RATES	40

Titan Plastic Injection Moulded Barrier - 2 Metre

- Unrivalled strength, increased rigidity from additional vertical bars, great stability with new airflow features
- Surelock QR[™] linking facility compatible with other JSP barriers
- Grommets for signage
- Reflective panel
- Carry handle
- Locks together for transport
- Fully recyclable
- Anti-trip feet available





RSTB200	With standard feet	CALL FOR BULK RATES
RSTB200AT	With anti-trip feet	CALL FOR BULK RATES

Avalon Blow Moulded Barrier - 2 Metre

- · Secure even on uneven ground
- Unlocked or locked mode
- Signage can be fixed to back or front
- Bespoke colour barriers available
- Complies with BS 7818



Code			무
RSAV200	With standard feet	CALL FOR BULK RATES	50
RSAV200AT	With anti-trip feet	CALL FOR BULK RATES	50
RSAVFOOT	Foot only	CALL FOR BULK RATES	1



452

020 8311 1144

sales@cmt.co.uk

40 40

www.cmt.co.uk

Utility Barrier -0.75 Metre

- Sturdy & durable
- Simple system & easy to connect
- Four gates
- 1m(H) x 75cm(W)
- Conforms to EN12899-1





RSUB7570

Barricade Expandable Safety Barrier

- Extended: 4000 x 300 x 950mm
- Folded: 450 x 300 x 950mm



Safegate Communication Barrier - 4 Gate System

- Integral locking clamp for extra stability when deployed in a straight line
- Lightweight only 2kg per barrier
- Environmentally friendly 100% recyclable
- Compliant with Chapter 8 Streetworks
- Modular design



Ê

Code

RSSG1

20

Armorgard InstaGate™

- Easily moved and deployed by one person
- IG4 1380mm high, closed length 440mm, open length 2185mm
- IG6 1884mm high, closed length 450mm, open length 2380mm



Code

IG4

1

므


20

UL

NEW

KNOWYOUR**HEIGHTS**





TRAFFIC MANAGEMEN

Melba Swintex Buddha Barrier

- Water fillable barriers
- Stable & secure stacking model
- Dual reflective strips
- 100% anti-trip design
- Forklift entry spaces
- Lightweight
- 800mm(H) x 1040mm(W) x 280mm(D)



		and the second sec
Code		
2BUDDHA-RED	Red	CALL FOR BULK RATES
2BUDDHA-WHT	White	CALL FOR BULK RATES

Melba Swintex Hog Barrier


- deployment

JSP Alphabloc Barrier

- Water fillable barriers
- Unique folding design
- 50% less storage space
- Branding available MOQ whole pallet
- 1m(L) x 600mm(H) x 400mm(D)



Code			₽
RSABRED	Red	CALL FOR BULK RATES	40
RSABWHT	White	CALL FOR BULK RATES	40



25 25

TRENCH COVERS & KERB RAMPS

Pedestrian Only Trench Cover

- 1125 x 1125mm
- Pedestrians only
- Can withstand a 200kg load over a 700mm trench
- The sides & undersides are made from a soft flexible material which grips the surface underneath the board & helps to resist sliding



Ê

Code	
RSTCP	30

Safekerb Ramp

- Effective non-slip surface & raised sides
- Adapts to varying kerb or step heights (75 - 150mm)



- Designed primarily for use in street works
- Moulded from a single piece of glass reinforced composite





Code		₽
RSTC01	1200 x 800mm	30
RSTC02	1600 x 1200mm	25



456

Êŗ

Code


RSSKR



TURNING UNWANTED PRODUCT INTO NEW



PRODUCTS MANUFACTURED FROM 100% RECYCLABLE MATERIALS



SPEED HUMPS


Cable & Hose Protector Ramp

- 3 x 45cm cable / hose channel
- Strong, hinged lid provides easy access
- Effective speed reducer
- Simple interlocking design
- 7.5cm(H) x 100cm(L) x 60cm(W)
- Weight: 29kg
- Fixings for asphalt or concrete











Code		Ŷ
RGBCHP	Ramp	1
RSSF2	Concrete fixings	50
RSSB2	Asphalt fixings	50
	-	

Speed Humps

- Humps supplied in pairs (one of each colour)
- End cap sections supplied in pairs (same colour)
- 50mm high for 10mph zones
- Fixings for asphalt or concrete
- Section dimensions: 5cm(H) x 50cm(L) x 40cm(W)










RSSHEBK

RSSHEYW

Code		Ŷ
RSSH10	Speed hump sections (pair)	1
RSSHEYW	End cap sections (pair, yellow)	1
RSSHEBK	End cap sections (pair, black)	1
RSSF2	Concrete fixings	50
RSSB2	Asphalt fixings	50

458 020 8311 1144 sales@cmt.co.uk www.cmt.co.uk




460

SAFETY GOAL POSTS

GS6 Telescopic Goalpost Kit

- Height restriction goal posts kit
- 2x 7.3m poles
- 2x metal plate bases
- 1x 25m bunting



SAFETY GOAL POSTS

Safety Goalpost System

- HSE GS6 compliant
- Non-conductive
- Maximum height: 7.5m
- Minimum height: 1.8m
- Capped end for bunting
- Red & white poles for extra visibility
- 1 person assembly
- Cross bar option available

Set includes two ballast bases, two poles & bunting









Code GLPST1 Goal post set

Pendant Bunting Tape -Red & White

Length: 26m32 red & white markers



ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

Set up an account for our discounted rates / prices

461

 \bigcirc

1

TRAFFIC MANAGEMENT

ROAD CONES

2 Piece **1** Piece **Road Cone Road Cone** 100% recycled 100% recycled composite base • Can be embossed • Can be embossed with with bespoke logo bespoke logo on side on base Bespoke colour base Bespoke colour available base available MOO for embossing: • MOO for embossing: full pallet full pallet

Ê)
---	---

Code			
RS2RC450	450mm(H) cone	CALL FOR BULK RATES	300
RS2RC750	750mm(H) cone	CALL FOR BULK RATES	150
RS2RC1000	1m(H) cone	CALL FOR BULK RATES	125





Code		
RSRS450	Reflective Strip for 450mm(H)	1000
RSRS750	Reflective Strip for 750mm(H)	1000
RSRS1000	Reflective Strip for 1m(H)	1000

£	
-0-	0

Code			
RS1RC450	450mm(H)	CALL FOR BULK RATES	300
RS1RC750	750mm(H)	CALL FOR BULK RATES	200



CONE BRANDING SERVICE

BENEFITS INCLUDE:

- Brand Awareness
- Professional Image
- Theft Deterrent

CALL US FOR DETAILS **020 8311 1144**

Minimum order quantities may vary per product. Set up costs may apply.

462 020 8311 1144 sales@cmt.co.uk www.cmt.co.uk

SKIPPER UNIT, DEMARCATION POLES & CHAIN BARRIERS



ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

PCBASE

Base

Set up an account for our discounted rates / prices

4

463

NO WAITING CONES, STOP & GO SIGNS & VERGE POSTS

No Waiting Cone -**1** Piece

 MOQ for embossing full pallet



Code		므
RS1NWCT	Triangular	300
RS1NWCC	Circular	300

Stop & Go **Handheld Signs**

- Metal or plastic
- Price each



020 8311 1144

No Waiting Cone-2 Piece Triangular

- Weighted base
- MOQ for embossing full pallet



Wychwood Flexible Verge Posts

- Moulded spring back post
- Large reflective area
- Conforms to EN12899-1 Class R2





Code HEV040

sales@cmt.co.uk

10

FLASHING BEACONS

Maxilite LED - Flashing with Photocell Battery not included • Takes 2 x EB6V (below) • Cone bracket to suit: RSMULCB MARILITE MAXILITE **69** 4 LRSMXLP LRSMXLR Code \bigcirc LRSMXLP Orange lens 10

LRSMXLR Red lens

RSMULCB Cone bracket

6 Volt Chlori Battery • Premium quality • 24 per box	de	ENQUIRE FOR BULK RATES
Code		Ŷ
EB6V		12

400mm 2 Lamp Rotator Blaze II Minibar



Microlite - Flashing with Photocell

- Battery not included
- Takes 1 x **EB6V** (below)
- Cone bracket to suit: RSMULCB



Code

RSMLP

RSMULCB Cone bracket

10

50



50


50

1

Vision Alert Rotating Amber 12v Beacon



RSFLBP




CONE SIGNS

- BESPOKE OPTIONS MADE TO ORDER
- A VERY COST EFFECTIVE SIGN SYSTEM
- ALL PLASTIC TO REDUCE METAL THEFT
- EASY STACKING
- LIGHTWEIGHT
- ALL SIGNS ARE REFLECTIVE AND CONFORM TO BS8442

Choose the correct size of cone and sign

With reference to the type of road and speed limit: Minimum size of signs (mm) Minimum height of cones (mm)











750mm Cone Signs Chapter 8 Kit

- Suitable for 750mm & 1000mm cones
- Cone not included

Cone Sign -Men At Work End

- Suitable for 750mm cones
- Cone not included





CONE SIGNS

Cone Sign -Men At Work

- Suitable for 750mm cones
- Cone not included



RSCS-RW

Cone Sign - Footpath Ahead Closed

- 600mm x 450mm
- Cone not included

Cone Signs - Footway Closed / Footpath Ahead Closed

- 600mm x 450mm
- Cone not included




Code

RSCS-FL

Cone Signs - Pedestrians Please Use Other Footpath

- 600mm x 450mm
- Cone not included





Code RSCS-PPUOF

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

467

CONE SIGNS



RSCS-RNL

Cone Sign -Pedestrians Left

- 600mm x 450mm
- Cone not included



Code RSCS-PL

Code

RSCS-AL

Cone Sign -Arrow Left

- Suitable for 750mm cones
- Cone not included





Cone Sign -Pedestrians Right

- 600mm x 450mm
- Cone not included



Code RSCS-PR

Cone Sign -Arrow Right

- Suitable for 750mm cones
- Cone not included



020 8311 1144 sales@cmt.co.uk www.cmt.co.uk

Code

RSCS-AR

BESPOKE SIGNAGE PRINTED IN-HOUSE FOR NEXT DAY DELIVERY

YOUR

TEXT

HERE

Choose your layout & we'll do the rest

- METAL ROAD SIGNS
- CORREX ROAD SIGNS
- PLASTIC ROAD SIGNS
- PVC SITE SIGNAGE

- CORRUGATED PVC SIGNS
- MANY MORE APPLICATIONS

Q SIGNS

TRAFFIC MANAGEMEN

Temporary Plastic Road Signs


- The Q Sign is a temporary plastic road sign which is extremely strong & robust which gives it durability & a long life
- Pedestrian & car friendly
- It is easy & safe to handle with no sharp edges & has a simple folding system for quick deployment & storage
- Being an all plastic design the product will not conduct electricity or rust
- The product can be completely recycled & reused at the end of its life
- Specific colour front section available with minimum run
- 750mm: 30 per pallet / 600 x 450mm: 50 per pallet

All temporary traffic signs must be able to withstand three different classes of wind speeds with the use of a ballast. The standard BS 8442:2015 states the three classes as the following:

Class A: 26.3 m/s (58mph) Class B: 17.6 m/s (39mph) Class C: 8.7m/s (19mph)

The Q-Sign was tested under strict conditions at the Full Scale Wind Tunnel at Mira to determine at which wind speeds the sign can withstand. Below are the results for the 600mm & 750mm Triangle and Circle Q-Sign.

These results are a guide as to the recommended ballast weight for each Wind Class:





o melba swintex

Tested at



020 8311 1144

470

sales@cmt.co.uk www.cmt.co.uk

Q SIGNS

Temporary Plastic Road Signs



Code

750mm		
RSQS-MAW	MEN AT WORK (564)	Triangle
RSQS-RNL	ROAD NARROWS LEFT / NEARSIDE (517)	Triangle
RSQS-RNR	ROAD NARROWS RIGHT / OFFSIDE (517)	Triangle
RSQS-TS	TRAFFIC SIGNALS AHEAD (543)	Triangle
RSQS-SR	SLIPPERY ROAD (557)	Triangle
RSQS-MWE	MEN AT WORK END	Triangle with supp. plate
RSQS-AL	KEEP LEFT BLUE ARROW (610)	Circle
RSQS-AR	KEEP RIGHT BLUE ARROW (610)	Circle
1050 x 750mm		
RSQS-RC	ROAD CLOSED	1050 x 750mm
RSQS-RAC	ROAD AHEAD CLOSED	1050 x 750mm
RSQS-RA	RAMPAHEAD	1050 x 750mm
RSQS-TCA	TRAFFIC CONTROL AHEAD	1050 x 750mm
RSQS-HPC	HEAVY PLANT CROSSING	1050 x 750mm
RSQS-RL	WHEN RED LIGHT SHOWS WAIT HERE	1050 x 750mm
RSQS-WA	WORKS ACCESS	1050 x 750mm
RSQS-RCA	ROAD CLOSED ACCESS ONLY	1050 x 750mm
RSQS-NRL	NEW ROAD LAYOUT AHEAD	1050 x 750mm
RSQS-SA	SITE ACCESS	1050 x 750mm
600 x 450mm		
RSQS-FC	FOOTWAY CLOSED	600 x 450mm
RSQS-PR	PEDESTRIANS RIGHT	600 x 450mm
RSQS-PL	PEDESTRIANS LEFT	600 x 450mm
RSQS-PP	PEDESTRIANS PLEASE USE OTHER FOOTPATH	600 x 450mm
1050 x 450mm		
RSQS-RAMP	RAMP	1050 x 450mm
RSQS-SLOW	SLOW	1050 x 450mm
DIVERSION (YELLOW)		
RSQS-DLA	DIVERSION LEFT ARROW	1050 x 750mm
RSQS-DAR	DIVERSION RIGHT ARROW	1050 x 750mm
RSQS-DE	DIVERSION ENDS	1050 x 750mm
RSQS-DTLA	DIVERTED TRAFFIC LEFT ARROW	1050 x 750mm
RSQS-DTRA	DIVERTED TRAFFIC RIGHT ARROW	1050 x 750mm
RSQS-DTSA	DIVERTED TRAFFIC STRAIGHT AHEAD ARROW	1050 x 750mm

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

Metal Signs 1050mm x 750mm

- 1050mm x 750mm
- All signs supplied come with clips
- Pre-riveted available on request at extra cost



Plate Only



Complete Sign (Plate, Frame & Clips)


(Flate, I	Frame & Cups)	Uniy	
Code		Code	
RSMC-AO	ACCESS ONLY	RSMPO-AO	ACCESS ONLY
RSMC-CLT	CAUTION LORRIES TURNING	RSMPO-CLT	CAUTION LORRIES TURNING
RSMC-CNRM	CAUTION NO ROAD MARKINGS	RSMPO-CNRM	CAUTION NO ROAD MARKINGS
RSMC-RIOM	CAUTION RAISED IRON WORKS	RSMPO-RIOM	CAUTION RAISED IRONWORKS
RSMC-CSE	CAUTION SITE ENTRANCE	RSMPO-CSE	
RSMC-DDE	DANGER DEEP EXCAVATION	RSMPO-DDE	
RSMC-DLT	DANGER LORRIES TURNING	RSMPO-DLT	DANGER LORRIES TURNING
RSMC-DIPNA	DECKING IN PROGRESS - NO ACCESS BEYOND THIS POINT	RSMPO-DIPNA	DECKING IN PROGRESS No Access Buryoud THIS POINT
RSMC-DA	DIVERSION AHEAD	RSMPO-DA	DIVERSION
RSMC-DL	DIVERSION (LEFT ARROW)	RSMPO-DL	
RSMC-DR	DIVERSION (RIGHT ARROW)	RSMPO-DR	
RSMC-DTS	DIVERSION (ARROW UP)	RSMPO-DTS	DIVERSION
RSMC-DE	DIVERSION END	RSMPO-DE	
RSMC-DRA	DIVERSION (REVERSIBLE ARROW)	RSMPO-DRA	

472 020 8311 1144 sales@cmt.co.uk www.cmt.co.uk

Plate Only

Complete Sign (Plate, Frame & Clips)

(,		,
Code		Code
RSMC-HPC	HEAVY PLANT CROSSING	RSMPO-HPC
RSMC-NA	NO ACCESS	RSMPO-NA
RSMC-NRM	NO ROAD MARKINGS	RSMPO-NRM
RSMC-NRL	NEW ROAD LAYOUT AHEAD	RSMPO-NRL
RSMC-RA	RAMP AHEAD	RSMPO-RA
RSMC-RAC	ROAD AHEAD CLOSED	RSMPO-RAC
RSMC-RACAO	ROAD AHEAD CLOSED ACCESS ONLY	RSMPO-RACAC
RSMC-RC	ROAD CLOSED	RSMPO-RC
RSMC-SBIP	SLAB POUR IN PROGRESS - NO ACCESS BEYOND THIS POINT	RSMPO-SBIP
RSMC-SA	SITE ACCESS	RSMPO-SA
RSMC-SIPNA	STRIKING IN PROGRESS - NO ACCESS BEYOND THIS POINT	RSMPO-SIPNA
RSMC-TRS	TEMPORARY ROAD SURFACE	RSMPO-TRS
RSMC-TSA	TRAFFIC CONTROL AHEAD	RSMPO-TSA
RSMC-TUSC	TRAFFIC UNDER SIGNAL CONTROL	RSMPO-TUSC
RSMC-WRLSHWH	WHEN RED LIGHT SHOWS WAIT HERE	RSMPO- WRLSHWH



Frame Only Or Blank Plates

Code	
RSMF1075	1050 x 750mm frame only
RSMPO-YLW-10575	Yellow blank plate
RSMPO-RED-10575	Red blank plate



TRAFFIC MANAGEMENT

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

Metal Signs 750mm Triangle

• 750mm triangle

TRAFFIC MANAGEMENT

- All signs supplied come with clips
- Pre-riveted available on request at extra cost



Plate



Complete Sign (Plate, Frame & Clips)

(Plate, Frame & Clips)		Only	
Code		Code	
RSMC-MW	MEN AT WORK	RSMPO-MW	
RSMC-MWE	MEN AT WORK END	RSMPO-MWE	
RSMC-RNL	ROAD NARROWS LEFT	RSMPO-RNL	
RSMC-RNR	ROAD NARROWS RIGHT	RSMPO-RNR	
RSMC-GW	GIVEWAY	RSMPO-GW	GIVE WAY
RSMC-HA	HUMPSAHEAD	RSMPO-HA	Δ
RSMC-LC	LOOSE CHIPPINGS	RSMPO-LC	
RSMC-TLIU	TRAFFIC LIGHT IN USE	RSMPO-TLIU	
RSMC-2WT	TWO WAY TRAFFIC (ARROWS 1 UP, 1 DOWN)	RSMP0-2WT	
RSMC-SR	SLIPPERY ROAD	RSMPO-SR	

Frame Only Or With Supplementary Code RSMF750T 750mm triangle frame only RSMF-SUPP 750mm triangle frame c/w supplementary

Metal Signs 600 x 450mm

- 600 x 450mm
- All signs supplied come with clips
- Pre-riveted available on request at extra cost





Complete Sign (Plate, Frame & Clips)

Code		Co
RSMC-FC	FOOTPATH CLOSED	RS
RSMC-FCA	FOOTPATH CLOSED AHEAD	RS
RSMC-FCFD	FOOTPATH CLOSED	RS
	FOLLOW DIVERSION	
RSMC-NP	NO PARKING	RS
RSMC-PAR	PEDESTRIAN ARROW RIGHT	RS
RSMC-PAL	PEDESTRIAN ARROW LEFT	RS
RSMC-PCC	PEDESTRIAN CROSSING CLOSED	RS
RSMC-PPUOF	PEDESTRIANS PLEASE USE OTHER FOOTPATH	RS
RSMC-PA2W	PEDESTRIANS REVERSIBLE ARROW	RS
RSMC-SFAIC	SORRY FOR ANY INCONVENIENCE CAUSED	RS
RSMC-5MPH	5MPH SPEED LIMIT	RS
RSMC-10MPH	10MPH SPEED LIMIT	RS



Frame Only Or Blank Plates

Code	
RSMF6045	600 x 450mm frame only
RSMPO-YLW-6045	Yellow blank plate
RSMPO-RED-6045	Red blank plate

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

Set up an account for our discounted rates / prices

10 MPH

Metal Signs 750mm Square

- 750mm square
- All signs supplied come with clips
- Pre-riveted available on request at
- extra cost



Plate



Complete Sign (Plate, Frame & Clips

(Plate, I	Frame & Clips)	Only	
Code		Code	
RSMC-AR	BLUE ARROW RIGHT	RSMPO-AR	\bigcirc
RSMC-AL	BLUE ARROW LEFT	RSMPO-AL	
RSMC-ARER	BLUE ARROW REVERSIBLE	RSMPO-ARER	Ð
RSMC-AU	BLUE ARROW UP	RSMPO-AU	
RSMC-AUTL	BLUE ARROW UP & TO THE LEFT	RSMPO-AUTL	
RSMC-AUTR	BLUE ARROW UP & TO THE RIGHT	RSMPO-AUTR	
RSMC-NE	NO ENTRY	RSMPO-NE	
RSMC-NLT	NO LEFT TURN	RSMPO-NLT	
RSMC-NRT	NO RIGHT TURN	RSMPO-NRT	
RSMC-OWAU	ONE WAY ARROW UP	RSMPO-OWAU	î
_			



Metal Signs 1050 x 450mm

- 1050 x 450mm
- All signs supplied come with clips
- Pre-riveted available on request at
 - extra cost





Complete Sign (Plate, Frame & Clips)

Code	
RSMC-RAMP	RAMP
RSMC-SLOW	SLOW
RSMC-DTL	DIVERTED TRAFFIC (ARROWLEFT)
RSMC-DTR	DIVERTED TRAFFIC (ARROW RIGHT)
RSMC-DTRV	DIVERTED TRAFFIC (REVERSIBLE ARROW)
RSMC-DTAU	DIVERTED TRAFFIC (ARROW UP)

Plate Only	
Code	
RSMPO-RAMP	RAMP
RSMPO-SLOW	SLOW
RSMPO-DTL	
RSMPO-DTR	
RSMPO-DTRV	DIVERTED CRAFFIC
RSMPO-DTAU	

Frame Only Or Blank Plates

Code	
RSMF1045	1045 x 450mm frame only
RSMPO-YLW-10545	Yellow blank plate
RSMPO-RED-10545	Red blank plate

Replacement Sign Clips

• For all of our metal road signs



Code RSCLIP

OUTDOOR BINS

Merlin Bin -Freestanding

- Plastic liner & lock included
- Hard wearing & durable
- Spare liners, tops & bases available

melba swintex






Ĕ
8

Doggy Bin -Post Mounted

- Lid & metal liner included
- Spare liners & lids available
- Post not included

O melba swintex



Osprey Bin -Post Mounted

Post not included

included

• Lid, plastic liner & secure lock

Spare liners & lids available

melbo swintex

AVAILABLE ACCESSORIES

<u>□</u>`

22

- BIN POSTS
- LIDS
- KEYS
- BASES & BALLASTS
- METAL & PLASTIC LINERS
- PLASTIC BIN BAGS and much more

CALL US ON **020 8311 1144**

478

EP

Code

BIND01

020 8311 1144 sales@cmt.co.uk

www.cmt.co.uk

SAFETY SIGNS

Fire Exit & Emergency Signs	482-483
Emergency Signs	484
Site Information Signs	485
Site Signage	486
General Notices	487
Mandatory Signs	488-489
Prohibition Signs	490-491
Construction Site Safety Signs	492
Site Access Signs	493-494
Pedestrian Access Signs	495
Traffic Information Signs	496
Site Hazard Signs	497
Hazard Signs	498-499
General & Site Signs	500-501
Safety Site Boards	502-505
Safety Signs, Posters & Notice Boards	506

	, Fi	F.F.F	
SITE S	SAFETY		
d drivers	must repo	rt to site office	
visibility ckets be worn		Danger Deep excavations	
ort all idents ediately		Danger Stop. Look. Listen. Beware of trucks	9
ective twear be worn	A	Danger Overhead cables	9
nelmets are or your safety st be worn		No access for unauthorised personnel	
eed limit		Children must not play on this site	-
	ŠU D		9

ADD YOUR LOGO TO ANY OF THESE SIGNS

(additional charges may apply)



ALL YOUR BESPOKE CONSTRUCTION SIGNS PRINTED IN-HOUSE FOR FAST DELIVERY!

Our sign printing machines complement our printed clothing and embroidery services & enable us to provide a complete service for all your sign requirements

HERE'S A FEW EXAMPLES OF WHAT WE CAN DO...

- Metal road signs
- Safety signs, safety boards & posters
- Scaffold protection mesh & banners

Printed hoardings & site boards

- Labels & stickers
 - ...and much more!
- **CREATE YOUR BESPOKE SIGN** in three simple steps



BESPOKE SIGNAGE PRINTED IN-HOUSE FOR NEXT DAY DELIVERY

Choose your layout & we'll do the rest

- METAL ROAD SIGNS
- CORREX SAFETY SIGNS
- PLASTIC SAFETY SIGNS
- PVC SITE SIGNAGE
- CORRUGATED PVC SIGNS
- MANY MORE APPLICATIONS

worn on this site


Eye protection must be worn on this site

CONTACT US FOR ALL YOUR COVID-19 SIGN, STICKER, & BANNER NEEDS



ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

FIRE EXIT & EMERGENCY SIGNS



482 020 8311 1144 sales@cmt.co.uk www.cmt.co.uk

FIRE EXIT & EMERGENCY SIGNS

کا ۲۰ Fi asse po	mbly	Fire alarm. Fire alarm. Image: Second secon		Experience of the second secon
55502	2 - (A2)	SSP253A3 - (A3) SSP253A2 - (A2) SSP253A1 - (A1)	:	55P254A3 - (A3) 55P254A2 - (A2) 55P254A1 - (A1)
Hyou disc Operate neares Call the Fring Br Call	ing by the	Fice Fice actions of the second of the seco	Any per 1 Seven 2 Prove 3 Anos apple	A constraint of the second sec
SSP250	A3 - (A3) A2 - (A2) A1 - (A1)	SSP251A3 - (A3) SSP251A2 - (A2) SSP251A1 - (A1)		SSP252A3 - (A3) SSP252A2 - (A2) SSP252A1 - (A1)
	Fire	Fire		Fire alarm
SSF	01A4 - (A4) 01A3 - (A3) 01A2 - (A2)	SSF02A4 - (A4) SSF02A3 - (A3) SSF02A2 - (A2)		SSF03A4 - (A4) SSF03A3 - (A3) SSF03A2 - (A2)
Code Size				
See above 210 x 297mi	m (A4)			
See above 210 x 220 million 210 x 220 million 200 x 420 x 420 million 200 x 420 x 42				
277,42011				

SAFETY SIGNS

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY


See above

See above

420 x 594mm (A2)

594 x 841mm (A1)

EMERGENCY SIGNS



SITE INFORMATION SIGNS

Code Size See above 100x150mm Contract Manager SSS234A4 - (A4) SSS234A4 - (A4) SSS234A3 - (A3)		00 x 150mm 55 Surveyor SS5236A4 - (A4) SS5236A3 - (A3)	Site Manager SSS237A4 - (A4) SSS237A3 - (A3)
SSS234A2-(A2)	SSS235A2 - (A2)	SSS236A2 - (A2)	SSS237A2-(A2)
SSS238A4 - (A4) SSS238A3 - (A3) SSS238A2 - (A2)	SSS239A4 - (A4) SSS239A3 - (A3) SSS239A2 - (A2)	SSS240A4 - (A4) SSS240A3 - (A3) SSS240A2 - (A2)	SSS241A4 - (A4) SSS241A3 - (A3) SSS241A2 - (A2)
Drying room	Canteen	Site office	Mobile phone area
SSS209A4 - (A4) SSG209A3 - (A3) SSG209A2 - (A2)	SSG210A4 - (A4) SSG210A3 - (A3) SSG210A2 - (A2)	SSG04A4 - (A4) SSG04A3 - (A3) SSG04A2 - (A2)	SS5242A4 - (A4) SS5242A3 - (A3) SS5242A2 - (A2)
Code Size			
See above 210 x 297mm (A4)			
See above 297 x 420mm (A3)			
See above 420 x 594mm (A2)			
See above 594 x 841mm (A1)			

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

SITE SIGNAGE

See above

See above


297 x 420mm (A3)

420 x 594mm (A2)

	COSHH STORES	EXTERNAL COSHH STORES	GENERAL STORES
	SSG212A3 - (A3) SSG212A2 - (A2)	SSG213A3 - (A3) SSG213A2 - (A2)	SSG214A3 - (A3) SSG214A2 - (A2)
	GENERAL WASTE	MIXED CONSTRUCTION WASTE	CONTAMINATED PACKAGING Le paint tins/mastic tubes
	SSG07A3 - (A3) SSG07A2 - (A2)	SSG215A3 - (A3) SSG215A2 - (A2)	SSG216A3 - (A3) SSG216A2 - (A2)
	WOOD	METAL	PAPER
	SSG217A3 - (A3) SSG217A2 - (A2)	SSG218A3 - (A3) SSG218A2 - (A2)	SSG219A3 - (A3) SSG219A2 - (A2)
	Meeting room	Stores	Conference room
	SSG230A3 - (A3) SSG230A2 - (A2)	SSG231A3 - (A3) SSG231A2 - (A2)	SSG232A3 - (A3) SSG232A2 - (A2)
	Toilet	Gents Toilet	Ladies Toilet
	SSG233A3 - (A3) SSG233A2 - (A2)	SSG234A3 - (A3) SSG234A2 - (A2)	SSG235A3 - (A3) SSG235A2 - (A2)
	Size		
Code			
Code See abov			

See above 594 x 841mm (A1) 486 020 8311 1144 sales@cmt.co.uk www.cmt.co.uk

GENERAL NOTICES



Code	Size
See above	210 x 297mm (A4)
See above	297 x 420mm (A3)
See above	420 x 594mm (A2)
See above	594 x 841mm (A1)


See above

See above

420 x 594mm (A2)


594 x 841mm (A1)

MANDATORY SIGNS



488 020 8311 1144 sales@cmt.co.uk www.cmt.co.uk


MANDATORY SIGNS



ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

490

PROHIBITION SIGNS




PROHIBITION SIGNS

No Parking	No smoking	No smoking & No E-Cigarettes
SSP03A3 - (A3) SSP03A2 - (A2) SSP03A1 - (A1)	SSPL01A3 - (A3) SSP01A2 - (A2) SSP01A1 - (A1)	SSP196A3 - (A3) SSP196A2 - (A2) SSP196A1 - (A1)
5	4	
5 MPH		
Mandatory	No	Strictly no
speed limit	smoking	admittance
SSP07A4 - (A4) SSP07A3 - (A3) SSP07A2 - (A2)	SSP01A4 - (A4) SSPP01A3 - (A3) SSP01A2 - (A2)	SSP063A4 - (A4) SSP063A3 - (A3) SSP063A2 - (A2)
No unauthori person allowed beyond this poi	s d d nt allow	b children red on this site SSP04A4 - (A4) SSP04A3 - (A3) SSP04A2 - (A2)
Code Size		
See above 210 x 297mm (A4) See above 297 x 420mm (A3)		

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY


Set up an account for our discounted rates / prices

CONSTRUCTION SITE SAFETY SIGNS



492 020 8311 1144 sales@cmt.co.uk www.cmt.co.uk


SITE ACCESS SIGNS



ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

Set up an account for our discounted rates / prices

SITE ACCESS SIGNS



PEDESTRIAN ACCESS SIGNS



TRAFFIC INFORMATION SIGNS




020 8311 1144 sales@cmt.co.uk www.cmt.co.uk

See above

594 x 841mm (A1)

SITE HAZARDS SIGNS



ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

Set up an account for our discounted rates / prices

497

HAZARD SIGNS



Code	Size
See above	210 x 297mm (A4)
See above	297 x 420mm (A3)
See above	420 x 594mm (A2)
See above	594 x 841mm (A1)

HAZARD SIGNS



Code	Size
See above	210 x 297mm (A4)
See above	297 x 420mm (A3)
See above	420 x 594mm (A2)
See above	594 x 841mm (A1)

SAFETY SIGNS

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY


Set up an account for our discounted rates / prices 499

GENERAL & SITE SIGNS

Marning Confined space	Highly Flammable	WELCOME Pedestrian
unauthorised entry	No smoking or naked lights	gate
SSMP01A4 - (A4) SSMP01A3 - (A3) SSMP01A2 - (A2)	SSMP02A4 - (A4) SSMP02A3 - (A3) SSMP02A2 - (A2)	SSMP03A4 - (A4) SSMP03A3 - (A3) SSMP03A2 - (A2)
WELCOME Gate 1	WELCOME Gate 2	WELCOME Gate 3
SSMP04A4 - (A4) SSMP04A3 - (A3) SSMP04A2 - (A2)	SSMP05A4 - (A4) SSMP05A3 - (A3) SSMP05A2 - (A2)	SSMP06A4 - (A4) SSMP06A3 - (A3) SSMP06A2 - (A2)
Danger Hazardous substances Please observe the correct procedures	Danger Deep excavations	Construction site
SSMP07A4 - (A4) SSMP07A3 - (A3) SSMP07A2 - (A2)	SSMP08A4 - (A4) SSMP08A3 - (A3) SSMP08A2 - (A2)	SSMP10A4 - (A4) SSMP10A3 - (A3) SSMP10A2 - (A2)
A Danger Hazardous substances	0	
Please observe the correct precautions	We apologise for any inconvenience caused during the building operations	Proper PPE Required Boots, Hard hats, Gloves (when tasks requires)
SSMP11A4 - (A4) SSMP11A3 - (A3) SSMP11A2 - (A2)	SSG06A4 - (A4) SSG06A3 - (A3) SSG06A2 - (A2)	Salety Vests & Glasses SSMP09A3 - (A3) SSMP09A2 - (A2) SSMP09A1 - (A1)

Code	Size
See above	210 x 297mm (A4)
See above	297 x 420mm (A3)
See above	420 x 594mm (A2)
See above	594 x 841mm (A1)

GENERAL & SITE SIGNS



Code	Size
See above	210 x 297mm (A4)
See above	297 x 420mm (A3)
See above	420 x 594mm (A2)
See above	594 x 841mm (A1)

SAFETY SIGNS

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

SITE SAFETY BOARDS



0.2	0 0 2 1 1 1 1 1 1	sales@cmt.co.uk	www.cmt.co.uk	
02	0 0311 1144	sales@cmt.co.uk	www.cmt.co.uk	

See above

See above

297 x 420mm (A3)

420 x 594mm (A2)

SITE SAFETY BOARDS



See above

504

594 x 841mm (A1)

SITE SAFETY BOARDS



020 8311 1144 sales@cmt.co.uk www.cmt.co.uk

SITE SAFETY BOARDS

SAFETY SIGNS



Code	Size
See above	210 x 297mm (A4)
See above	297 x 420mm (A3)
See above	420 x 594mm (A2)
See above	594 x 841mm (A1)

CALL US FOR ALL COVID-19 SIGNAGE



CALL US

FOR ALL YOUR CUSTOM ROAD SIGN REQUIREMENTS

PRINTED IN-HOUSE FOR FAST DELIVERY!



SAFETY SIGNS, POSTERS & NOTICE BOARDS

<image/> <image/> <image/>	<image/> <section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header>	<section-header><section-header><section-header><section-header><section-header><section-header><section-header><text><text><text><text><text><text><text><text></text></text></text></text></text></text></text></text></section-header></section-header></section-header></section-header></section-header></section-header></section-header>
<text></text>	<section-header><section-header><text><text><text><text><text><text><text><text><text><text><text></text></text></text></text></text></text></text></text></text></text></text></section-header></section-header>	<section-header><section-header><section-header> Image: Analysis Im</section-header></section-header></section-header>
FWC31A2 - (A2)	WC153A2 - (A2)	WC142A2 - (A2)
Code Size		
See above 420 x 594mm (A2)		
	What you need to know	
	there what you need to know	
	$ \begin{array}{ c $	
	HSE Half out have been	
Code Size		
AFWC30RP 1mm PVC 420 x 594mm (A2) AFW30LA2 Laminated 420 x 594mm (A2)		
AFW30LA3 Laminated 420 x 594mm (A2) AFW30LA3 Laminated 297 x 420mm (A3)		

506 020 8311 1144 sales@cmt.co.uk www.cmt.co.uk

INDEX (A-C)

3M Dust Masks

3M Dust Masks	312	B	
Α		Balaclava	
Abrasive Discs	40,41	Ballistic Trousers	
Absorbent Sock	228	Band Stands	
Accident Report Book	248	Barrel Pump	
Access Podium	434,444	Barrier Cream	194, 195, 1
Acoustic Barriers	235, 236	Barrier Tape	
Acro Props	141	Barro Box	
AdBlue	428	Baseball Cap	
Adjustable Spanners	98	Bastard File	
Adjustable Steel props	141	Batteries	
Adjustastairs	435	Beaded Hand Gel	-
Adjustable Folding Stairs	435	Beam Cart	
Air Compressor	429	Beanie Hat	
Air Freshener	208	Belle Wheelbarrow	
Air Horn	256	Bib & Brace - Hi Vis	348,3
All Steel Forks	55	Big Blue Concrete Floa	,
All Steel Rakes	55,67	Biodegradable	204-205,2
All Steel Rammers	55	Cleaning Products	204 200,2
All Steel Shovels	52, 54	Biodegradable Cups	
Allen Key Sets	99	Biodegradable Cutlery	,
Aluminium Dapple Bars	419	Bin Liners	
Alphabloc Barrier	455	Bit Holders	
Aluminium Spazzle	69,405	Bitukold Emulsion - Ha	and annlied
Aluminium Lightweight Sta	,	Bitukold Spray	and applied
Anti-Bacterial Hand Gel	191,198	Bitumen Cleaner & De	dreaser
Anti-Bacterial Hand Soap	209	Bituseal Spray	Bieddoci
Anti-Bacterial Wipes	210,	Bleach	
Anti-Freeze	428	Blow Out Pump	
Anti Skid Sheets	124	Blue Roll	
Anti-vibration Gloves	288	Boat Level	
Antiseptic Cleaning Wipes	248	Body Warmer - Hi Vis	
Applicator Gun For Foam	134	Boiler Suits	
Aprons	199	Bolle Safety glasses	300-3
Aquapax Water	221,243	and goggles	500 .
Arc Flash Clothing	370, 376-382	Bolsters	
Arc Protected Boots	266, 267	Bolt Croppers	
Armbands - COSS	248	Bookcase	
Armbands - First Aider	248	Boots	
Armlets With Inserts	360	Boot Bag	
Asbestos Sacks	215	Boot Cleaner	
Ash Handled Fork	56	Boot Wash	
Ash Handled Rake	57,67	Bow Saw	
Ash Handled Shovels	52, 56	Bowls	
Ash Handled Shov-Holer	57	Breaker Points & Chise	ale
Ash Tray	184	Breaker Steels	
Asphalt Road Repair	125	Breakaway Cable	
Asphalt Release Agent	123	Brick & Patio Cleaner	
Auger Bits	44	Brick Jointer	
Automotive Supplies	428-430	Brick Line	
Auto Retract Safety Knife	420-430	Brick Trowels	
Avalon Barrier	452	Brightboots	
, tratori Barriol	452	Brogues safety shoes	
		Brogues salety shoes	

	Brooms	74, 75
	Broom Handles	75
368	Broom Handle Clamps	75
365	Bubble Wrap	143, 178
141	Buck Boots	272, 273, 275
138	Buckets	77, 78, 219
194, 195, 197, 209	Buddha Barrier	455
145, 179	Builders Trestles	141
161	Bulk Bags	139
368	Bull Nose Trowel	88-91
97	Bunting	145, 461
174, 465	Burn Kits	247
209	Butt Hinges	399
160	C	
368		
71	C-Fold Towels	213
348, 355, 356	C-Fold Towel Dispenser	213
at 405	Cable & Hose Protector Ran	np 458
204-205, 240, 241	Cable Management Hooks	169
	Cable Reels	164,165
223, 244	Cable Ties	168, 179
223	Canteen Bench	185
215	Canteen Cannister Set	220
386,387	Canteen Tables	185
and applied 125	Carbon Discs	40,41
125	Car Interior Wipes	210
greaser 125	Car Mats	430
125	Car Seat Cover	430
206	Car Wash & Wax	430
42, 388	Carborundum Stone	97
213	Carpenters Pencils	105
93	Carpet Protection Roll	178
341, 358	Carpet Tiles	180
366	Caulk	133
300-302, 306	Cement Mixer	419
	Centre Feed Roll	213
92	Centre Feed Roll Dispenser	213
103	Centurion Hard Hats	323
187	Ceramic Bowls	223
260-275	Ceramic Mug	223
270	Ceramic Plates	223
217, 226	Chain	145, 157
226	Chain Barrier System	463
95	Chairs - Office	188
223	Chairs - Stacking	188
els 420	Chalk Line & Chalk	126
420	Chalk Refill	126
426	Chartwell Survey Book	122
208	Chemical Anchor Resin	390-393
91	Chemical Anchor Studs	388
126	Chest Waders	274
88-90	Chin Straps	326
272, 273	Chipping Hammer	87
270	Chisel & Point crowbar	55, 59, 66

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

INI

INDEX

INDEX (C-F)

Chisels	92	Cup Grinding Discs	36
Chlorine	225	Curly Top Pins	148
Chukka Boot	265, 268	Curing Tank	406
Chuck Adaptor	387	Cut Resistant Gloves 286, 287,	290, 291
Chucks - Drill	387	Cut Resistant Sleeves	287
Churn brush	217	Cutlery	222, 223
Circular Saw Blades	50	Cutting Discs	40,41
Claw Hammer	86	D	
Clock	184	U	
Clocking-In System	184	Damp Proof Membrane	140
Club Hammer	86	Dapple Bars	419
Cobra Rodding System	142	Dealer Boots	268
Coco Door Mat	217, 226	De-Icer	83, 428
Coffee	220	DEB Products	196, 197
Coiled Connection Lead	427	Debris Netting	140
Colas Bitukold	125	Deck Scrub	218
Colas Bitumen Colspray	125	Decorators Caulk	133
Colas Leoclean	125	Defibrillator	249-251
Cold Asphalt Road Repair	125	Denso Tape	407
Cold Chisel	92	Descaler	207
Colour Coded Gloves 286, 2	287, 290, 291	Desks	186
Combination Ladders	440	Desk Pedestals	186
Combination Pliers	102, 104	Detectable Underground	149
Combination Spanners	98	Warning Tape	
Compressor Hose	150	Detectamesh	149
Concrete Accessories	402-410	Detonators & Cases	360
Concrete Broom	74, 405	Diamond Blades	16-35
Concrete Curing Compound	408	Diamond Cores	37, 38
Concrete Curing Tank	406	Diesel Cans	137,138
Concrete Finishing Broom	74, 405	Digital Keypad Lock	155, 400
Concrete Mixer	419	Digital Thermometers	202, 406
Concrete Placer	69, 405	Dish Cloths	211
Concrete Rubbing Brick	97	Dishwasher	225
Concrete Scoop	403	Dishwasher Salt	225
Concrete Thermometer	406	Dishwasher Tablets	225
Concreting Gloves	280, 285	Disinfectant	206
Cones	462-464	Disinfectant Wipes	199, 210
Cone Signs	466-468	Disposable Coveralls	367
Confined Space Tripod	329	Disposable Gloves	289
Connector Nuts	396	Door Mats	217
Copier Paper	184	Door Jam Protector	176
Core Drills	37,38	Double Sided Tape	144,179
Correx Sheeting	141, 177	DPM	140
COSHH Store	158	Drain - Air Bag Stoppers	153
Coveralls - Disposable	367	Drain Brush	152
Coveralls - 373, 3 Flame Retardant & ARC Prote	374, 378, 381 octod	Drain Cleaning Wheel	154
		Drain Double Worm Screw Drain Filter - Envirohorn	152
Coveralls - Plain Colours	366		233
	348, 355-357	Drain Plunger	152
Cream Cleaner	207	Drain Rod Set	152
Crowbars	55, 59, 197	Drain Stoppers Drain Stopper Nipples & End caps	153
Cupboard	187	Drain Stopper Nipples & End Caps	
Cups 2 Cup Sleeves	222, 223, 244	Drain Test Hose	152 154
Cup sieeves	222	שומודרכז חטפר	104

1 r	Drain Tast Kit & Dump	154
	Drain Test Kit & Pump	
	Drawing Storage Trolleys	182
	Drill Bits	42-45
	Drill Chucks	387
	Drinking Cups	244
[Drinking Water 221	, 242, 243
1	Drip Trays	230, 231
[Drivers Gloves	284
1	Drop in Wedge Anchors	395
1	Drum Pallet Sump	230
1	Dry Core Drills	37
1	Drywall Screws	385
1	Dry Wipe Board	182
1	Dry Wipe Pens	183
1	Drywall Screws	385
1	Duct Tape	144,179
1	Dumpy Bags	139
1	Dusmo Sweeping Compound	208
	Dust Bins	214,
1	Dust Extractor	416
	Dust Masks 309	, 312, 313
		, 141, 177
	Dust Suppression Water Bottle	79,80
	Dusters	211
	Dustpan & Brush	217
	E	
	Ear Defenders	202 205
1		292-295
	Ear Defenders - Helmet Mounted	
E		
E	Ear Defenders - Helmet Mounted	293, 295
E	Ear Defenders - Helmet Mounted Ear Defenders - Neckband	293, 295 294
E E E	Ear Defenders - Helmet Mounted Ear Defenders - Neckband Ear Plugs	293, 295 294 296, 297
E E E E	Ear Defenders - Helmet Mounted Ear Defenders - Neckband Ear Plugs Ear Plug - Dispenser Easytack Primer	293, 295 294 296, 297 296
6 6 6 6 6	Ear Defenders - Helmet Mounted Ear Defenders - Neckband Ear Plugs Ear Plug - Dispenser Easytack Primer	293, 295 294 296, 297 296 123
E E E E C	Ear Defenders - Helmet Mounted Ear Defenders - Neckband Ear Plugs Ear Plug - Dispenser Easytack Primer ECO Friendly 204-205	293, 295 294 296, 297 296 123
E E E E C C	Ear Defenders - Helmet Mounted Ear Defenders - Neckband Ear Plugs Ear Plug - Dispenser Easytack Primer ECO Friendly 204-205 Cleaning Products	293, 295 294 296, 297 296 123 , 240, 241
8 8 8 8 8 8 8 9 8 9 8 9 8 9 8 9 8 9	Ear Defenders - Helmet Mounted Ear Defenders - Neckband Ear Plugs Ear Plug - Dispenser Easytack Primer ECO Friendly 204-205 Cleaning Products ECO Friendly Cups	293, 295 294 296, 297 296 123 , 240, 241 223, 244
E E E E E E E E E E E	Ear Defenders - Helmet Mounted Ear Defenders - Neckband Ear Plugs Ear Plug - Dispenser Easytack Primer ECO Friendly 204-205 Cleaning Products ECO Friendly Cups ECO Friendly Cutlery	293, 295 294 296, 297 296 123 , 240, 241 223, 244 223
E E E E E E E E E E E	Ear Defenders - Helmet Mounted Ear Defenders - Neckband Ear Plugs Ear Plug - Dispenser Easytack Primer ECO Friendly 204-205 Cleaning Products ECO Friendly Cups ECO Friendly Cutlery Ecoviz ECO Friendly Polo Shirts	293, 295 294 296, 297 296 123 , 240, 241 223, 244 223 339
E E E E E E E E E E E E E	Ear Defenders - Helmet Mounted Ear Defenders - Neckband Ear Plugs Ear Plug - Dispenser Easytack Primer ECO Friendly 204-205 Cleaning Products ECO Friendly Cups ECO Friendly Cutlery Ecoviz ECO Friendly Polo Shirts Edge Protection	293, 295 294 296, 297 296 123 , 240, 241 223, 244 223 339 177
8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	Ear Defenders - Helmet Mounted Ear Defenders - Neckband Ear Plugs Ear Plug - Dispenser Easytack Primer ECO Friendly 204-205 Cleaning Products ECO Friendly Cups ECO Friendly Cutlery Ecoviz ECO Friendly Polo Shirts Edge Protection Edging Trowels	293, 295 294 296, 297 296 123 , 240, 241 223, 244 223 339 177 90
E E E E E E E E E E E E E E	Ear Defenders - Helmet Mounted Ear Defenders - Neckband Ear Plugs Ear Plug - Dispenser Easytack Primer ECO Friendly 204-205 Cleaning Products ECO Friendly Cups ECO Friendly Cutlery Ecoviz ECO Friendly Polo Shirts Edge Protection Edging Trowels End Cutters	293, 295 294 296, 297 296 123 , 240, 241 223, 244 223 339 177 90 103, 407
8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	Ear Defenders - Helmet Mounted Ear Defenders - Neckband Ear Plugs Ear Plug - Dispenser Easytack Primer ECO Friendly 204-205 Cleaning Products ECO Friendly Cups ECO Friendly Cutlery Ecoviz ECO Friendly Polo Shirts Edge Protection Edging Trowels End Cutters Envirohorn Drain Filter	293, 295 294 296, 297 296 123 , 240, 241 223, 244 223 339 177 90 103, 407 233 233
8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	Ear Defenders - Helmet Mounted Ear Defenders - Neckband Ear Plugs Ear Plug - Dispenser Easytack Primer ECO Friendly 204-205 Cleaning Products ECO Friendly Cutlery ECO Friendly Cutlery Ecoviz ECO Friendly Polo Shirts Edge Protection Edging Trowels End Cutters Envirohorn Drain Filter Enviropad Oil retention Mat	293, 295 294 296, 297 296 123 , 240, 241 223, 244 223 339 177 90 103, 407 233 233
8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	Ear Defenders - Helmet Mounted Ear Defenders - Neckband Ear Plugs Ear Plug - Dispenser Easytack Primer ECO Friendly 204-205 Cleaning Products ECO Friendly Cutlery ECO Friendly Cutlery Ecoviz ECO Friendly Polo Shirts Edge Protection Edging Trowels End Cutters Envirohorn Drain Filter Enviropad Oil retention Mat EVOSpec Helmet Mounted Eyes!	293, 295 294 296, 297 296 123 , 240, 241 223, 244 223 339 177 90 103, 407 233 233 inield 324
8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	Ear Defenders - Helmet Mounted Ear Defenders - Neckband Ear Plugs Ear Plug - Dispenser Easytack Primer ECO Friendly 204-205 Cleaning Products ECO Friendly Cutlery ECO Friendly Cutlery Ecoviz ECO Friendly Polo Shirts Edge Protection Edging Trowels End Cutters Envirohorn Drain Filter Enviropad Oil retention Mat EVOSpec Helmet Mounted Eyest Expandable Safety Barrier	293, 295 294 296, 297 296 123 , 240, 241 223, 244 223 339 177 90 103, 407 233 233 atield 324 453
8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	Ear Defenders - Helmet Mounted Ear Defenders - Neckband Ear Plugs Ear Plug - Dispenser Easytack Primer ECO Friendly 204-205 Cleaning Products ECO Friendly Cutlery ECO Friendly Cutlery ECO Friendly Cutlery Ecoviz ECO Friendly Polo Shirts Edge Protection Edging Trowels End Cutters Envirohorn Drain Filter Enviropad Oil retention Mat EVOSpec Helmet Mounted Eyest Expandable Safety Barrier Expanding Foam	293, 295 294 296, 297 123 ,240, 241 223, 244 223 339 177 90 103, 407 233 103, 407 233 331 104
8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	Ear Defenders - Helmet Mounted Ear Defenders - Neckband Ear Plugs Ear Plugs - Dispenser Easytack Primer ECO Friendly 204-205 Cleaning Products ECO Friendly Cutlery ECO Friendly Cutlery ECO Friendly Cutlery Ecoviz ECO Friendly Polo Shirts Edge Protection Edging Trowels End Cutters Envirohorn Drain Filter Enviropad Oil retention Mat EVOSpec Helmet Mounted Eyest Expandable Safety Barrier Expanding Foam Extension Ladders	293, 295 294 296, 297 296 123 ,240, 241 223, 244 223 339 177 90 103, 407 233 103, 407 233 104, 403 233 134 453 134
8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	Ear Defenders - Helmet Mounted Ear Defenders - Neckband Ear Plugs Ear Plugs - Dispenser Easytack Primer ECO Friendly 204-205 Cleaning Products ECO Friendly Cutlery ECO Friendly Cutlery Ecoviz ECO Friendly Polo Shirts Edge Protection Edging Trowels End Cutters Envirohorn Drain Filter Enviropad Oil retention Mat EVOSpec Helmet Mounted Eyest Expandable Safety Barrier Expanding Foam Extension Ladders Extension Leads	293, 295 296, 297 296 123 ,240, 241 223, 244 223 339 177 90 103, 407 233 104, 405 324 453 134 439 164, 165
8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	Ear Defenders - Helmet Mounted Ear Defenders - Neckband Ear Plugs Ear Plugs - Dispenser Easytack Primer ECO Friendly 204-205 Cleaning Products ECO Friendly Cups ECO Friendly Cutlery Ecoviz ECO Friendly Polo Shirts Edge Protection Edging Trowels End Cutters Envirohorn Drain Filter Enviropad Oil retention Mat EVOSpec Helmet Mounted Eyest Expandable Safety Barrier Expanding Foam Extension Ladders Extension Leads Eye Protection	293, 295 296, 297 296 123 ,240, 241 223, 244 223 339 177 90 103, 407 233 104, 405 233 134 453 134 439 164, 165 298-306
8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	Ear Defenders - Helmet Mounted Ear Defenders - Neckband Ear Plugs Ear Plugs - Dispenser Easytack Primer ECO Friendly 204-205 Cleaning Products ECO Friendly Cups ECO Friendly Cutlery Ecoviz ECO Friendly Polo Shirts Edge Protection Edging Trowels End Cutters Envirohorn Drain Filter Enviropad Oil retention Mat EVOSpec Helmet Mounted Eyest Expandable Safety Barrier Expanding Foam Extension Ladders Extension Leads Eye Protection Eye Pod Stations	293, 295 294 296, 297 296 123 240, 241 223, 244 223 339 177 90 103, 407 233 233 104, 405 233 134 453 134 439 164, 165 298-306 249
8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	Ear Defenders - Helmet Mounted Ear Defenders - Neckband Ear Plugs Ear Plugs - Dispenser Easytack Primer ECO Friendly 204-205 Cleaning Products ECO Friendly Cups ECO Friendly Cutlery Ecoviz ECO Friendly Polo Shirts Edge Protection Edging Trowels End Cutters Envirohorn Drain Filter Enviropad Oil retention Mat EVOSpec Helmet Mounted Eyest Expandable Safety Barrier Expanding Foam Extension Ladders Extension Leads Eye Protection Eye Pod Stations	293, 295 294 296, 297 296 123 240, 241 223, 244 223 339 177 90 103, 407 233 233 104, 405 233 134 453 134 439 164, 165 298-306 249

020 8311 1144

508

sales@cmt.co.uk

www.cmt.co.uk

INDEX (F-H)

Face Fit Testing Kit Solution		15
Face Mask Filters	316,3	
Face Masks - Respirators	309, 312, 3	
Face Masks Surgical	200-2	
Face Masks Type 11R	200-2	
Face Masks - 3 Ply	200-2	
Faceshields	202, 3	
Face Visors	202, 3	06,
Fairy Liquid	2	206
Fall Arrest Equipment	328-3	30
Fall Restraint Equipment	328-3	30
Fans	1	.73
Fan Heaters	172, 1	
Fencing Gate	447,4	50
Fencing Pins	1	.48
Festoon Lighting	167,1	.68
FFP3V Masks	309, 312, 3	13
Files		97
Filing Cabinet	1	.87
Fire Alarms	256,2	257
Fire Bell	2	257
Fire Blanket	2	256
Fire Bucket	2	256
Fire Extinguishers & Access	ories 254-2	258
Fire Extinguisher Stands	255,2	
Fire Hose	,	257
First Aid & Coss Armband		48
First Aid Kits	246,2	
First Aid Plasters	,	248
Fisco Tape Measure	118, 1	
Flags & Poles		60
Flambank Storage	159,1	
Flame Retardant & Arc cloth		
Flashing Beacons	-	65
Flat Bits	-	44
Fleece Jackets - Plain Colou	rc 3	864
Fleece Jackets - Hi Vis		341
Flexi Tub		
Floats		77
	4/17 4/0 4	88
Flood Lights	167, 168, 1	
Floor Cleaner	_	208
Floor Saw	2	23
Floor Scraper		96
Floor Scraper blades		96
Flooring Trowels		-91
Fluorescent Lighting	168, 170, 1	
Fluorescent Tubes	168,1	
Fly Leads		.64
Fly & Wasp Spray	2	808
Foam Gun Cleaner	1	.34
Folding Rule	1	.22
Foot Pump	2	29
Footprint Wrench	1	.02
Force 8 Respirators	3	16

Forecourt Auto Wipe	212	
Forma-store	158	
Form Face Retarder	408	I
Form Release Agent	408	I
Formwork Oil Sprayer	82,409	
Fridge	225	
Frost Blanket	406	
Frost Protection Foam Blanket	406	
	137, 429	
Funnels	138	
Furniture Polish	207	
	207	
G		
Gaffa Tape	144, 179	
·	,78,219	
Galvanised Mop Buckets	77,219	
Galvanised Tar Buckets	, 77,78	-
Galvanised Tar Cans	78	
Gas Cage	160	-
Gas Hose	106	
Gas Lance & Torch	106	
	106, 123	
Gas Regulator	100, 125	
Gas Torch	100	
Gate Barriers	452	
Gate Hinge	432 399	
Gauging Trowels	88-90	
Gauntlets	285	
	205 204, 207	
	132	
Glass Paper	132	
Glass Scraper Glass, Window 2		
& Stainless Steel Cleaner	204, 207	
	270 201	
	279-291 460	
Goal Post System		
	305, 306	
Gorilla Gas Cage Gorilla Tub	160 77	
Goma Tub Gowns	199	
Grass Seed		
	78	
Grease cartridge	97 07	
Grease Gun	97	
	222-234	
Green Skip Net	139	
Grinding Discs	41	
Gripfill Adhesive	132	
	286, 290	
Grit Bins	84, 214	
Gully Bowl	57	
Gum Remover	208	
H		
Hacksaw	95 05	
Hacksaw Blades	95	I

Haemmerlin Wheelbarrow	72
Hammer Fixings	394
Hammers	76, 86, 87
Hand Brush	217
Hand Cleaner	194-197
Hand Cleaner dispenser	194-197
Hand Reconditioner	194-197
Hand Held Spray Bottle	81
Hand Signalman Kit	359
Hand Soap	205, 209
Hand Staple Gun	104
Hand Tampers	420
Handsaws	94
Hand Sanitiser Gel	191, 198
Hand Sanitiser Gel- Bulk refill pa	
Hand Sanitiser Gel Dispensers - Manual	190
Hand Sanitiser Gel Dispensers - Touch Free	190, 191
Hand Sanitiser Gel Site Stations	192
Hand Sanitiser Spray	198
Hard Hat Accessories	324-327
Hard Hats	320-325
Hardboard	176
Hardpoint saws	94
Harnesses	328-330
Hasp & Staple	155, 399
Hat & Coat Stand	133,377
Hazardous Storage Boxes	159, 160
Hawk	137,100
Head Torches	166
Hearing Protection	292-297
Heaters	172, 173
Helmets	320-325
	320-325
Helmet Lights Helmet Liners	326
Helmet Mounted Eyeshield	324
Helmet Stickers	326
Henry Vacuum Cleaner	216
Henry Vacuum Cleaner Bags	216
Hessian Roll	143
Hessian Sandbags	139
HexArmor Sharpmaster Gloves	288
Hex Head Bolts	397
Hex Nuts	398
Hilti Gun Nails	384
Hinges	399
Hi-Tensile Sockets	101, 395
Hi Vis Clothing	335-358
Holdall Bags	334
Hog Barrier	455
Hole Punch	183
Hole Saws	46
Hooded Sweatshirt - Plain Colou	ırs 363

INDEX

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

INDEX

INDEX (H-N)

Hooded Sweatshirt - Hi Vis	343
Hoodie - Hi Vis	340
Hop Up Platform	440
Hose - Compressor	150
Hose - Contractors	150
Hose Clips	151
Hose Fittings	151
Hot Water Urn	224
HSS Drill Bits	45
Hushtec Barriers	235, 236
Hushtec Phone box	237
Hushtec Rock Breaker Attachmen	t 238, 239
Hygiene Roll	212
-	

I

ICE Holder	326
Ice Scraper	428
Impact Sockets	101, 395
In Case Of Emergency Holder	326
Indent Roller	403
Industrial Hand Cleaner	194-197
Inflator Pumps	154
Infrared Heaters	173
Ink & Gum Remover	208
Insoles	270
Insta-Deck	432
Instagate Barrier	453
Insulated Forks	63
Insulated Punner	65
Insulated Shovels	53, 60-65
Insulated Shov-Holer	63
Insulation Tape	144
Irwin 880 Hand Saw	94

J

Jackets - Flame Retardant & ARC Protected	377, 380
Jackets - Plain Colours	364
Jackets - Hi Vis 343-346, 351,	357, 358
Jam Protector	176
J-Cloths	211
Jerricans	138
Jerry Cans	138
Jet Stream Powered Air Respirate	or 318
Jigsaw Blades	50
Jizer Bio	208
Jockey Wheels & Accessories	427
Jubilee Clips	151
Jumbo Roll	213
Jumbo Roll Dispenser	213
Jump Leads	428
Jute Tarmac Sheets	143
Κ	

Kentucky Mops 219 Kentucky Ringer Bucket 219 Kerb Lifter 76 Kerb Ramps 456 Kettle 224 Key Cabinet 155 Keypad Lock 155 Key Tags 155 Kitbag 334 Knapsack Backpack Sprayer 81 369 Kneepads Knife blades 96 Knife - Retractable blade 96 Knife - Stanley 96 Knit Wrist Gloves 285 Ladies Footwear 271 Ladies Clothing - Hi Vis 351 Ladders 439-441 433 Laddertag Kits Lane Divider Barriers 455 Lanyards - Scaffolders 328 Lanyards - Tool tethering 112, 113 Lanyards - Fall Arrest 328, 330 Laser Levels 122 Latex Gloves 279.280.286.290 - General handling Latex Gloves - Disposable 289 Lawn Rake 68 Leads - Extension 164,165 Leads - 110V 164,165 LED Lighting 167, 170, 171 Lens Cleaning Solution 307 Lens Cleaning Station 307 307 0 Lens Cleaning Wipes Levels - Spirit 93 4 Level Crossing Attendant Kit 359 8 Level Crossing Lamps 360 Lifting Straps 146 167-171 Lighting Light Bulbs 169,171 Line Marker Spray 120,121 124 Line Marking Roll 0 Line Pins 126 Linesman Harness 326 Liquid Descaler 207 Liquid Hand Soap 205.209 .3 Litter Picker 218 3 Lockers 185 221 8 Longlife Milk Long Nose Pliers 102,104 Lookout Kit 359 Low Tack Tape 179

Lubricant Spray	136
Lump Hammer	86
Lute	69
	07
M	
Magnet	100
Maintenance Platforms	436, 437
Mallets	76,87
Manhole Keys	154
Marking Crayons	121
Marker Paint	120, 121
Marker Pens	183
Masking Tape	131, 144, 179
Matting - Cellular	162
Matting - Rubber	162
Matting - Hi vis	162
Mattocks	67
Mauls	76
Maximum-Minimum Therm	
Melba Buddha Barrier	455
Measuring Wheel	433
Mesh Fencing	149
Metal cutting discs	40,41
Metatarsal Protection boots	,
Footwear	260-275
Metal Road Signs	472-477
Microfibre Cloths	211
Microwave	224
Milk	224
Minibar Beacons	465
Mineral Water	242, 243
Mini Magnet	100
Mini Mobile Scaffold	432
Mixing Paddle	432
Mobile Hand Wash Stations	193
Mole Grips	102
Moldex Dust masks	312
Monarflex	140
Monarflex Toggles	140
Mop Buckets	219
Mops & Buckets	219
Mortar Mixing Tray	78
Mortar Tub	78
Mould Oil	408
Mugs	223
Multi Fix Bolts	396
Multi Purpose Saw	94
Multitool Blades	48.49
Multi Surface Cleaner	204, 206
Mushroom Caps	142,410
	1 72, 710
N	
Nail Brush	209
Nails	384
1	

510

020 8311 1144

sales@cmt.co.uk

www.cmt.co.uk

INDEX (N-S)

Needle disposal kits	252	Pickaxes
Needle Resistant Gloves	288	Pick Head
Neoprene Wellington Boots 2	272,273, 275	Pin Board
Nitrile Gloves 2	81, 282, 286	Pipe Grea
- General handling		Pipe Cutte
Nitrile Gloves - Disposable	199, 289	Pipe Slice
No Waiting Cones	464	Pipe Wrer
Non-Conductive Road Pins	148	Plan Hang
Non-Conductive Fence Pins	148	Plant Nap
Note Book	184	Plasters
Notice Boards	182	Plasterers
Numatic Vacuum Cleaner	216	Plastic Ch
Numatic Vacuum Cleaner Bag	s 216	Plastic Cu
0		Plastic Cu

0

Office Chairs	188
Office Desks	186
Office Shirts	363
Office Stapler	184
Oil & Sediment Filter	234
Olympus Dust Masks	313
Optime Ear defenders	294, 295
Orange Mesh Fencing	149
Orange Skipper Unit	145, 463
Outdoor Bins	478
Overbanding Tape	124

Ρ

Pad Saw	95
Padlocks	156, 157, 400
Padlock Bolt	399
Paint Brushes	128
Paint Kettle	130
Paint Roller Extension Pole	129
Paint Roller Set	129
Paint Roller Sleeves	129
Paint Scuttle Set	130
Paintbuster Wipes	130, 210
Pallet Sump	230
Pallet Truck	73
Paper	184
Paper Hand Towel Dispense	er 212, 213
Paper Hand Towels	212, 213
Paper Plates	222
Path Boards	456
Paving Maul	76
PDU Drive Unit	419
Pedestals - Office	186
Pedestrian Barriers	450
Pencils - Carpenters	105
Pencils - Office	105, 183
Pens - Ballpoint	183
Permanent Markers	183
Petrol Cans	137, 429

2	Pickaxes 66,67	
3	Pick Heads & Handles 66, 67	
5	Pin Boards 182	
5	Pipe Grease 97	
	Pipe Cutters 106	
)	Pipe Slice 106	
1	Pipe Wrench 102, 104	
3	Plan Hangers 182	
3	Plant Nappys 230	
1	Plasters 248	
2	Plasterers Hawk 88	
5	Plastic Chain 145, 157, 463	
5	Plastic Cups 222	
	Plastic Cutlery 222	
	Plastic Key Tags 155	
3	Plastic Sleeved Chain 157	
5	Plates 222, 223	
3	Plate Compactors 421, 422	
1	Platform Ladders 443	
1	Pliers 102,104	
3	Plugging Chisel 92	
5	Pointing Trowels 88-90	
,	Pole Ladders 441	
3	Polo Shirts - Flame Retardant 372, 379, 382	
3	& Arc Protected	
1	Polo Shirts - Plain Colours 361, 362	
	Polo Shirts - Hi Vis 339, 340, 351, 354	
	Polyfibre Fork 59	
5	Polyfibre Shovels 53, 58-60	
)	Polypropylene Rope 142	
,	Polypropylene Sandbags 139	
3	Polystyrene Cups 222	
)	Portable Aluminium Stairs 435	
,	Portable Truck Access Stairs 434	
,	Post Hole Spade 55, 63, 65	
,	Power Tools 414, 415	
)	Powercap Infinity 319	
)	- Powered air respirator	
)	PPE Recycling 314	
3	Prescription Safety Eyewear 298, 299	
1	PressToCheck Respirators 316	
,	Pressure Washers 416	
3		
	Profile Boards 149	
3	Profile Boards 149 Propage Regulator 106	
3	Propane Regulator 106	
2	Propane Regulator106PTFE Tape144	
5	Propane Regulator 106 PTFE Tape 144 PU Gloves 283, 286, 287, 290, 291	
3 2 5 5	Propane Regulator 106 PTFE Tape 144 PU Gloves 283, 286, 287, 290, 291 Pump - Submersible 418	
3 2 5 5 9	Propane Regulator 106 PTFE Tape 144 PU Gloves 283, 286, 287, 290, 291 Pump - Submersible 418 Puncture Repair Kit 429	
3 2 5 5 9 5 9	Propane Regulator 106 PTFE Tape 144 PU Gloves 283, 286, 287, 290, 291 Pump - Submersible 418 Puncture Repair Kit 429 Punner 55, 65	
	Propane Regulator 106 PTFE Tape 144 PU Gloves 283, 286, 287, 290, 291 Pump - Submersible 418 Puncture Repair Kit 429 Punner 55, 65 PVC Knit Wrist Gloves 285	
	Propane Regulator 106 PTFE Tape 144 PU Gloves 283, 286, 287, 290, 291 Pump - Submersible 418 Puncture Repair Kit 429 Punner 55, 65	
	Propane Regulator 106 PTFE Tape 144 PU Gloves 283, 286, 287, 290, 291 Pump - Submersible 418 Puncture Repair Kit 429 Punner 55, 65 PVC Knit Wrist Gloves 285	
	Propane Regulator 106 PTFE Tape 144 PU Gloves 283, 286, 287, 290, 291 Pump - Submersible 418 Puncture Repair Kit 429 Punner 55, 65 PVC Knit Wrist Gloves 285	

66, 67 | Q-Signs 470,471 **Ouilted Tarmac Sheets** 143 Radiators - Oil Filled 172 Rags 211 Rail Vests - Hi Vis 353 68,404 Rakes Rammers 55,65 Ratchet Handle 101 **Ratchet Straps** 146 385 Rawl Plugs Rebar Safety Strip 410 **Reciprocating Saw Blades** 47 Red & White Bunting Tape 145,461 Reflective Strip For Temporary Fencing 448 **Refuse Sacks** 215 **Release Agent** 408 392-395 Resin **Respiratory Protection** 308-319 Respirators - Disposable 309, 312, 313 Respirators - Half Mask 316, 317 **Respirators - Full Face** 317 Respirators - Jetstream 318 Respirators - Powercap Infinity 319 Retractable blade knife 96 Retractable blade knife blades 96 **Richard Carter Shovels** 60,64,65 **Rigger Boots** 269 **Rigger Gloves** 284 **Rinse Aid** 225 Road Cones & Accessories 464-464 Road Marking Paint 120,121 Road Measuring Wheel 118 Road Pins 148 466-477 Road Signs Rock Salt 84 Rope 142 Round Mouth Shovel 54 Rot Proof Sandbags 139 257 Rotary Fire Bell Rotating Beacon 465 Rotating Laser Kit 122 Rubber Gloves 285 Rubber Mallet 76,87 Rubber Maul 76 **Rubbing Brick** 97 Rubble Sacks 215 Rubble Truck 161 Rucksacks 334 Sack Truck 73 Safegate Barrier 453

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

INDEX (S-T)

Safekerb Ramp	456	Shov Holer	55, 57, 63	Spring W
Safety Chest Waders	274	Shrink Wrap	143, 178	Squeege
Safety Footwear	260-275	Side Cutters	103,104	Stacking
Safety Glasses/Spectacles	298-306	Silicone Cartridges	133	Staff for L
Safety Goggles	305, 306	Silicone Gun	133	Stainless
Safety Gloves	279-291	Silicone Spray	136	Stainless
Safety Posters	506	Silver Foil Tape	144	Stairs
Safety Signs	478-506	Site Boxes	159	Stair Prot
Safety Specs Neck Cords	306	Site Fire Alarm	256, 257	Standpip
Safety Trainers	269	Site Lighting	167-171	Standpip
Salopettes - Hi Vis, Flame Retarda	int 355	Site Safety Boards	502-506	Standpip
& Waterproof		Site Safety Stations	192, 193, 258	Stanley K
Salopettes - Hi Vis & Waterproof	348, 356	Site Table	185, 187	Stapler -
Salt Bins	84	Skin Care Safety Centre	195	Staple Gu
Salt Spreader	84	Skin Reconditioner	194-197	Staples
Sandbags	139	Skip Net	139	Steel Cup
Sandpaper Disks	132	Skipper Unit	145, 463	Steel Pro
Sandpaper Roll	132	Skip Net	139	Steel Stra
Sanitising Gel	191,198	Skyworker Helmet	322	Steel Tap
Saws	94,95	Sledge Hammers	76	Step Up F
Scafftags	433	Sleeve Anchors	395	Step Lade
Scaffold Nipple Caps	142	Slump Cone	403	Stepover
Scaffold Spanner	98	Smoke Alarm	256	STIHL Sa
	432,433	Snow Shovel	83	STIHL TV
Scaffold Tube End Caps	142	Soap bars	209	Stillson W
Scissors	183	Soap - Hand	205, 209	Stockinet
Scouring Pads	211	Socket Drives	101	Stopcock
Scrapers	96,131	Socket Set	100	Stopeoch Stop & G
Scraper - Paint	131	Socks	270	Storage V
Scraper - Glass	131	Softshell Jackets - Plain Co		Storage V Storm Co
Scraper - Floor	96	Softshell Jackets - Hi Vis	341,358,	Strapping
Screen De-icer	83	Solvent Cleaner	134	Strapping
Screen Prop	177,	Sonis Ear Defenders	292, 293	
Screenwash	83, 428		4, 55, 59, 63, 65	Strapping
Screws	385	-	+, 55, 59, 65, 65 98	Stringline
Screwdriver Bits	386	Spanners	-	Strong Gi
	380 99	Spazzles	69, 405	Studding
Screwdriver Sets		Spear Bit Drills	45	Submers
Scutch Hammer	87	Speed Humps	458	Sugar
SDS Drill Bits	42,43	Speed Hump Fixing Bolts	458	Sun Crea
SDS Points & Chisels	43	Spillage Granules	229	Super Ma
Sealant Gun	133	Spill Kits	228, 229	Surgical (
Seat Covers	430	Spill Pads	229	Survey B
Security Chain	157	Spill Socks	228	Swarfega
0	446-448	Spirit Levels	93	Sweatba
Sediment Dewatering Filter	234	Splitter Boxes - 110v	165	Sweatshi
Self Drilling Screws	394	Sponges	211	& Arc Pro
Set Screws	397	Spray Adhesive	132	Sweatshi
Setting Out Pegs & Profile Boards	149	Spray Bottles	81	Sweatshi
Setting Punch For Wedge Anchor	395	Spray Paint - Road marking	120	Sweeping
Sharps Disposal Bins	252	Spray Paint - Spot marking	121	Swing Bir
Sharps Kits	252	Spray Paint Applicators	121	Swing Bir
Shirts	363	Sprayer Lance	81	Τ.
Shoe Covers	367	Sprayers	81, 82, 409	
Shovels	53-65	Spring Cleaning Kit	208	T-Hinge
		l		

g Water 242.243 egee 69 ing Chairs 188 or Laser level 122 ess Steel Cleaner 207 ess Steel Cutlery 222 435 Protector Roll 176 pipe Hose 150 pipe Keys 154, 257 pipe & Accessories 154, 257 ey Knife 96 er - Office 184 Gun 104 es 104,184 187 Cupboard Props 141 Strapping 147 119 Таре 440 Jp Platform adders 442 436 ver Ladders Saws 424, 425 Two Stroke Oil 137 n Wrench 104 inette Gloves 289 ock Key 154, 257 & Go Handheld Signs 464 ge Vault 159,150 Coat - Hi Vis 343, 345, 357 oing Combination Tool 147 oing Kit 147 oing Seals 147 lines 126 g Grip 132 ling 396 ersible Pumps 418 220 ream & Lotion 197.226 Maintenance Platforms 436, 437 al Gowns 199 y Book 122 ega 209 tband for helmet 326 tshirts - Flame Retardant 372, 379 Protected tshirts - Plain Colours 363 tshirts - Hi Vis 340, 354 ping Compound 208 Bin 214 Bin Liners 215

512 020 83[°]

020 8311 1144 sales@cmt.co.uk

www.cmt.co.uk

399

INDEX (T-Z)

	405	
Tables - Canteen	185	Traffic Film Remover 430
Tables - Office	187	Trailer Parts 426, 427
Tack Mat	178	Trailer Light Board 426
Tamper Rammer	55,65	Trailer Number Plate Clips 426
Tamping Bar	403	Trainers 269
Tamping Rod	403	Transbank Hazardous transit boxes 160
Tape Measures	118, 119	Transformers - 110v 165
Tar Brushes	105	Trench Cover 456
Tar Buckets	77,78	Tripod - Confined Space 329
Tar Cans	78	Trousers - Flame Retardant 373, 376-381 & Arc Protected
Tarmac Lute	69	
Tarmac Rammer	55,65	Trousers - Jogging Hi Vis 342, 343
Tarmac Steels	420	Trousers - Polycotton Plain Colours 365, 366
Tarmac Sheets - Jute	143	Trousers - Polycotton 342, 343, 351, 356 Hi Vis
Tarmac Sheets - Quilted	143	
Tarpaulins	139	Trousers - Waterproof Plain Colours 349
TCT Circular Saw Blades	50 220	Trousers - Waterproof Hi Vis 346-348, 355
Tea Bags		Trowels 88-91 Truck Access Stairs 434
Tea Towels	211	
Telescopic Ladder	439, 440	Truck Loading Podiums 434
Telescopic Screen Prop	177,	T-Shirts - Plain Colours 361-362 T-Shirts - Hi Vis 337, 339, 354
Telescopic Staff	122 177	
Temporary downpipe	446-448	Turntable Truck161Two Stroke Oil137, 138
Temporary Fencing	446-448 448	Two Way Radio 137, 138
Temporary Fencing Accessories	440 177,	
Temporary Protective Sheeting Test Cube Moulds	402	Tying Wire 407 Typhoon Dust Masks 313
Test Cube Modulus Test Cube Tamping Bar	402	Typhoon Dust Masks 515
Thermal Gloves	403 279,280	
Thermometers - Concrete	406	
Thermometers - Infrared	400 202	Underground Warning Tape 149
Thermometers - Max/Min	406	Uplights 171
Thermoplastic Line Marking Roll	400 124	Urinal Blocks 207
Thigh Waders	274	Urinal Screen 207
Thinsulate Liner For Pulsar Cover		Urn 224
Threaded Bar	396	Utility Barrier 453
Through Bolts	395	Uvex Dust Masks 312
Tile Drills	36,45	UVEX Safety Specs & Goggles 304, 305
Tin Snips	103	V
Tipp-Ex Pen	183	V V
Titan Barrier	452	Vacuum Cleaners 216
Toasters	224	Van first aid kit 246
Toilet Brush & Holder	218	Van Seat Cover 430
Toilet Cleaner	205, 207	Verge Posts 464
Toilet Tissue	212, 213	Vests - Hi Vis 335-337, 353
Toilet Tissue Dispenser	212, 213	Vests - Hi Vis Rail Spec 353
Tonne Bag	139	Vinyl Gloves - Disposable 199, 289
Tool Box	104	Visilite 326
Tool Tethering	107-116	Visors & Carriers 306, 324
Top Face Retarder	408	Vistalens 325
Torch & Aspects	359	Vistashield 325
Torches	166,359	10/
Torches - Head	166	VV
Tow Ball & Pin Hitch	426	Wall Mounted Ash Tray 184
	, 290, 291	Warning Beacons 465
Traffic Management	451-477	Warning Chain 145, 463
		1

Washboy Bucket	77,
Washers	398
Washing Up Bowl & Brush	223
Washing Up Brush	223
Washing Up Liquid	205, 206
Waste Paper Bin	182, 215
Water	221
Water Bottle - Dust suppression	79,80
Water Bottle - Plastic with lid	80
Water Butt	78
Water Containers	80
Water Dispenser	221
Water Pump Pliers	102
Water Sprayers	81
Watering Cans	78
WD40	136
Wedge Anchors	395
Welders Gauntlets	288
Wellington Boots	272-275
Womens Footwear	272-273
Wet Floor Signs	218
Wet Ploor Signs	346-349
	-349,357
Wet Weather Clothing 344 Wheelbarrows	-349, 357 70-73
Wheelie Bins	70-73 214
Wheelie Bin Bags	215
Wheelie Bin Liners	215
Whipcheck	150
Whistles	155
White Board	182
White Board Eraser	183
White Copier Paper	184
White Spirit	130
Window Cleaner Spray	204, 207
Window Film	178
Wipes	198, 210
Wire Brushes	105
Women's Footwear	271
Wood Screws	385
Wooden Cutlery	223, 244
Wooden Float	88
Wooden Maul	76
Workplace First Aid Kits	247
Workshop Wipes	210
Wrecking Bar	92
Υ	
Yellow Dusters	211
Ζ	
Z-Fold Towels	212, 213
Zebra Tape	145, 179
-	

ORDER 6AM TO 7PM FOR NEXT MORNING DELIVERY

513

OTEC DIAMOND BLADES & CORES CUTTING & DRILLING GROUNDWORK TOOLS HAND TOOLS

TOOL TETHERING MEASURING & SURVEYING EQUIPMENT

DECORATING & SEALANTS SITE EQUIPMENT

ELECTRICAL & LIGHTING SITE PROTECTION SITE FURNITURE & STATIONERY COVID HYGIENE

JANITORIAL & CATERING ENVIRONMENTAL FIRE, ACCIDENT & EMERGENCY PERSONAL PROTECTIVE EQUIPMENT HI VIS CLOTHING & WORKWEAR

FIXINGS & FASTENERS CONCRETE & FORMWORK ACCESSORIES

PLANT, POWER TOOLS & AUTOMOTIVE

SAFESMART ACCESS SECURASITE TRAFFIC MANAGEMENT SAFETY SIGNS





GET IT NOW! -2 HOUR VIP DELIVERY SERVICE WITHIN M25 & KENT



GET IT TOMORROW AM! ORDERS PLACED BY 7PM WILL BE DELIVERED BEFORE NOON THE NEXT DAY ANYWHERE IN UK



020 8311 1144 | sales@cmt.co.uk | www.cmt.co.uk